



2019 PRODUCT DATA



JNILOCK[®]
DESIGNED TO CONNECT.

UNILOCK® QUALITY GUARANTEED



GOOD CLASSIC

Our budget-friendly, Unilock Classic pavers and walls are manufactured to exceed ASTM standards for quality and strength. Available in classic shapes and styles, these products utilize a traditional **product mix of large and small aggregates**, that's consistent from top to bottom, with color mixed throughout.

BETTER ENDURACOLOR™

The refined surface of Unilock Enduracolor products is achieved with a **two step manufacturing process** that combines a base of coarser aggregates for a **stronger foundation**, with concentrated color and **wear-resistant finer aggregates on top**. This process protects the surface from the appearance of fading over time because the top layer prevents large, lighter color aggregates from ever showing through.

BEST ELEGANCE™

Deep, rich colors and a multitude of **unique Reala™ textures** combine to deliver the timeless beauty of Unilock Elegance. From the timeworn look of European cobblestones, to the classic luxury of riven natural stone slabs, our Elegance collection offers styles you can't get anywhere else and thanks to Ultima Concrete, the look you purchase is the look that will last, with up to **4x the strength** of poured in place concrete.



EXCLUSIVE UNILOCK TECHNOLOGIES

REALA™

Ultra realistic textures cast from Natural Stone, brick and historic cobblestones.

ULTIMA™

A proprietary manufacturing process creates pavers with up to four times the strength of poured concrete.

COLORFUSION™

A proprietary technology that disperses color randomly for a natural granite-like appearance.

EASYCLEAN™

Factory sealed to provide integral surface protection from stains

There are two Clean Factors (CF®) to choose from:

CLEAN FACTORS (CF)	CF 90	CF 100
Pavers are pre-sealed at the factory	*	*
Enhanced resistance to weathering	*	*
Reduced dirt absorption	*	**
Stains from leaves, coffee, ketchup, mustard, wine and BBQ oils are easier to remove	*	**

2019



BEACON HILL SMOOTH

5



U-CARA

32

PAVERS

- 2 Ada Paver™
- 2 Arcana
- 3 Artline™
- 4 Anchorlock®
- 4 Beacon Hill Flagstone™
- 5 Beacon Hill™ Smooth
- 5 Bristol Valley®
- 6 Brussels Block®
- 6 Brussels Premier™
- 7 Camelot™
- 7 Copthorne®
- 8 Courtstone®
- 9 Eco-Line®
- 9 Eco-Optiloc™
- 10 Eco-Priora™
- 10 Eco-Promenade®
- 11 Hollandstone™
- 11 Holland Premier™
- 12 Il Campo®
- 12 Mattoni
- 13 Natural Stone
- 14 Olde Greenwich Cobble®
- 14 Optiloc®
- 15 Porcelain Tile
- 16 Promenade® Series
- 16 Rivenstone™
- 17 Richcliff®
- 17 Skyline 24 x 24
- 18 Senzo™
- 18 Series™
- 19 Thornbury™
- 19 Town Hall®
- 20 Tribeca Cobble
- 20 Turfstone™
- 21 Umbriano®
- 22 Westport™

RETAINING WALLS

- 23 Brussels Dimensional Stone®
- 24 Cumberland Wall®
- 25 DuraHold®
- 26 Estate Wall®
- 27 Lineo™ Dimensional Stone
- 28 Olde Quarry®
- 29 Pisa2®
- 30 Rivercrest® Wall
- 32 U-Cara™
- 34 Ledgestone™ Pillar Cap, Coping, Fullnose & Steps
- 34 Universal Coping
- 35 Brussels Fullnose™
- 35 6" x 12" Fullnose
- 36 SienaStone® and SienaStone Smooth
- 37 Fire Pit Kits - Sunset and Rivercrest®

PRODUCT & INSTALLATION INFORMATION

- 38 Laying Patterns
- 40 Unilock Elements
- 43 Cleaners, Sealers & Accessories
- 51 Accessory Quick Reference Guide
- 53 Calculations
- 54 Sealer Best Practices
- 54 Polysand Best Practices
- 55 Terms & Conditions
- 55 Freight Rates
- 56 Important Notes
- 58 Color Blends
- 59 Product Directory




This symbol indicates that the product facilitates the flow of water from the surface into the joints and into the ground below.


Unilock contact information
1-800-Unilock
Orders@Unilock.com
Customer Service Fax #: 630-892-2066

ADA PAVER™

Special Order / Non-Stock



CHARCOAL



RED



STANDARD
12 x 12 x 2³/₄"
30 x 30 x 7cm
SPECIAL ORDER

Stones & Bundling	Unit		SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per		
	Thickness	Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle	
Chicago Manufacturing																				
12"x12"	2 ³ / ₄ " (7cm)	93.04	11.63	-	0.97	8	-	0.99	23.60	94.50	-	-	-	1.03	-	96	395	-	3,160	


Notes: **Special Order - Lead time is required, minimum quantities apply. Sold in full bundles only.** Minimum quantities apply. All measurements are nominal.

Internal Use Only. ADA CH

ARCANA

Stocked at Aurora & Elkhorn (Transferrable upon request to Tonganoxie)

ENDURACOLOR™



CORVARA



LUGANO



MODENA



VIVANTO



24 x 24
23³/₈ x 23³/₈ x 2"
60.6 x 60.6 x 5cm



18 x 24
17³/₈ x 23³/₈ x 2"
45.3 x 60.6 x 5cm



12 x 24
11³/₈ x 23³/₈ x 2"
30.1 x 60.6 x 5cm

TECHNICAL ADVANTAGE

EasyClean™ Stain Resistance - CF 100

An integral surface protection that allows for easier cleanup of spills when they happen, and before a stain can develop.

Stones & Bundling	Unit		SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per		
	Thickness	Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle	
Chicago Manufacturing																				
24"x24"	2" (5cm)	72	8	-	4	9	-	-	-	-	-	-	-	0.25	-	18	192	-	1,728	
18"x24"	2" (5cm)	54	6	-	3	9	-	-	-	-	-	-	-	0.33	-	18	144	-	1,296	
12"x24"	2" (5cm)	36	4	-	2	9	-	-	-	-	-	-	-	0.50	-	18	96	-	864	

Notes: **Sold in full bundles only and is produced and sold on a required and refundable skid.** Unilock offers adjustable and stackable pedestal systems; please contact your Territory Manager for pricing and availability. **Product is not intended for vehicular applications.** Please refer to the Polymeric Sand Best Practices on page 54 and Important Notice on page 57. All measurements are nominal. Unilock recommends to install Arcana using T and X slab spacers (See page 49) Please contact your sales manager for more information.

Internal Use Only. ARC CH

SMOOTH FINISH



BAVARIAN BLEND COPPER RIDGE STEEL MOUNTAIN

ANTIQUED FINISH



BAVARIAN BLEND COPPER RIDGE STEEL MOUNTAIN

TECHNICAL ADVANTAGE

EasyClean™ Stain Resistance - CF 90

(Umbriano finishes only)

An integral surface protection that allows for easier cleanup of spills when they happen, and before a stain can develop.



<p>Unit A</p>  <p>6¾ x 4⅞ x 2¾" 16.9 x 12.5 x 7cm</p>	<p>Unit B</p>  <p>10⅜ x 4⅞ x 2¾" 26.25 x 12.5 x 7cm</p>	<p>Unit C</p>  <p>13⅜ x 4⅞ x 2¾" 33.75 x 12.5 x 7cm</p>	<p>Unit D</p>  <p>17¾ x 4⅞ x 2¾" 45 x 12.5 x 7cm</p>
<p>Unit E</p>  <p>8⅞ x 7½ x 2¾" 22.5 x 18.75 x 7cm</p>	<p>Unit F</p>  <p>13⅜ x 7½ x 2¾" 33.75 x 18.75 x 7cm</p>	<p>Unit G</p>  <p>17¾ x 7½ x 2¾" 45 x 18.75 x 7cm</p>	<p style="writing-mode: vertical-rl; transform: rotate(180deg);">Random Bundle Individual units cannot be sold separately</p>

Stones & Bundling	Unit Thickness	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per			
		Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle	
Marengo Manufacturing																				
Random Bundle		93.25	11.66	-	-	8	-	-	-	-	-	-	2.06	-	192	370	-	-	2,963	
Unit A	2¾" (7cm)	-	-	-	0.23	-	-	-	-	-	0.41	-	17.74	4.40	-	32	-	-	-	
Unit B	2¾" (7cm)	-	-	-	0.35	-	-	-	-	-	0.41	-	27.56	2.83	-	32	-	-	-	
Unit C	2¾" (7cm)	-	-	-	0.45	-	-	-	-	-	0.41	-	35.43	2.2	-	32	-	-	-	
Unit D	2¾" (7cm)	-	-	-	0.61	-	-	-	-	-	0.41	-	47.24	1.65	-	32	-	-	-	
Unit E	2¾" (7cm)	-	-	-	0.45	-	-	-	-	-	0.62	-	23.62	2.20	-	32	-	-	-	
Unit F	2¾" (7cm)	-	-	-	0.68	-	-	-	-	-	0.62	-	17.72	1.47	-	16	-	-	-	
Unit G	2¾" (7cm)	-	-	-	0.91	-	-	-	-	-	0.62	-	23.62	1.1	-	16	-	-	-	

Notes: **Sold in full bundles only and is produced and sold on a required, refundable skid.** Antique, Smooth and Umbriano finish offer EasyClean™ Stain Resistance technology. **Important: A urethane rubber paver mat must be used to prevent scuffing.** All measurements are nominal. Contact Unilock for more information.

Internal Use Only. ART ON

TO CREATE A ONE-OF-A-KIND CUSTOM LOOK, ARTLINE IS ALSO AVAILABLE IN THESE FINISHES:

IL CAMPO® FINISH



BAVARIAN BLEND

IL CAMPO® FINISH



GRANITE BLEND

UMBRIANO® FINISH



MIDNIGHT SKY - CF90

UMBRIANO® FINISH



WINTER MARVEL - CF90

ANCHORLOCK®

Special Order / Non-Stock



STANDARD FINISH
CUSTOM FINISH
AVAILABLE



ANCHORLOCK®
8⁷/₈ x 8⁷/₈ x 3¹/₈"
22.5 x 22.5 x 8cm
SPECIAL ORDER



Stones & Bundling	Unit Thickness	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per		
		Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
Chicago Manufacturing																			
Standard	3 ¹ / ₈ " (8cm)	86.72	10.84	-	0.42	8	-	-	-	-	-	-	-	2.40	-	208	374	-	2,991
Anchorlock 1/3 Stone	3 ¹ / ₈ " (8cm)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16	-	-	-

Notes: **Special Order - Lead time is required, minimum quantities apply. Sold in full bundles only.** Minimum quantities apply. This product is optimized for mechanical installation. 1/3 stones incorporated within the standard bundle - 1/3 stone not shown. All measurements are nominal.

Internal Use Only. ANC CH

BEACON HILL™ FLAGSTONE

Stocked at Aurora, Elkhorn, Marengo & Tonganoxie

ENDURACOLOR™



ALPINE GREY



BAVARIAN BLEND



SYCAMORE



LARGE RECTANGLE
21¹/₄ x 14¹/₈ x 2³/₈"
54 x 36 x 6cm



SQUARE
14¹/₈ x 14¹/₈ x 2³/₈"
36 x 36 x 6cm



SMALL RECTANGLE
7¹/₁₆ x 14¹/₈ x 2³/₈"
18 x 36 x 6cm

Random Bundle
Individual units cannot
be sold separately



XL UNIT
21 x 35 x 2³/₈"
54 x 90 x 6cm
SOLD SEPARATELY

Also available in 8cm



Stones & Bundling	Unit Thickness	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per			
		Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle	
Marengo Manufacturing																				
6cm Random Bundle		104.00	10.40	-	-	10	-	-	-	-	-	-	-	88.58	-	-	80	290	-	2,896
Large Rectangle	2 ³ / ₈ " (6cm)	41.68	-	-	2.08	-	-	-	-	-	-	-	-	35.43	0.48	-	20	-	-	-
	Square	2 ³ / ₈ " (6cm)	41.55	-	-	1.39	-	-	-	-	-	-	-	35.43	0.72	-	30	-	-	-
	Small Rectangle	2 ³ / ₈ " (6cm)	20.77	-	-	0.69	-	-	-	-	-	-	-	17.72	1.43	-	30	-	-	-
XL Unit	2 ³ / ₈ " (6cm)	104.00	10.40	-	5.20	10	-	-	-	-	-	-	-	0.19	-	20	293	-	2,960	
8cm Random Bundle		72.80	10.40	-	-	7	-	-	-	-	-	-	-	62.00	-	-	56	362	-	2,534
Large Rectangle	3 ¹ / ₈ " (8cm)	-	-	-	2.08	-	-	-	-	-	-	-	-	24.80	0.48	-	14	-	-	-
	Square	3 ¹ / ₈ " (8cm)	-	-	1.39	-	-	-	-	-	-	-	-	24.80	0.72	-	21	-	-	-
	Small Rectangle	3 ¹ / ₈ " (8cm)	-	-	0.69	-	-	-	-	-	-	-	-	12.40	1.43	-	21	-	-	-

Notes: **Sold in full bundles only and is produced and sold on a required, refundable skid. 6cm product is not intended for vehicular applications. Important: A urethane rubber paver mat must be used to prevent scuffing.** All measurements are nominal. Contact Unilock for more information.

Internal Use Only. BHF CH



BAVARIAN GRANITE FUSION OPAL



LARGE RECTANGLE
21¼ x 14½ x 2⅝"
54cm x 36cm x 6 & 8cm

SQUARE
14½ x 14½ x 2⅝"
36cm x 36cm x 6 & 8cm

SMALL RECTANGLE
7⅞ x 14½ x 2⅝"
18cm x 36cm x 6 & 8cm

Individual units cannot be sold separately



XL UNIT
21 x 35 x 2⅝"
54 x 90 x 6cm
SOLD SEPARATELY

Stones & Bundling	Unit Thickness	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per			
		Bundle	Layer	Section	Stone	Layers	Sections	S qFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle	
Marengo Manufacturing																				
Random Bundle*	-	104.00	10.40	-	-	10	-	-	-	-	-	-	-	88.58	-	-	80	290	-	2,896
Large Rectangle	2⅝" (6cm)	41.68	-	-	2.08	-	-	-	-	-	-	-	-	35.43	0.48	-	20	-	-	-
	Square	2⅝" (6cm)	41.55	-	-	1.39	-	-	-	-	-	-	-	35.43	0.72	-	30	-	-	-
	Small Rectangle	2⅝" (6cm)	20.77	-	-	0.69	-	-	-	-	-	-	-	17.72	1.43	-	30	-	-	-
XL Unit	2⅝" (6cm)	104.00	10.40	-	5.20	10	-	-	-	-	-	-	-	0.19	-	20	293	-	2,929	

Notes: **Sold in full bundles only.** All measurements are nominal. **Important:** Textured surfaces require a buffer between the plate compactor and the paver surface to prevent scuffing. **6cm product is not intended for vehicular applications.** *8cm Thickness also available for special order - lead time required. Please see page 4 for packaging information. Please contact UniocK for more information.


Internal Use Only. BHF CH



BAVARIAN BLEND COPPER RIDGE STEEL MOUNTAIN

TECHNICAL ADVANTAGE
EasyClean™ Stain Resistance - CF 90
An integral surface protection that allows for easier cleanup of spills when they happen, and before a stain can develop.

8cm available for Special Order



LARGE RECTANGLE
21¼ x 14½ x 2⅝"
54 x 36 x 6cm

SQUARE
14½ x 14½ x 2⅝"
36 x 36 x 6cm

SMALL RECTANGLE
7⅞ x 14½ x 2⅝"
18 x 36 x 6cm

Individual units cannot be sold separately



XL UNIT
21 x 35 x 2⅝"
54 x 90 x 6cm
SOLD SEPARATELY



Stones & Bundling	Unit Thickness	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per			
		Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle	
Marengo Manufacturing																				
6cm Random Bundle		104.00	10.40	-	-	10	-	-	-	-	-	-	-	88.58	-	-	80	293	-	2,929
Large Rectangle	2⅝" (6cm)	41.68	-	-	2.08	-	-	-	-	-	-	-	-	35.43	0.48	-	20	-	-	-
	Square	2⅝" (6cm)	41.55	-	-	1.39	-	-	-	-	-	-	-	35.43	0.72	-	30	-	-	-
	Small Rectangle	2⅝" (6cm)	20.77	-	-	0.69	-	-	-	-	-	-	-	17.72	1.43	-	30	-	-	-
XL Unit	2⅝" (6cm)	104.00	10.40	-	5.2	10	-	-	-	-	-	-	-	0.19	-	20	884	-	2,960	
8cm Random Bundle SPECIAL ORDER		72.80	10.40	-	-	7	-	-	-	-	-	-	-	62.00	-	-	56	390	-	2,730
Large Rectangle	3⅞" (8cm)	-	-	-	2.08	-	-	-	-	-	-	-	-	24.8	0.48	-	14	-	-	-
	Square	3⅞" (8cm)	-	-	1.39	-	-	-	-	-	-	-	-	24.8	0.72	-	21	-	-	-
	Small Rectangle	3⅞" (8cm)	-	-	0.69	-	-	-	-	-	-	-	-	12.4	1.43	-	21	-	-	-

Notes: **8cm product is SPECIAL ORDER.** Sold in full bundles only and is produced and sold on a required, refundable skid. **6cm product is not intended for vehicular applications.** Important: A urethane rubber paver mat must be used to prevent scuffing. All measurements are nominal. Contact UniocK for more information.

Internal Use Only. BRV CH

BRUSSELS BLOCK®

Stocked at Aurora, Elkhorn & Tonganoxie



COFFEE CREEK



LIMESTONE



RIVER
NEW FOR 2019
NOT AVAILABLE IN
COPING



SANDSTONE



SIERRA



XL STONE
8¼ x 13¾ x 2¾"
20.8 x 34.8 x 7cm



STANDARD STONE
6⅞ x 8¼ x 2¾"
17.5 x 20.8 x 7cm



HALF STONE
4⅞ x 6⅞ x 2¾"
10.4 x 17.5 x 7cm



Stones & Bundling Chicago Manufacturing	Unit	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per		
	Thickness	Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
XL	2¾" (7cm)	93.86	9.39	31.29	0.78	10	3	1.15	27.3	81.9	0.69	45.67	137.01	1.28	40	120	310	1,032	3,097
Standard	2¾" (7cm)	94.91	11.86	15.82	0.40	8	6	0.7	22.7	136.2	0.58	27.3	163.78	2.53	40	240	382	509	3,056
Half	2¾" (7cm)	88.70	11.09	12.67	0.20	8	7	0.58	21.8	152.9	0.34	37.38	261.63	5.05	64	448	355	406	2,840

Notes: XL Unit can also be used as a coping or step tread. Please see page 35 for Brussels Fullnose and 6" x 12" Fullnose packaging information. All measurements are nominal. Contact Unilock for more information.

Internal Use Only. BBK CH

BRUSSELS PREMIER™

Stocked at Aurora, Elkhorn & Tonganoxie

ENDURACOLOR™




ALPINE GREY




BAVARIAN BLEND



SYCAMORE



XL STONE
8¼ x 13¾ x 2¾"
20.8 x 34.8 x 7cm



STANDARD STONE
6⅞ x 8¼ x 2¾"
17.5 x 20.8 x 7cm



HALF STONE
4⅞ x 6⅞ x 2¾"
10.4 x 17.5 x 7cm



Stones & Bundling Chicago Manufacturing	Unit	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per		
	Thickness	Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
XL	2¾" (7cm)	93.86	9.39	-	0.78	10	-	1.15	-	81.89	0.69	-	137.01	1.28	-	120	310	-	3,097
Standard	2¾" (7cm)	94.91	11.86	-	0.40	8	-	0.70	-	136.22	0.58	-	163.78	2.53	-	240	382	-	3,056
Half	2¾" (7cm)	88.70	11.09	-	0.20	8	-	0.58	-	152.86	0.34	-	261.63	5.05	-	448	355	-	2,840

Notes: Product is non-sectionable and sold in full bundles only. **Important: A urethane rubber paver mat must be used to prevent scuffing.** All measurements are nominal. Contact Unilock for more information.

Internal Use Only. BPR CH

CAMELOT™

Stocked at Aurora, Elkhorn & Tonganoxie



AUTUMN RED



CHARCOAL



SIERRA



RECTANGLE
6¼ x 9½ x 3⅞"
16 x 24 x 8cm

Stones & Bundling	Unit		SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per		
	Thickness	Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle	
Chicago Manufacturing																				
Rectangle	3⅞" (8cm)	74.40	12.40	14.88	0.41	6	5	0.79	18.90	94.50	-	-	-	2.42	36	180	453	543	2,717	

Notes: **Important:** A urethane rubber paver mat must be used to prevent scuffing. All measurements are nominal. Contact Unilock for more information.

Internal Use Only. CAM CH

COPTHORNE®

Stocked at Aurora, Elkhorn & Tonganoxie



BASALT



BURGUNDY RED



BURNT CLAY



OLD OAK



STEEL BLUE



3 COLOR BLEND
Sold Separately/
Blended on Site



STANDARD
2½ x 7⅞ x 2⅜"
6.5 x 20 x 6cm

TECHNICAL ADVANTAGES

Reala™ Surface Technology

Ultra-realistic textures cast from natural stone, brick and historic cobblestones.

Ultima™ Concrete Technology

This proprietary manufacturing process creates pavers and walls with up to four times the strength of poured concrete.

Stones & Bundling	Unit		SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per		
	Thickness	Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle	
Ayr Manufacturing																				
Standard	2⅜" (6cm)	89.20	11.15	-	0.15	8	-	0.70	-	127.90	-	-	-	6.73	-	600	294	-	2,349	

Notes: **Sold in full bundles only and is produced and sold on a required, refundable skid. Important:** A urethane rubber paver mat must be used to prevent scuffing. Please refer to the Polymeric Sand Best Practices on page 54 and Important Notice on page 57. All measurements are nominal. Contact Unilock for more information.

Internal Use Only. COP ON



BASALT



BELGIAN BLUE



DAWN MIST



PEBBLE TAUPE



BASALT/
BELGIAN BLUE
Sold Separately/
Blended on Site



DAWN MIST/
PEBBLE TAUPE
Sold Separately/
Blended on Site

TECHNICAL ADVANTAGES

Reala™ Surface Technology

Ultra-realistic textures cast from natural stone, brick and historic cobblestones.

Ultima™ Concrete Technology

This proprietary manufacturing process creates pavers and walls with up to four times the strength of poured concrete.




					Random Bundle Individual units cannot be sold separately
XL RECTANGLE 5 1/8 x 8 3/8 x 2 3/8" 13 x 21.5 x 6cm	LARGE RECTANGLE 5 1/8 x 7 1/4 x 2 3/8" 13 x 18.5 x 6cm	RECTANGLE 5 1/8 x 6 1/2 x 2 3/8" 13 x 16.5 x 6cm	SMALL RECTANGLE 5 1/8 x 5 3/4 x 2 3/8" 13 x 14.5 x 6cm	SQUARE 5 1/8 x 5 1/8 x 2 3/8" 13 x 13 x 6cm	

Stones & Bundling	Unit	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per		
	Thickness	Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
Random Bundle	-	98.3	12.29	-	-	8	-	-	-	-	-	-	221.5	-	-	384	291	-	2,326
XL Rectangle	2 3/8" (6cm)	-	-	-	0.30	-	-	-	-	-	0.43	-	90.30	3.32	-	128	-	-	-
Large Rectangle	2 3/8" (6cm)	-	-	-	0.26	-	-	-	-	-	0.43	-	38.80	3.86	-	64	-	-	-
Rectangle	2 3/8" (6cm)	-	-	-	0.23	-	-	-	-	-	0.43	-	34.60	4.33	-	64	-	-	-
Small Rectangle	2 3/8" (6cm)	-	-	-	0.20	-	-	-	-	-	0.43	-	30.40	4.93	-	64	-	-	-
Square	2 3/8" (6cm)	-	-	-	0.18	-	-	-	-	-	0.43	-	27.30	5.50	-	64	-	-	-

Notes: **Sold in full bundles only and is produced and sold on a required, refundable skid. Important: A urethane rubber paver mat must be used to prevent scuffing.** Please refer to the Polymeric Sand Best Practices on page 54 and Important Notice on page 57. All measurements are nominal. Contact Unilock for more information.

Internal Use Only. CRT ON



STANDARD FINISH IL CAMPO FINISH SERIES™ FINISH UMBRIANO® FINISH PREMIER FINISH



SPECIAL ORDER



UNIT A
14 x 3⁵/₁₆ x 4"
35.7 x 8.4 x 10cm



UNIT B
12¹/₂ x 3⁵/₁₆ x 4"
31.7 x 8.4 x 10cm



UNIT C
11 x 3⁵/₁₆ x 4"
27.7 x 8.4 x 10cm



UNIT D
9³/₈ x 3⁵/₁₆ x 4"
23.7 x 8.4 x 10cm



UNIT E
14 x 4¹/₂ x 4"
35.7 x 11.4 x 10cm



UNIT F
12¹/₂ x 4¹/₂ x 4"
31.7 x 11.4 x 10cm



UNIT G
11 x 4¹/₂ x 4"
27.7 x 11.4 x 10cm



UNIT H
9³/₈ x 4¹/₂ x 4"
23.7 x 11.4 x 10cm


Individual units cannot be sold separately

Random Bundle

Stones & Bundling	Unit Thickness	* SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			* Lbs Per		
		Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
Chicago Manufacturing																			
Random Bundle	-	55.17	11.03	-	-	5	-	-	-	-	-	-	-	-	160	513	-	2,564	
Unit A	4" (10cm)	-	-	-	0.32	-	-	-	-	-	-	-	-	3.10	-	20	-	-	-
Unit B	4" (10cm)	-	-	-	0.29	-	-	-	-	-	-	-	-	3.49	-	20	-	-	-
Unit C	4" (10cm)	-	-	-	0.25	-	-	-	-	-	-	-	-	3.99	-	20	-	-	-
Unit D	4" (10cm)	-	-	-	0.21	-	-	-	-	-	-	-	-	4.67	-	20	-	-	-
Unit E	4" (10cm)	-	-	-	0.44	-	-	-	-	-	-	-	-	2.28	-	20	-	-	-
Unit F	4" (10cm)	-	-	-	0.39	-	-	-	-	-	-	-	-	2.57	-	20	-	-	-
Unit G	4" (10cm)	-	-	-	0.34	-	-	-	-	-	-	-	-	2.94	-	20	-	-	-
Unit H	4" (10cm)	-	-	-	0.29	-	-	-	-	-	-	-	-	3.44	-	20	-	-	-

Notes: **Special Order - Lead time is required, minimum quantities apply. Sold in full bundles only and is produced and sold on a required, refundable skid.** Custom finish and color options are available. * Weights and Square Feet may vary depending on plant of manufacture and finish. **Important: A urethane rubber paver mat must be used to prevent scuffing.** This product is optimized for mechanical installation. All measurements are nominal. Contact Unilock for more information.

Internal Use Only. EOL CH



STANDARD FINISH PREMIER FINISH IL CAMPO FINISH SERIES™ FINISH



STANDARD
10¹/₄ x 10¹/₄ x 3¹/₈"
26 x 26 x 8cm
SPECIAL ORDER



Stones & Bundling	Unit Thickness	* SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			* Lbs Per		
		Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
Chicago Manufacturing																			
Standard	3 ¹ / ₈ " (8cm)	84.4	10.55	-	0.50	8	-	-	-	-	-	-	-	1.99	-	168	363	-	2,908

Notes: **Special Order - Lead time is required, minimum quantities apply. Sold in full bundles only and is produced and sold on a required, refundable skid.** Custom finish and color options are available. * Weights and Square Feet may vary depending on plant of manufacture and finish. **Important: A urethane rubber paver mat must be used to prevent scuffing.** This product is optimized for mechanical installation. All measurements are nominal. Contact Unilock for more information.


Internal Use Only. EOP CH



RIVER STANDARD FINISH



SIERRA STANDARD FINISH



HERITAGE BROWN PREMIER FINISH
ENDURACOLOR
NEW FOR 2019



SABLE BLEND PREMIER FINISH
ENDURACOLOR
NEW FOR 2019



RECTANGLE
5" x 10" x 3 1/8"
12 x 24 x 8cm

Stones & Bundling	Unit	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per			
	Thickness	Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle	
Chicago Manufacturing																				
5" x 10"	3 1/8" (8cm)	74.59	10.66	-	0.30	7	-	0.77	-	96.5	-	-	-	3.29	-	245	381	-	2,669	
Herringbone 5x10 *	3 1/8" (8cm)	74.59	10.66	-	0.30	7	-	0.76	-	98.0	-	-	-	3.34	-	249	381	-	2,669	

Notes: * **Special Order - Lead time is required, minimum quantities apply. Sold in full bundles only and sold on a required, refundable skid. Important: A urethane rubber paver mat must be used to prevent scuffing.** All measurements are nominal. Contact Unilock for more information.


Internal Use Only, EPA CH



PREMIER FINISH



IL CAMPO® FINISH



SERIES™ FINISH



UMBRIANO® FINISH



STANDARD FINISH



3" x 12" x 4"
7.5 x 30 x 10cm

SPECIAL ORDER



Stones & Bundling	Unit	* SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			* Lbs Per		
	Thickness	Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
3" x 12" Permeable	4" (10cm)	63.94	10.66	-	0.24	6	-	-	-	-	-	-	-	4.13	-	-	*	-	*

Notes: **Special Order - Lead time is required, minimum quantities apply. Sold in full bundles only and is produced and sold on a required, refundable skid.** Custom finish and color options are available. * Weights and Square Feet may vary depending on plant of manufacture and finish.

Important: A urethane rubber paver mat must be used to prevent scuffing. All measurements are nominal. Contact Unilock for more information.

Internal Use Only, ECP CH

HOLLANDSTONE™

Stocked at Aurora, Elkhorn & Tonganoxie



AUTUMN RED CHARCOAL PRAIRIE RED



RIVER RUSTIC RED SIERRA



HOLLANDSTONE
4 x 8 x 2 3/8"
10 x 20 x 6cm



Stones & Bundling	Unit	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per			
	Thickness	Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle	
Chicago Manufacturing																				
Standard	2 3/8" (6cm)	117.90	11.79	19.65	0.22	10	6	0.67	29.50	177.20	-	-	-	4.58	90	540	306	511	3,065	
Heavy Duty *	3 1/8" (8cm)	82.50	11.79	13.75	0.22	7	6	0.67	20.70	124.00	-	-	-	4.58	63	378	423	493	2,960	

Notes: * **Special Order - Lead time is required, minimum quantities apply. Sold in full bundles only.** All measurements are nominal. Contact Unilock for more information.

Internal Use Only. HOL CH

HOLLAND PREMIER™ 6CM

Stocked at Aurora, Elkhorn & Tonganoxie

ENDURACOLOR™




BROWN CHARLESTON GRANITE BLEND HERITAGE BROWN



RIVER SIERRA



STANDARD
4 x 8 x 2 3/8"
10 x 20 x 6cm



Stones & Bundling	Unit	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per			
	Thickness	Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle	
Chicago Manufacturing																				
Standard	2 3/8" (6cm)	117.90	11.79	-	0.22	10	-	0.67	-	177.2	0.33	-	354.34	4.58	-	540	306	-	3,065	

Notes: **Sold in full bundles only and is produced and sold on a required, refundable skid. Important: A urethane rubber paver mat must be used to prevent scuffing.** All measurements are nominal. Contact Unilock for more information.

Internal Use Only. HPR CH




BAVARIAN BLEND



GRANITE
Only Available
in 4x8



HERITAGE BROWN



ARTLINE SIZES AVAILABLE, SEE PAGE 3



BAVARIAN



GRANITE



6 x 8 x 2 3/4"
15 x 20 x 7cm



6 x 6 x 2 3/4"
15 x 15 x 7cm



4 x 6 x 2 3/4"
10 x 15 x 7cm

Random Bundle
Individual units cannot
be sold separately



4 x 8 x 2 3/4"
10 x 20 x 7cm

Stones & Bundling	Unit Thickness	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per			
		Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle	
Chicago Manufacturing																				
4" x 8"	2 3/4" (7cm)	106.11	11.79	17.69	0.22	9	6	0.66	27	162	-	-	-	4.58	81	486.01	362	543	3,261	
Random Bundle	-	89.12	11.14	-	-	8	-	-	-	154.9	-	-	-	-	-	336	376	-	3,008	
6" x 8"	2 3/4" (7cm)	-	-	-	0.32	-	-	0.66	-	78.70	-	-	-	3.10	-	160	-	-	-	
6" x 6"	2 3/4" (7cm)	-	-	-	0.24	-	-	0.49	-	55.10	-	-	-	4.13	-	112	-	-	-	
4" x 6"	2 3/4" (7cm)	-	-	-	0.16	-	-	0.49	-	21.00	-	-	-	6.19	-	64	-	-	-	

Notes: **Random bundle is sold in full bundles only.** Additional sizes are available for special orders, minimum quantities apply. **Important: A urethane rubber paver mat must be used to prevent scuffing.** Please refer to the Sealer Best Practices on page 54 and Important Notice on page 57. All measurements are nominal. Contact Unilock for more information.

Internal Use Only. ILC CH

MATTONI

Stocked at Aurora, Elkhorn, Marengo & Tonganoxie



CHARLESTON



COCOA BROWN



DARK CHARCOAL



SABLE BLEND



STANDARD
2 1/4 x 9 1/2 x 2 3/4"
6 x 24 x 7cm

Stones & Bundling	Unit Thickness	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per			
		Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle	
Marengo Manufacturing																				
Standard	2 1/4" (7cm)	89.28	11.16	-	0.16	8	-	0.79	-	113.39	0.20	-	453.54	6.45	-	576	357	-	2,859	

Notes: **Sold in full bundles only and produced and sold on a required, refundable skid.** **Important: A urethane rubber paver mat must be used to prevent scuffing.** All measurements are nominal. Contact Unilock for more information.

Internal Use Only. MAT CH

NATURAL STONE

Stocked at Marengo (Transferrable upon request to Tonganoxie)

LIMESTONE



BLACK RIVER



HEARTHSTONE



WINTER MIST

SANDSTONE



AUTUMN HARVEST



INDIAN COAST




STONE CLIFF GREY


SLABS



24 x 36 x 7/8"
60 x 90 x 2.2cm




24 x 24 x 7/8"
60 x 60 x 2.2cm



18 x 24 x 7/8"
45 x 60 x 2.2cm




12 x 24 x 7/8"
30 x 60 x 2.2cm



Stones & Bundling	Unit Thickness	SqFt Per		Units Per		Lbs Per	
		Crate	Stone	SqFt	Crate	Unit	Crate
Slabs							
24" x 36"	.87" (2.2cm)	180	6	0.1720	30	71.64	2,149
24" x 24"	.87" (2.2cm)	160	4	0.2581	40	47.76	1,910
18" x 24"	.87" (2.2cm)	186	3	0.3441	62	35.82	2,221
12" x 24"	.87" (2.2cm)	180	2	0.5161	90	23.88	2,149

NATURAL EDGE COPING


AVAILABLE IN:
Autumn Harvest
Black River
Indian Coast
Stone Cliff Grey



12 x 48 x 2"
30 x 120 x 5cm

4' FULLNOSE COPING


AVAILABLE IN:
Autumn Harvest
Indian Coast
Stone Cliff Grey



12 x 48 x 2"
30 x 120 x 5cm

4' NATURAL EDGE COPING

AVAILABLE IN:
Black River
Indian Coast
Stone Cliff Grey



14 x 48 x 2"
34.4 x 120 x 5cm

6' FULLNOSE COPING


AVAILABLE IN:
Indian Coast



12 x 72 x 2"
30 x 182 x 5cm

NATURAL EDGE STEP

AVAILABLE IN:
Black River
Indian Coast



16 x 48 x 6"
15 x 120 x 15cm

24" PILLAR CAP

AVAILABLE IN:
Black River



24 x 24 x 2.5"
60 x 60 x 6.4cm

28" PILLAR CAP

AVAILABLE IN:
Black River



28 x 28 x 2.5"
71 x 71 x 6.4cm

Stones & Bundling	Unit Thickness	LnFt Per		Units Per Crate	Lbs Per	
		Crate	Stone		Unit	Crate
Copings, Step & Pillar Caps						
Natural Edge Coping	2" (5cm)	80	4	20	105.82	2,116
4' Fullnose Coping - 12" x 48"	2" (5cm)	80	4	20	105.82	2,116
4' Natural Edge Coping - 14" x 48"	2" (5cm)	80	4	20	127.6	2,552
6' Fullnose Coping	2" (5cm)	72	6	12	159.83	1,918
Natural Edge Step	6" (15cm)	24	4	6	421.08	2,526
24" Pillar Cap	2.5" (6.4cm)	-	-	14	136.7	1,914
28" Pillar Cap	2.5" (6.4cm)	-	-	14	200.2	2,802

Notes: **Sold in full crates only.** Natural Stone is available for purchase by Unilock Authorized Dealers only. Unilock offers adjustable and stackable pedestal systems; please contact your Territory Manager for pricing and availability. All measurements are nominal. Black River Color will lighten over time to a light grey color without sealer application. **Product is not intended for vehicular applications.**

OLDE GREENWICH COBBLE®

Stocked at Aurora, Elkhorn & Tonganoxie




AUTUMN RED



RIVER BLEND



SIERRA



LARGE RECTANGLE
7 x 9½ x 2¾"
18 x 24 x 6cm



MEDIUM RECTANGLE
4¾ x 7 x 2¾"
12 x 18 x 6cm

Stones & Bundling	Unit Thickness	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per			
		Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle	
Chicago Manufacturing																				
Large Rectangle	2¾" (6cm)	113.7	11.37	22.74	0.45	10	5	0.77	29.50	147.60	-	-	-	2.20	50	250	304	608	3,040	
Medium Rectangle	2¾" (6cm)	97.6	9.76	16.27	0.23	10	6	0.59	27.60	165.40	-	-	-	4.30	70	420	258	430	2,581	

Notes: **Important: A urethane rubber paver mat must be used to prevent scuffing.** All measurements are nominal. Contact Unilock for more information.

Internal Use Only. OGC CH

OPTILOC®


Special Order / Non-Stock




STANDARD FINISH



PREMIER FINISH



IL CAMPO® FINISH



SERIES™ FINISH



STANDARD
10¼ x 10¼ x 3⅛"
26 x 26 x 8cm
SPECIAL ORDER

Stones & Bundling	Unit Thickness	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			* Lbs Per			
		Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle	
Chicago Manufacturing																				
Standard *	3⅛" (8cm)	77.33	9.67	-	0.54	8	-	-	-	-	-	-	-	1.86	-	144	350	-	2,801	

Notes: *** Special Order - Lead time is required, minimum quantities apply. Sold in full bundles only.** * Weights may vary depending on finish. This product is optimized for mechanical installation. All measurements are nominal. Contact Unilock for more information.

Internal Use Only. OPL CH

PORCELAIN

Stocked at Marengo (Transferrable upon request to Tonganoxie)

DEL CONCA




DAVINCI BIRCH DAVINCI DRIFTWOOD EPOKAL BEIGE EPOKAL BEIGE SCURO EPOKAL GREY

DEL CONCA USA



ARBOR BIANCO NEW FOR 2019 ARBOR GRAY NEW FOR 2019 ARBOR NATURAL NEW FOR 2019

DEL CONCA USA



GOTHAM BEIGE GOTHAM GREY GOTHAM NERO TRAVSTONE BEIGE

CAESAR
LA COTTURA DELLA PAVIMENTAZIONE



BEOLA BIANCA EIKON GEA EIKON TITANIO GRAUSTEIN RIMINI NEW FOR 2019



23⁵/₈ x 23⁵/₈ x 3/4"
60 x 60 x 2cm



15³/₄ x 31¹/₂ x 3/4"
40 x 80 x 2cm
EPOKAL TILES ONLY



23¹/₂ x 23¹/₂ x 3/4"
60 x 60 x 2cm
CAESAR TILES ONLY



15³/₄ x 47³/₄ x 3/4"
40 x 120 x 2cm
NEW ARBOR ONLY

Stones & Bundling	Unit Thickness	Unit	SqFt Per		Boxes /Crate	Units Per		Lbs Per		
			Unit	Box		Box	Crate	SqFt	Box	Crate
Del Conca USA (40 x 120cm) 15³/₄" x 47³/₄"	.75" (2cm)	3.445	6.89	165.36	24	2	48	9.04	62.3	1,541
Arbor Bianco										
Arbor Gray										
Arbor Natural										
Del Conca USA (60 x 60cm) 23⁵/₈" x 23⁵/₈"	.75" (2cm)	3.875	-	255.76	-	-	66	9.23	-	2,360
Gotham Beige										
Gotham Grey										
Gotham Nero										
Travstone Beige										
Del Conca										
DaVinci Tiles (60 x 60cm) 23 ⁵ / ₈ " x 23 ⁵ / ₈ "	.75" (2cm)	3.875	7.75	248	32	2	64	9.04	70.1	2,293
DaVinci Birch										
DaVinci Driftwood										
Epokal Tiles (40 x 80cm) 15 ³ / ₄ " x 31 ¹ / ₂ "	.75" (2cm)	3.445	6.89	165.36	24	2	48	9.04	62.3	1,541
Epokal Beige Scuro										
Epokal Grey										
Epokal Beige										
Caesar Tiles (60 x 60cm) 23¹/₂" x 23¹/₂"	.75" (2cm)	3.875	7.75	232.5	30	2	60	9	72.6	2,178
Beola Bianca										
Eikon Gea										
Eikon Titanio										
Graustein										
Rimini										


Notes: **Sold in full bundles only.** All porcelain tile is available for purchase by Unilock Authorized Dealers only. Unilock offers adjustable and stackable pedestal systems; please contact your Territory Manager for pricing and availability. All measurements are nominal.



PREMIER FINISH



IL CAMPO FINISH



SERIES™ FINISH



UMBRIANO FINISH



8 x 24 x 4" or 6"
20 x 60 x 10cm or 15cm
SPECIAL ORDER



6 x 24 x 2 3/4" or 6"
15 x 60 x 7cm or 15cm
SPECIAL ORDER



4 x 16 x 4"
10 x 40 x 10cm
SPECIAL ORDER




STANDARD FINISH



4 x 12 x 4"
10 x 30 x 10cm
SPECIAL ORDER



3 x 12 x 4"
7.5 x 30 x 10cm
SPECIAL ORDER



Stones & Bundling	Unit Thickness	* SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			* Lbs Per		
		Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
Chicago Manufacturing																			
8" x 24"	4" (10cm)	51.67	10.33	-	1.29	5	-	1.97	-	26.25	0.66	-	78.74	0.77	-	40	-	-	*
8" x 24"	6" (15cm)	41.33	10.33	-	1.29	4	-	1.97	-	21.00	0.66	-	62.99	0.77	-	32	-	-	*
6" x 24"	2 3/4" (7cm)	93.00	11.63	-	0.97	8	-	1.97	-	47.24	0.49	-	188.98	1.03	-	96	-	-	*
6" x 24"	6" (15cm)	46.50	11.63	-	0.97	4	-	1.97	-	23.62	0.49	-	94.49	1.03	-	48	-	-	*
4" x 16"	4" (10cm)	51.67	10.33	-	0.43	5	-	1.31	-	39.37	0.33	-	157.48	2.32	-	120	-	-	*
4" x 12"	4" (10cm)	58.13	11.63	-	0.36	5	-	1.11	-	52.49	0.37	-	157.48	2.75	-	160	-	-	*
3" x 12"	4" (10cm)	63.94	10.66	-	0.24	6	-	0.98	-	64.96	0.25	-	259.84	4.13	-	264	-	-	*

Notes: **Special Order - Lead time is required, minimum quantities apply. Sold in full bundles only and is produced and sold on a required, refundable skid.** * Weights and Square Feet may vary depending on plant of manufacture and finish. Custom finish and color options are available. **Important: A urethane rubber paver mat must be used to prevent scuffing.** All measurements are nominal. Contact Unilock for more information.

Internal Use Only. PMD ON



BLUESTONE



CANYON



SAHARA

TECHNICAL ADVANTAGES

Reala™ Surface Technology

Ultra-realistic textures cast from natural stone, brick and historic cobblestones.



24 x 24 x 1 1/4"
60 x 60 x 4.5cm



18 x 24 x 1 1/4"
45 x 60 x 4.5cm



12 x 24 x 1 1/4"
30 x 60 x 4.5cm




Stones & Bundling	Unit Thickness	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per		
		Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
Chicago Manufacturing																			
24" x 24"	1 1/4" (4.5cm)	72.00	-	-	4	-	-	-	-	-	-	-	-	0.25	-	18	-	-	1,353
18" x 24"	1 1/4" (4.5cm)	54.00	-	-	3	-	-	-	-	-	-	-	-	0.33	-	18	-	-	1,038
12" x 24"	1 1/4" (4.5cm)	36.00	-	-	2	-	-	-	-	-	-	-	-	0.50	-	18	-	-	700

Notes: **Sold in full bundles only and is produced and sold on a required, refundable skid. Important: Do not use a vibratory plate compactor for the final compaction. Product is not intended for vehicular applications.** Stones and coverages are designed to have up to 1/4" joint size. All measurements are nominal. Contact Unilock for more information.

Internal Use Only. RIV CH



DAWN MIST PEBBLE TAUPE PEBBLE TAUPE / DAWN MIST
Blended on site / Sold Separately SMOKE SHALE



RECTANGLE
12" x 9" x 2 3/8"
30cm x 22.6cm x 6cm

SQUARE
9" x 9" x 2 3/8"
22.6cm x 22.6cm x 6cm

SMALL RECTANGLE
6" x 9" x 2 3/8"
15cm x 22.6cm x 6cm

Random Bundle
Individual units cannot be sold separately.



LARGE RECTANGLE
21 x 12 x 2 3/8"
52.8 x 30.2 x 6cm
SOLD SEPARATELY

TECHNICAL ADVANTAGES

Reala™ Surface Technology

Ultra-realistic textures cast from natural stone, brick and historic cobblestones.

Ultima™ Concrete Technology

This proprietary manufacturing process creates pavers and walls with up to four times the strength of poured concrete.

Stones & Bundling	Unit		SqFt Per			Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per			
	Thickness	Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle	
Ayr Manufacturing																				
Random Bundle	-	90.30	11.29	-	-	8	-	-	-	-	-	-	134.20	-	-	160	309	-	2,472	
Large Rectangle	2 3/8" (6cm)	48.10	-	-	0.75	-	-	-	-	-	0.76	-	63.0	1.33	-	64	-	-	-	
Square	2 3/8" (6cm)	18.10	-	-	0.58	-	-	-	-	-	0.78	-	23.7	1.74	-	32	-	-	-	
Small Rectangle	2 3/8" (6cm)	24.10	-	-	0.38	-	-	-	-	-	0.51	-	47.5	2.67	-	64	-	-	-	
Large Rectangle	2 3/8" (6cm)	82.39	-	-	1.72	-	-	-	-	-	-	-	-	-	-	48	-	-	2,410	

Notes: **Sold in full bundles only and is produced and sold on a required, refundable skid. Important: A urethane rubber paver mat must be used to prevent scuffing.** Please refer to the Polymeric Sand Best Practices on page 54 and Important Notice on page 57. All measurements are nominal. Contact Unilock for more information.

Internal Use Only. RIC ON

SKYLINE™ 24 X 24

Stocked at Aurora, Elkhorn & Marengo (Transferrable upon request to Tonganoxie)



CHAMOIS MEDIUM GREY



24 x 24"
23 3/8 x 23 3/8 x 2"
60.6 x 60.6 x 5cm



Stones & Bundling	Unit		SqFt Per			Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per			
	Thickness	Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle	
Marengo Manufacturing																				
24 x 24 Slab	2" (5cm)	77.50	8.00	-	3.876	9	-	-	-	-	-	-	-	0.25	-	20	197	-	1,776	

Notes: **Sold in full bundles only and is produced and sold on a required and refundable skid. Product is not intended for vehicular applications.** Unilock offers adjustable and stackable pedestal systems; please contact your Territory Manager for pricing and availability. All measurements are nominal.

Internal Use Only. PRE CH



CASTANO



CREMA



NUVOLA

TECHNICAL ADVANTAGE

EasyClean™ Stain Resistance - CF 100

An integral surface protection that allows for easier cleanup of spills when they happen, and before a stain can develop.




RECTANGLE
8 x 16 x 2 3/4"
20.8 x 41.6 x 7cm
SPECIAL ORDER

Stones & Bundling	Unit		SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per		
	Thickness	Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle	
Georgetown Manufacturing																				
8" x 16"	2 3/4" (7cm)	82.67	10.33	-	0.86	8	-	1.26	21.84	65.51	0.63	43.67	131.02	1.16	-	96	339	-	2,710	

Notes: **Special Order - Lead time is required, minimum quantities apply. This is a non-sectionable item and is sold in full bundles only and is produced and sold on a required, refundable skid. Important: A urethane rubber paver mat must be used to prevent scuffing.** Please refer to the Polymeric Sand Best Practices on page 54 and Important Notice on page 57. All measurements are nominal. Contact Unilock for more information.


Internal Use Only. SZO ON



COBALT GREY
Available in Random bundle only




GOLDEN TAN
Available in 4x8 only



MINERAL ICE GREY



ONYX BLACK
Available in 4x8 only



Random Bundle available in Mineral Ice Grey and Cobalt Grey only



LARGE RECTANGLE
21 1/4 x 14 1/8 x 2 3/8"
54 x 36 x 6cm



SQUARE
14 1/8 x 14 1/8 x 2 3/8"
36 x 36 x 6cm



SMALL RECTANGLE
7 1/8 x 14 1/8 x 2 3/8"
18 x 36 x 6cm

Random Bundle
Individual units cannot be sold separately



4 x 8 x 2 3/4"
10 x 20 x 7cm

Stones & Bundling	Unit		SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per		
	Thickness	Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle	
Chicago Manufacturing																				
4" x 8"	2 3/8" (7cm)	106.11	11.79	17.69	0.22	9	6	0.67	26.58	159.45	0.33	53.15	318.90	4.58	81	486.01	398	597	3,581	
6cm Random Bundle (stocked in Mineral Ice and Cobalt Grey)		104.00	10.40	-	-	10	-	-	-	-	-	-	-	0.77	-	80.00	290	-	2,896	
Large Rectangle	2 3/8" (6cm)	-	-	-	2.09	-	-	-	-	-	-	-	-	0.48	-	20.00	-	-	-	
Square	2 3/8" (6cm)	-	-	-	1.40	-	-	-	-	-	-	-	-	0.72	-	30.00	-	-	-	
Small Rectangle	2 3/8" (6cm)	-	-	-	0.70	-	-	-	-	-	-	-	-	1.43	-	30.00	-	-	-	

Notes: **Random Bundle is sold in full bundles only. Important: A urethane rubber paver mat must be used to prevent scuffing.** Please refer to the Sealer Best Practices on page 54 and Important Notice on page 57. All measurements are nominal. Contact Unilock for more information. Additional sizes are available for special orders, minimum quantities apply.

Internal Use Only. S3K CH



ALPINE GREY



BAVARIAN BLEND



SYCAMORE



Random Bundle
Individual units cannot be sold separately

LARGE RECTANGLE
13¾ x 16½ x 2¾"
35 x 42 x 7cm

MEDIUM RECTANGLE
13¾ x 8¾ x 2¾"
35 x 21 x 7cm

SMALL RECTANGLE
6⅞ x 8¾ x 2¾"
17.3 x 21 x 7cm

Stones & Bundling	Unit Thickness	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per		
		Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
Marengo Manufacturing																			
Random Bundle	-	88.61	11.08	-	-	8	-	-	-	-	-	-	-	1.08	-	96	344	-	2,752
Large Rectangle	2¾" (7cm)	50.63	-	-	1.58	-	-	-	-	-	-	-	-	0.63	-	32	-	-	-
Med. Rectangle	2¾" (7cm)	25.32	-	-	0.79	-	-	-	-	-	-	-	-	1.26	-	32	-	-	-
Small Rectangle	2¾" (7cm)	12.66	-	-	0.39	-	-	-	-	-	-	-	-	2.56	-	32	-	-	-

Notes: **Sold in full bundles only and is produced and sold on a required, refundable skid.** **Important: A urethane rubber paver mat must be used to prevent scuffing.** For permeable installations, Unilock recommends using granite chips for joint filler. All measurements are nominal. Contact Unilock for more information.

Internal Use Only, THB CH



BASALT



BURGUNDY RED



BURNT CLAY



OLD OAK



HERITAGE RED




HERITAGE CLAY



HERITAGE
2 COLOR BLEND
Blended on Site /
Sold Separately



3 COLOR BLEND
Blended on Site /
Sold Separately



STANDARD
4 x 9¾ x 2¾"
10 x 25 x 7cm

TECHNICAL ADVANTAGES

Reala™ Surface Technology

Ultra-realistic textures cast from natural stone, brick and historic cobblestones.

Ultima™ Concrete Technology

This proprietary manufacturing process creates pavers and walls with up to four times the strength of poured concrete.

Stones & Bundling	Unit Thickness	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per		
		Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
Ayr Manufacturing																			
Standard	2¾" (7cm)	88.41	11.05	-	0.28	8	-	0.84	-	104.99	0.34	-	262.47	3.62	-	320	361	-	2,888

Notes: **Sold in full bundles only and is produced and sold on a required, refundable skid.** **Important: A urethane rubber paver mat must be used to prevent scuffing.** For permeable installations, Unilock recommends using granite chips for joint filler. For traditional applications, please refer to the Polymeric Sand Best Practices on page 54 and Important Notice on page 57. All measurements are nominal. Contact Unilock for more information.

Internal Use Only, TWH ON



COBALT GREY



PEPPERED GRANITE



			Random Bundle Individual units cannot be sold separately
LARGE RECTANGLE 5 1/8" x 12 x 2 3/4" 13 x 30.5 x 7cm	RECTANGLE 5 1/8" x 9 x 2 3/4" 13 x 23 x 7cm	SMALL RECTANGLE 5 1/8" x 7 x 2 3/4" 13 x 17.5 x 7cm	

Stones & Bundling	Unit Thickness	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per			
		Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle	
Chicago Manufacturing																				
Random Bundle	-	97.53	12.19	-	-	8	-	-	-	-	-	-	-	-	-	304	398	-	3,186	
Large Rectangle	2 3/4" (7cm)	-	-	-	0.43	-	-	-	-	-	0.43	-	88.06	2.34	-	88	-	-	-	
Rectangle	2 3/4" (7cm)	-	-	-	0.32	-	-	-	-	-	0.43	-	66.40	3.11	-	88	-	-	-	
Small Rectangle	2 3/4" (7cm)	-	-	-	0.25	-	-	-	-	-	0.43	-	73.49	4.08	-	128	-	-	-	

Notes: **This is a non-sectionable item and is sold in full bundles only and is produced and sold on a required, refundable skid..** All measurements are nominal. **Important: A urethane rubber paver mat must be used to prevent scuffing.** Please refer to the Polymeric Sand Best Practices on page 54 and Important Notice on page 57. Contact Unilock for information.

Internal Use Only. TRC CH



NATURAL



STANDARD
16 x 24 x 3 1/8"
40 x 60 x 8cm

Stones & Bundling	Unit Thickness	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per			
		Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle	
Chicago Manufacturing																				
Standard	3 1/8" (8cm)	80.00	10.00	-	2.50	8	-	1.91	-	42.0	-	-	-	0.40	-	32	249	-	1,995	

Notes: **Sold in full bundles only and is produced and sold on a required, refundable skid.** All measurements are nominal. Contact Unilock for more information.

Internal Use Only. TFS CH



FRENCH GREY



MIDNIGHT SKY



SUMMER WHEAT



WINTER MARVEL

ARTLINE SIZES AVAILABLE, SEE PAGE 3

MIDNIGHT SKY WINTER MARVEL



4 x 8 x 2 3/8"
10 x 20 x 6cm



PERMEABLE UNIT
NEW FOR 2019
3 x 12 x 4"
7.5 x 30 x 10cm
Winter Marvel and
French Grey only



PERMEABLE
Can be installed to allow
water to flow through

6cm Random Bundle
Individual units cannot be sold separately

LARGE RECTANGLE
21 x 14 x 2 3/8"
52.5 x 35 x 6cm

SQUARE
14 x 14 x 2 3/8"
35 x 35 x 6cm

SMALL RECTANGLE
7 x 14 x 2 3/8"
17.5 x 35 x 6cm



TECHNICAL ADVANTAGES

EasyClean™ Stain Resistance - CF 90

An integral surface protection that allows for easier cleanup of spills when they happen, and before a stain can develop.

ColorFusion™ Technology

A proprietary technology that disperses color randomly for a natural, granite-like appearance.

Stones & Bundling	Unit		SqFt Per			Per Bundle		Soldier LnFt Per		Sailor LnFt per			Units Per			Lbs Per				
	Thickness		Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
Marengo Manufacturing																				
4" x 8"	2 3/8" (6cm)		106.11	11.79	-	0.22	-	-	0.67	-	159.45	0.33	-	316.9	4.58	-	486.01	322	-	2900
3" x 12" x 4" Permeable	4" (10cm)		58.13	11.626	-	0.24	5	-	-	-	-	-	-	4.13	-	-	531.77	-	2,658.86	
6cm Random Bundle			94.20	10.47	-	1.308	9	-	-	-	69.1	-	-	-	0.76	-	72	287	-	2,584
Large Rectangle	2 3/8" (6cm)		-	-	-	2.093	-	-	1.772	-	21.3	-	-	-	0.48	-	18	-	-	-
Square	2 3/8" (6cm)		-	-	-	1.395	-	-	1.181	-	31.9	-	-	-	0.72	-	27	-	-	-
Small Rectangle	2 3/8" (6cm)		-	-	-	0.698	-	-	1.181	-	15.9	-	-	-	1.43	-	27	-	-	-

Notes: **Sold in full bundles only and is produced and sold on a required, refundable skid. 6cm Random Bundle pavers are not suitable for vehicular applications. Important: A urethane rubber paver mat must be used to prevent scuffing.** Please refer to the Sealer and Polysand Best Practices on pages 54, and Important Notice on page 57. Unilock offers adjustable and stackable pedestal systems; please contact your Territory Manager for pricing and availability. All measurements are nominal.




GRANITE



SADDLE
NEW FOR 2019



SIERRA



LARGE RECTANGLE
10 x 15 x 2¾"
25.4 x 38 x 7cm

SQUARE
10 x 10 x 2¾"
25.4 x 25.4 x 7cm

RECTANGLE
5 x 10 x 2¾"
12.7 x 25.4 x 7cm

Random Bundle
Individual units cannot
be sold separately



RECTANGLE
5 x 10 x 2¾"
12.7 x 25.4 x 7cm

Stones & Bundling	Unit	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per			
	Thickness	Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle	
Elkhorn Manufacturing																				
Random Bundle	-	94.19	11.77	-	-	8	-	-	-	-	-	-	-	1.70	-	160	367	-	2,940	
Large Rectangle	2¾" (7cm)	-	-	-	1.01	-	-	-	-	-	-	-	-	0.99	-	32	-	-	-	
Square	2¾" (7cm)	-	-	-	0.67	-	-	-	-	-	-	-	-	1.49	-	56	-	-	-	
Rectangle	2¾" (7cm)	-	-	-	0.34	-	-	-	-	-	-	-	-	2.97	-	72	-	-	-	
5"x10"	2¾" (7cm)	94.19	11.77	-	0.34	8	-	-	-	-	-	-	-	2.97	-	280	360	-	2,884	

Notes: **Sold in full bundles only and is produced and sold on a required, refundable skid. Important: A urethane rubber paver mat must be used to prevent scuffing.** All measurements are nominal. Contact Unilock for more information.

Internal Use Only. WPT CH

BRUSSELS DIMENSIONAL STONE®

Stocked at Aurora, Elkhorn & Tonganoxie



COFFEE CREEK

GRANITE
NEW FOR 2019
Available in Small
Tapered Unit Only

LIMESTONE
Available in Standard
Unit Only

SANDSTONE



SIERRA

Small Tapered Units are only sold in Coffee Creek, Sandstone, Sierra and Granite colors. Standard Unit is unavailable in Granite color.




STANDARD
4 x 8 x 12"
10 x 20 x 30cm



SMALL TAPERED UNIT
9 x 4 x 8"
22.9 x 10 x 20cm




UNIVERSAL BASE UNIT
19" x 14" x 2"
48.2cm x 35.5cm x 5.5cm



Stones & Bundling	Face Feet Per		Linear Feet Per		Units Per		Per Bundle		Lbs Per	
	Bundle	Unit	Bundle	Unit	Bundle	Face Feet	Layers	Sections	Unit	Bundle
Chicago Manufacturing										
Standard	32.00	0.330	63.36	0.66	96	3.00	6	4	28	2,688
Small Tapered	36.00	0.250	108.00	0.75	144	4.00	6	-	19	2,730
Universal Base Unit	99.46	-	85.50/63.00	-	54	-	9	-	46	2,502

Notes: **Small tapered units are sold in full bundles only.** Maximum height is 24" (under optimum conditions). *Based on 12" deep wall coverage = 21.4 sqft per bundle. Based on an 8" deep wall coverage = 32 sqft per bundle. Ledge stone, Brussels XL or 6" x 12" Fullnose complement as a possible coping unit. All measurements are nominal. Contact Unilock for more information.

Internal Use Only, BDS CH



SUNSET FIREPIT KITS

Available with or without grill in the following colors:


- Coffee Creek
- Granite **NEW FOR 2019**
- Sandstone
- Sierra



ROUND



SQUARE



To enlarge the radius for planters and walls, simply 'gap' the back to make the desired radius. (You will not see the gaps because they are against the backfill.) Be sure to use filter fabric between the wall and the backfill. (See Tech Guide for complete instructions.)

All joints must be adhered with Concrete Adhesive. Base preparation may vary according to soil and climate conditions.

Cross sections are examples and must not be used for construction.

CUMBERLAND WALL®

Stocked at Aurora, Elkhorn & Tonganoxie



RIVER



SIERRA



			Random Bundle Individual units cannot be sold separately.
6" LARGE UNIT 15 (12½) x 6 x 9" 38 (32) x 15 x 23cm	6" MEDIUM UNIT 12½ (10) x 6 x 9" 32 (25) x 15 x 23cm	6" SMALL UNIT 10 (7½) x 6 x 9" 25 (19) x 15 x 23cm	



6" CORNER/PILLAR UNIT
 12½ x 6 x 9"
 32 x 15 x 23cm



UNIVERSAL BASE UNIT
 19" x 14" x 2"
 48.2cm x 35.5cm x 5.5cm

Stones & Bundling	Face Feet Per		Linear Feet Per		Units Per		Per Bundle		Lbs Per	
	Bundle	Unit	Bundle	Unit	Bundle	Face Feet	Layers	Sections	Unit	Bundle
Chicago Manufacturing										
6" Random Bundle	31.25	-	62.30	-	60	-	5	-	-	2,937
┌ Large Unit	12.50	0.63	24.92	1.25	20	1.60	-	-	59.00	-
└ Medium Unit	10.42	0.52	20.98	1.05	20	1.92	-	-	49.00	-
└ Small Unit	8.34	0.42	16.40	0.82	20	2.40	-	-	39.00	-
Corner/Pillar Unit	18.76	0.52	-	0.96	36	-	3	-	54.50	1,964
Universal Base Unit	99.46	-	85.50/63.00	-	54	-	9	-	46	2,502

Notes: **Corner/Pillar bundles are non-sectionable, sold in full bundles only.** LedgeStone™ or Natural Stone provide coping possibilities. All measurements are nominal. Contact Unilock for more information.

Internal Use Only. CMB CH



NATURAL



STANDARD
72 x 12 x 24"
183 x 30 x 60cm
SPECIAL ORDER



CORNER 90°
60 x 12 x 24"
152 x 30 x 60cm
SPECIAL ORDER
(Right Corner Shown)



COPING
72 x 12 x 24"
183 x 30 x 60cm
SPECIAL ORDER



CLOSED-END COPING
72 x 12 x 24"
183 x 30 x 60cm
SPECIAL ORDER



TIE-BACK
72 x 12 x 24"
183 x 30 x 60cm
SPECIAL ORDER




1/2 COPING
36 x 12 x 24"
91.5 x 30 x 60cm
SPECIAL ORDER



CORNER 45°
60 x 12 x 24"
152 x 30 x 60cm
SPECIAL ORDER
(Right Corner Shown)





1/2 STANDARD
36 x 12 x 24"
91.5 x 30 x 60cm
SPECIAL ORDER



Stones & Bundling	Face Feet Per		Linear Feet Per		Units Per		Per Bundle		Lbs Per	
	Bundle	Unit	Bundle	Unit	Bundle	Face Feet	Layers	Sections	Unit	Bundle
Gormley Manufacturing										
Coping Closed End 72" *	6.02	6.020	6.02	6.020	1	0.17	1	-	1,560	1,560
Half Coping *	3.00	3.000	3.00	3.000	1	0.33	1	-	780	780
Corner 45° Right *	7.04	7.040	7.04	7.040	1	0.14	-	-	1,480	1,480
Corner 90° Right *	7.04	7.040	7.04	7.040	1	0.14	1	-	1,320	1,320
Coping 72" *	6.02	6.024	6.02	6.02	1	0.17	1	-	1,560	1,560
Wall Half *	3.00	3.00	3.00	3.00	1	0.33	1	-	800	800
Wall Standard *	6.02	6.02	6.02	6.02	1	0.17	1	-	1,680	1,680
Wall Tieback *	2.00	2.00	2.00	2.00	1	0.50	1	-	1,660	1,660

Notes: ***Special Order - Lead time is required, minimum quantities apply. Sold in full bundles only.** Closed-end coping units are closed on both ends so that they may be used as left or right units. Tie-back units are reinforced with steel. 1/2 Standard units are slightly tapered and can be used to create a 45 foot radius. Refer to terms and conditions for placement rates. Unilock, through Risi Stone® Systems International, can provide preliminary site engineering for most commercial projects. Soils information, site drawings, and loading requirements are some of the information details required in order to provide this preliminary site engineering. All measurements are nominal. Contact Unilock for more information.

Internal Use Only. DH1 ON



Cross sections are examples and must not be used for construction.



GRANITE



RIVER



SANDSTONE



SIERRA



COPING
12½ (9½) x 3 x 12"
32 (24) x 7.5 x 30cm



3" CORNER
12½ x 3 x 9"
32 x 7.5 x 23cm



6" CORNER
12½ x 6 x 9"
32 x 15 x 23cm



UNIVERSAL BASE UNIT
19" x 14" x 2"
48.2cm x 35.5cm x 5.5cm



6" LARGE UNIT
15 (12½) x 6 x 9"
38 (32) x 15 x 23cm



6" MEDIUM UNIT
12½ (10) x 6 x 9"
32 (25) x 15 x 23cm



6" SMALL UNIT
10 (7½) x 6 x 9"
25 (19) x 15 x 23cm

6" Random Bundle
Individual units cannot be sold separately.



3" LARGE UNIT
15 (12½) x 3 x 9"
38 (32) x 7.5 x 23cm



3" MEDIUM UNIT
12½(10) x 3 x 9"
32 (25) x 7.5 x 23cm



3" SMALL UNIT
10 (7½) x 3 x 9"
25 (19) x 7.5 x 23cm


3" Random Bundle
Individual units cannot be sold separately.

Stones & Bundling	Face Feet Per		Linear Feet Per		Units Per		Per Bundle		Lbs Per	
	Bundle	Unit	Bundle	Unit	Bundle	Face Feet	Layers	Sections	Unit	Bundle
Chicago Manufacturing										
Coping 12"	18.75	0.26	66.00	0.92	72	3.84	8	3	33.00	2,393
6" Corner	20.83	0.52	41.60	1.04	40	1.92	5	4	54.00	2,179
3" Corner	18.75	0.29	62.64	0.98	64	3.41	8	4	29.00	1,828
6" Random Bundle	31.25	-	62.30	-	60	-	5	4	-	2,926
Large Unit	12.50	0.63	24.92	1.25	20	1.60	-	-	59.00	-
Medium Unit	10.42	0.52	20.98	1.05	20	1.92	-	-	49.00	-
Small Unit	8.34	0.42	16.40	0.82	20	2.40	-	-	39.00	-
3" Random Bundle	25.12	-	99.68	-	96	-	8	4	-	2,209
Large Unit	10.02	0.31	39.87	1.25	32	3.19	-	-	29.50	-
Medium Unit	8.32	0.26	33.57	1.05	32	3.85	-	-	20.00	-
Small Unit	6.66	0.20	26.24	0.82	32	4.80	-	-	19.50	-
Universal Base Unit	99.46	-	85.50/63.00	-	54	-	9	-	46	2,502

Notes: 3" and 6" random wall bundles have convertible large units that can be used for corners or ending seat walls. End caps not sold separately. Ledgestone®, Olde Quarry Coping, Brussels Block® XL, Brussels Fullnose™ or 6" x 12" Fullnose complement as a possible coping. All measurements are nominal. Contact Unilock for more information.

Internal Use Only. EWL CH


RETAINING WALL PATTERNS



Minimum Outside Radius = 48"
Maximum height for vertical installation - 21"
(Under optimum conditions)

This pattern is a 66% mix of 6" and 33% of 3".

6" & 3" RANDOM SEAT WALL PATTERN



For more information please consult the Estate Wall installation booklet.



GRANITE BLEND



SANDALWOOD



SIERRA



PILLAR UNIT
12 x 4 x 8"
30 x 10 x 20cm



LEDGESTONE PILLAR CAP
24 x 24 x 4"
61 x 61 x 10cm



UNIVERSAL BASE UNIT
19 x 14 x 2"
48.2cm x 35.5cm x 5.5cm

				Random Bundle Individual units cannot be sold separately
XL RECTANGLE 24 x 4 x 8" 60 x 10 x 20cm	LARGE RECTANGLE 20 x 4 x 8" 50 x 10 x 20cm	RECTANGLE 16 x 4 x 8" 40 x 10 x 20cm	SMALL RECTANGLE 12 x 4 x 8" 30 x 10 x 20cm	



Stones & Bundling	Face Feet Per		Linear Feet Per		Units Per		Per Bundle		Lbs Per	
	Bundle	Unit	Bundle	Unit	Bundle	Face Feet	Layers	Sections	Unit	Bundle
Chicago Manufacturing										
Random Wall Bundle	31.91	-	94.46	-	63	-	3	-	-	2,845
XL Rectangle	11.95	0.66	35.42	1.97	18	1.51	-	-	-	-
Large Rectangle	8.31	0.55	24.60	1.64	15	1.81	-	-	-	-
Rectangle	6.66	0.44	19.68	1.31	15	2.25	-	-	-	-
Small Rectangle	4.99	0.33	14.76	0.98	15	3.01	-	-	-	-
LedgeStone Pillar Cap	-	-	-	-	5	-	-	-	159	795
Universal Base Unit	99.46	-	85.50/63.00	-	54	-	9	-	46	2,502
Pillar Unit	29.97	0.33	-	-	90	3.00	3	-	28	2,525

Notes: **Sold in full bundles only and is produced and sold on a required, refundable skid.** Spacing strips are shipped with random wall bundles to create even spacing between units. LedgeStone™, Unilock Natural Stone or 6"x12" Fullnose complement as possible coping options. All measurements are nominal. Contact Unilock for more information.

Internal Use Only. LDS CH



COFFEE CREEK



GRANITE
NEW FOR 2019



RIVER



SANDSTONE



SIERRA



CORNER
4½ x 9 x 12"
11 x 23 x 30cm



COPING UNIT
12 (9) x 3 x 12"
30.5 (23) x 7.5 x 30.5cm



UNIVERSAL BASE UNIT
19" x 14" x 2"
48.2cm x 35.5cm x 5.5cm




15" UNIT 15 (12) x 4½ x 9" 38 (30.5) x 11.5 x 23cm	12" UNIT 12 (9) x 4½ x 9" 30.5 (23) x 11.5 x 23cm	9" UNIT 9 (6) x 4½ x 9" 23 (15) x 11.5 x 23cm

Wall Bundle
 Individual units cannot be sold separately

Stones & Bundling	Face Feet Per		Linear Feet Per		Units Per		Per Bundle		Lbs Per	
	Bundle	Unit	Bundle	Unit	Bundle	Face Feet	Layers	Sections	Unit	Bundle
Elkhorn Manufacturing										
Coping Unit	24.00	0.25	96.00	1.00	96	4.00	8	4	32	3,039
Corner Unit	30.89	0.39	82.40	1.03	80	2.59	5	4	39	3,150
Wall Bundle	33.75	-	90.00	-	90	-	6	5	-	3,125
15" Unit	14.07	0.47	37.4	1.25	30	2.13	-	-	45	-
12" Unit	11.25	0.38	30.00	1.00	30	2.67	-	-	35	-
9" Unit	8.43	0.28	22.62	1.75	30	3.57	-	-	24	-
Universal Base Unit	99.46	-	85.50/63.00	-	54	-	9	-	46	2,502



Notes: Structural retaining walls greater than 2' high require professional engineering. Connector units provided with every bundle upon request. Use plastic connectors on set-back walls. Wall Bundle includes 32 End Units per bundle - Not sold separately. Ledgestone™, Olde Quarry Coping, Brussels Block® XL, Brussels Fullnose™ or 6" x 12" Fullnose complement as a possible coping. All measurements are nominal. Contact Unilock for more information.

Internal Use Only. OQY CH



Maximum height for vertical installation: 27-31.5"
(Under optimum conditions)

Quarry Wall has a set back of ¼" per course.



Cross sections are examples and must not be used for construction.

OLDE QUARRY RADIUS CHART


Radius achieved using only the tapered units from a "random bundle"							
Radius (inches)	35"	27"	35"	47"	32"	37"	42"
Unit sequence	9", 12", 15"	only 9" units	only 12" units	only 15" units	9", 12" etc.	9", 15" etc.	12", 15" etc.
	uses all units in bundle	Note: These sequences will have left over units. Plan to use the left over units in other parts of the project.					



GRANITE
Available in Coping,
Corner & XL Wall

NEVADA

SIERRA



TAPERED
8 x 6 x 12"
20 x 15 x 30cm



CORNER
12 x 6 x 8"
30 x 15 x 20cm



12" COPING
12 x 3 x 12"
30 x 7.5 x 30cm



XL WALL
16 x 6 x 12"
40 x 15 x 30cm





UNIVERSAL BASE UNIT
19" x 14" x 2"
48.2cm x 35.5cm x 5.5cm

Stones & Bundling	Face Feet Per		Linear Feet Per		Dbl Units Per		Per Bundle		Lbs Per	
	Bundle	Dbl Unit	Bundle	Dbl Unit	Bundle	Face Feet	Layers	Sections	Dbl Unit	Bundle
Chicago Manufacturing										
Tapered	20.00	0.67	40.00	1.33	30	1.5	3	2	79.77	2,393
Corner Unit	30.00	1.67	-	-	18	0.60	3	6	112	2,008
12" Coping	21.00	0.50	84.00	2.00	42	2.00	7	2	68	2875
XL Wall*	21.33	0.67	42.67	1.33	32	1.50	4	-	77	2,501
Universal Base Unit *	99.46	-	85.50/63.00	-	54	-	9	-	46	2,502

Notes: * **Universal Base & XL Wall units are single units and are sold in full bundles only and are produced and sold on a required, refundable skid.** When purchased by the full bundle, **Corner Units are produced and sold on a required, refundable skid.** 12" Coping bundle has 16 units of closed-end coping (8 left and 8 right). Closed-end 12" coping not sold separately. Maximum height - 36" (under optimum conditions). Higher walls can be achieved using geogrid reinforcement. The set back on Pisa2 wall is 3/4" every course or 1 1/2" every 2 courses. Retaining wall engineering software is also available free of charge at www.unilock.com. Walls greater than 4' in height require professional engineering. Tapered Units allow for a minimum 5' Radius. All measurements are nominal. Contact Unilock for more information.

Internal Use Only. PS2 CH



Cross sections are examples and must not be used for construction.

RIVERCREST® WALL

Stocked at Aurora, Elkhorn & Tonganoxie



BUFF



COASTAL SLATE

TECHNICAL ADVANTAGES

Reala™ Surface Technology

Ultra-realistic textures cast from natural stone, brick and historic cobblestones.



RAPID PILLAR SYSTEM



JUMPER CORNER UNIT
12 x 9-10 x 4½"
31 x 23-25 x 11.4cm



LONG CORNER UNIT
17.7 x 9-10 x 2¼"
45 x 23-25 x 6cm



SHORT CORNER UNIT
14.7 x 9-10 x 2¼"
37.5 x 23-25 x 6cm

Individual units cannot be sold separately
Corner Bundle



STANDARD UNIT 1
8 x 9-10 x 2¼"
20 x 23-25 x 6cm



STANDARD UNIT 2
12 x 9-10 x 2¼"
31 x 23-25 x 6cm



STANDARD UNIT 3
12 x 9-10 x 2¼"
31 x 23-25 x 6cm



STANDARD UNIT 4
17 x 9-10 x 2¼"
42.5 x 23-25 x 6cm

Individual units cannot be sold separately
Standard Bundle



PILLAR UNIT
20" x 20" x 4½"
50cm x 50cm x 11.4cm



JUMPER UNIT 1
8 x 9-10 x 4½"
20 x 23-25 x 11.4cm



JUMPER UNIT 2
12 x 9-10 x 4½"
31 x 23-25 x 11.4cm



JUMPER UNIT 3
12 x 9-10 x 4½"
31 x 23-25 x 11.4cm



JUMPER UNIT 4
17 x 9-10 x 4½"
42.5 x 23-25 x 11.4cm

Individual units cannot be sold separately
Jumper Bundle

RIVERCREST FIRE PIT KIT
See page 37 for more information.




UNIVERSAL BASE UNIT
19" x 14" x 2"
48.2cm x 35.5cm x 5.5cm

Stones & Bundling	Face Feet Per		Linear Feet Per		Units Per		Per Bundle		Lbs Per	
	Bundle	Unit	Bundle	Unit	Bundle	Face Feet	Layers	Sections	Unit	Bundle
Ayr Manufacturing										
Jumper Corner Unit	21.60	0.68	56.69	1.77	32	1.48	4	-	40	1,280
Corner Bundle	16.21	-	54.12	-	40	-	4	-	-	1173
┌ Long Corner Unit	8.60	0.43	29.52	1.47	20	-	-	-	32	-
└ Short Corner Unit	7.60	0.38	24.60	1.23	20	-	-	-	27	-
Wall Bundle	24.30	-	130.69	-	128	-	8	-	-	1,990
┌ Standard Unit 1	3.93	0.12	20.99	0.66	32	8.15	-	-	-	-
└ Standard Unit 2	6.09	0.19	32.54	1.02	32	5.26	-	-	-	-
└ Standard Unit 3	6.09	0.19	32.54	1.02	32	5.26	-	-	-	-
└ Standard Unit 4	8.20	0.26	44.61	1.40	32	3.90	-	-	-	-
Jumper Bundle	24.3	-	65.34	-	64	-	4	-	-	2720
┌ Jumper Unit 1	3.93	0.25	10.50	0.66	16	4.07	-	-	-	-
└ Jumper Unit 2	6.09	0.38	16.27	1.02	16	2.63	-	-	-	-
└ Jumper Unit 3	6.09	0.38	16.27	1.02	16	2.63	-	-	-	-
└ Jumper Unit 4	8.20	0.51	22.30	1.39	16	1.95	-	-	-	-
Pillar Unit Bundle	-	-	-	-	8	-	-	-	125	1,000
Universal Base Unit *	99.46	-	85.50/63.00	-	54	-	9	-	46	2,502



Notes: **Sold in full bundles only and is produced and sold on a required, refundable skid.** Rivercrest is recommended for walls under 2ft. Ideal for straight or curved walls, seat walls, pillars, tree rings, planters, firepits and grill islands. Integrated connectors require no pins or clips. Minimum radius using equal amounts of each unit is 1.25m / 4.1ft. Using only unit 1 & 3 a 1.055m / 3.5ft radius can be achieved. For more information, please consult the Rivercrest installation booklet. Retaining wall engineering software is also available free of charge at www.unilock.com. All measurements are nominal. Contact Unilock for more information. Unilock recommends using Ledgestone™ or Natural Stone coping for a complete and refined look.

Internal Use Only. RVC ON


RIVERCREST WALL cont'd




Starting a Wall



Straight Wall - Align A-A / B-B






Curved Wall - Align A-B / B-A




DESIGN STYLE

To accurately determine the number of standard and jumper units you will require, start by selecting an aesthetic option.



JUMPER UNITS

In addition to being used to enhance sections of wall, jumper units can also be used in a variety of different ways within the Rivercrest Wall system. The Jumper Unit #2 has faces on three sides making it perfect for incorporating into pillars and corners. The unit can also be used when starting and ending seat walls.



For more information please consult the Rivercrest® installation booklet.





LOOK INSIDE!

U-Cara fascia panels hang easily on the patented Sure Track™ backer block.



U-Cara™ Fascia panels can be placed anywhere along the Sure Track Backer Block, allowing for a variety of patterns, color and texture combinations not possible with other systems.



The U-Cara Multi-Face Wall System represents a revolution in wall design.

This patented system, exclusive to Unilock®, is comprised of two basic components:

- | Sure Track™ backer blocks provide dimensionally accurate structure
- | U-Cara fascia panels provide unlimited design options



BAVARIAN PITCHED FACE

GRANITE FUSION PITCHED FACE

OPAL PITCHED FACE

BAVARIAN SMOOTH FACE

GRANITE FUSION SMOOTH FACE

OPAL SMOOTH FACE



ONYX BLACK SERIES™ FINISH
NEW FOR 2019
Available in 3" panel only

SUMMER WHEAT UMBRIANO FINISH
NEW FOR 2019

FRENCH GREY UMBRIANO® FINISH
NEW FOR 2019



SURE TRACK STANDARD BACKER
6" x 8" x 6"
15cm x 20cm x 15cm

SURE TRACK LARGE BACKER
6" x 7" x 12"
15cm x 17.5cm x 30cm

SURE TRACK CORNER INSERT
L = 2" / 5cm

UNIVERSAL BASE UNIT
19" x 14" x 2"
48.2cm x 35.5cm x 5.5cm

28.5 PILLAR CAP
28½" x 28½" x 4"
72 x 72 x 10cm
Buff & Grey Only



STANDARD FASCIA HALF PANEL
6" x 9¼" x 2⅜"
15cm x 23.3cm x 6cm
PITCHED & SMOOTH

CLOSED-END FASCIA PANEL
6" x 21" x 2⅜"
15cm x 53cm x 6cm
PITCHED & SMOOTH

STANDARD FASCIA PANEL
6" x 18½" x 2⅜"
15cm x 46.6cm x 6cm
PITCHED & SMOOTH

STANDARD FASCIA PANEL
3" x 9¼" x 2⅜"
7.5cm x 23.3cm x 6cm
SMOOTH ONLY
NEW FOR 2019

UNIVERSAL COPING
19" x 14" x 2¼"
48.2cm x 35.5cm x 7cm
Buff & Grey Only

CORNER BUNDLE

Stones & Bundling	Face Feet Per		Linear Feet Per		Units Per		Per Bundle		Lbs Per	
	Bundle	Unit	Bundle	Bundle Soldier/Sailor	Bundle	Face Feet	Layers	Sections	Unit	Bundle
Chicago Manufacturing										
Sure Track Standard Backer	33.91	0.32	-	-	105	-	3	-	23	2,458
Sure Track Large Backer	15.85	0.28	-	-	56	-	4	-	37	2,085
Standard 3" Fascia Panel (Smooth)	63.20	0.19	-	-	336	5.32	6	-	4.47	1,501
Standard 6" Fascia Panel (Pitched)	61.52	0.73	-	-	84	-	6	-	21	1,924
Standard 6" Fascia Panel (Smooth)	61.52	0.73	-	-	84	-	6	-	18	1,648
Corner Fascia Bundle (Smooth)	50.23	-	-	-	84	-	6	-	-	1,241
Closed-End Fascia Panel	34.98	0.83	-	-	42	-	-	-	21	865
Half Fascia Panel	15.25	0.36	-	-	42	-	-	-	9	375
Corner Fascia Bundle (Pitched)	50.23	-	-	-	84	-	6	-	-	1,416
Closed-End Fascia Panel	34.98	0.83	-	-	42	-	-	-	24	993
Half Fascia Panel	15.25	0.36	-	-	42	-	-	-	10	423
Universal Coping Bundle	17.43	0.36	76.00	-	48	2.75	6	-	60	2,864
Universal Base Unit	99.46	-	85.50/63.00	-	54	-	9	-	46	2,502
28.5 Pillar Cap	-	-	-	-	5	-	-	-	302	1,510

Notes: **Sold in full bundles. Produced and sold on a required refundable skids.** Sure Track Large Backer Units when used as corners in a pillar application, can achieve 42 FFT/bundle or .757 FFT/unit.

Internal Use Only. UCA CH

LEDGESTONE™ PILLAR CAPS, STEPS & COPING

Stocked at Aurora, Elkhorn & Tonganoxie



BUFF



GREY



COPING UNIT
12 x 24 x 2¾"
30.5 x 61 x 7cm



CLOSED-END COPING
12 x 24 x 2¾"
30.5 x 61 x 7cm



FULLNOSE COPING
12 x 24 x 2¾"
30.5 x 61 x 6cm



LARGE COPING UNIT
NEW FOR 2019
30 x 13.5 x 2¾"
122 x 61 x 7cm



LARGE CLOSED-END COPING
NEW FOR 2019
30 x 13.5 x 2¾"
122 x 61 x 7cm



36" LEDGESTONE STEP
36 x 18 x 6"
91.4 x 45.7 x 15.2cm



48" LEDGESTONE STEP
48 x 24 x 6"
122 x 61 x 15.2cm



72" LEDGESTONE STEP
72 x 24 x 6"
183 x 61 x 15.2cm



24" PILLAR CAP
24 x 24 x 3½"
61 x 61 x 10cm

TECHNICAL ADVANTAGES

Reala™ Surface Technology

Ultra-realistic textures cast from natural stone, brick and historic cobblestones.

Stones & Bundling	Face Feet Per		Linear Feet Per		Units Per		Per Bundle		Lbs Per	
	Bundle	Unit	Bundle	Unit	Bundle	Face Feet	Layers	Sections	Unit	Bundle
Chicago Manufacturing										
Pillar Cap	-	-	-	-	5	-	-	-	159.00	795
Fullnose Coping	-	-	26.00	2.00	13	-	-	-	55.62	723
Closed-End Coping	-	-	24	2	12	-	4	12	66.00	796
Large Closed-End Coping	-	-	30	2.50	12	-	-	-	93	1,116
Coping	-	-	24	2	12	-	4	12	64.33	772
Large Coping	-	-	30	2.50	12	-	-	-	94	1,128
Manufactured in Canada - Stocked in Buff & Grey only										
Ledgestone Steps 36"	-	-	9.00	3.00	3	-	3	-	327.00	982
Ledgestone Steps 48"	-	-	12.00	4.00	3	-	3	3	573.58	1,721
Ledgestone Steps 72"	-	-	18.00	6.00	3	-	3	-	860.34	2,581

Notes: Sold in full bundles only and is produced and sold on a required, refundable skid. Coping is rock faced on the front and the back; Closed-end coping and steps are rock faced on three sides. See page 44 for caulk information. 28½" Pillar Caps are also available, see page 33 for packaging information. All measurements are nominal. Contact Unilock for more information.

Internal Use Only. LDG CH

UNIVERSAL COPING

Stocked at Aurora, Elkhorn & Tonganoxie

ENDURACOLOR™



BUFF



GREY



UNIVERSAL COPING
19" x 14" x 2¾"
48.2cm x 35.5cm x 7cm

Stones & Bundling	Face Feet Per		Linear Feet Per		Units Per		Per Bundle		Lbs Per	
	Bundle	Unit	Bundle	Unit	Bundle	Face Feet	Layers	Sections	Unit	Bundle
Chicago Manufacturing										
Universal Coping	17.43	0.363	76	1.58	48	2.75	6	-	59.67	2864

Notes: Sold in full bundles only. 2 End Coping Units per Layer (1 Left & 1 Right)

BRUSSELS FULLNOSE™

Stocked at Aurora, Elkhorn & Tonganoxie



COFFEE CREEK



LIMESTONE



SANDSTONE



SIERRA



STANDARD
6 x 12 x 2 3/4"
15 x 30.5 x 7cm

Stones & Bundling	Unit	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per			
	Thickness	Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle	
Chicago Manufacturing																				
Standard	2 3/4" (7cm)	96.00	12	24.00	0.50	8	4	1.02	24	94.50	-	-	-	2.00	48	192	364	728	2,913	

Notes: Can be used for wall coping, step treads, mantels for outdoor fireplaces and other detailed edge applications, or adhered to pool edge using Concrete Adhesive, or with mortar. Always observe proper construction techniques when adhering pavers to a surface. Consult your local pool contractors for installation specifics. All measurements are nominal. Contact Unilock for more information.

Internal Use Only. BFN CH

6" X 12" FULLNOSE

Stocked at Aurora, Elkhorn & Tonganoxie



COFFEE CREEK



LIMESTONE



SANDSTONE



SIERRA



6" x 12" FULLNOSE
6 x 12 x 2 3/4"
15 x 30.5 x 7cm

Stones & Bundling	Unit	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per			
	Thickness	Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle	
Chicago Manufacturing																				
Fullnose	2 3/4" (7cm)	96.00	24.00	24.00	0.50	4	4	1.02	23.60	94.50	-	-	-	2.00	48	192	745	745	2,982	

Notes: Can be used for wall coping, step treads, mantels for outdoor fireplaces and other detailed edge applications, or adhered to pool edge using Concrete Adhesive, or with mortar. Always observe proper construction techniques when adhering pavers to a surface. Consult your local pool contractors for installation specifics. All measurements are nominal. Contact Unilock for more information.

Internal Use Only. BFN CH

SIENASTONE®

Stocked at Aurora, Elkhorn & Tonganoxie



NEVADA



SIERRA





COPING
39 x 7¼ x 20"
100 x 18.5 x 50cm



Stones & Bundling	Face Feet Per		Linear Feet Per		Units Per		Per Bundle		Lbs Per	
	Bundle	Unit	Bundle	Unit	Bundle	Face Feet	Layers	Sections	Unit	Bundle
Chicago Manufacturing										
Standard 925 *	6.00	2.00	9.75	3.25	3	0.50	3	-	872	2,617
Standard 500 *	12.00	2.00	19.50	3.25	6	0.50	-	-	463	2,778
Coping	12.00	2.00	19.50	3.25	6	0.50	-	3	459	2,756
Closed- End Coping *	12.00	2.00	19.50	3.25	6	0.50	-	-	459	2,756
Corner 90° *	17.19	2.87	-	-	6	0.35	-	-	477	2,862

Notes: * **Special Order - Lead time is required, minimum quantities apply. All Special Order items are sold in full bundles only.** Coping units can be used to construct steps. Retaining wall engineering software is also available free of charge at www.unilock.com. All measurements are nominal. Contact Unilock for more information.

Internal Use Only. SST CH



SIENASTONE® SMOOTH

Stocked at Aurora & Elkhorn

NEW FOR 2019



LIGHT GREY



TAN



48" STEP
47¼ x 7 x 20"
120 x 18 x 50cm

Stones & Bundling	Face Feet Per		Linear Feet Per		Units Per		Per Bundle		Lbs Per	
	Bundle	Unit	Bundle	Unit	Bundle	Face Feet	Layers	Sections	Unit	Bundle
Gormley Manufacturing										
Step 48"	13.95	2.326	24.00	4.000	6	0.43	-	-	540	3,242

Notes: All measurements are nominal. Contact Unilock for more information.

Internal Use Only. SST CH

FIRE PIT KITS

Stocked at Aurora, Elkhorn, Marengo & Tonganoxie

Add instant charm and appeal to your backyard with a welcoming fire pit from Unilock. Each fire pit is pre-assembled in order to provide you with the easiest installation, with a variety of stone options to match your existing patio. Whether you are building a new patio, or adding to an existing one, your fire pit will become the ultimate gathering spot.

SUNSET FIRE PIT KIT



This fire pit kit uses Brussels Dimensional Stone® (small tapered units).



COFFEE CREEK GRANITE
NEW FOR 2019 SANDSTONE SIERRA

SUNSET FIRE PIT KIT	Square	Round
Coffee Creek	RS-CON038	RS-CON032
Coffee Creek w/ Grill	RS-CON041	RS-CON035
Granite	RS-CON080	RS-CON082
Granite w/ Grill	RS-CON081	RS-CON083
Sandstone	RS-CON037	RS-CON031
Sandstone w/ Grill	RS-CON040	RS-CON034
Sierra	RS-CON036	RS-CON030
Sierra w/ Grill	RS-CON039	RS-CON033



SQUARE



ROUND



FIRE PIT GRILL

This *optional* fire pit grill fits securely into both the round or square firepit designs.

RIVERCREST® FIRE PIT KIT



This fire pit kit is built with the Rivercrest Wall.



COASTAL SLATE BUFF
RS-CON063 RS-CON061



FIRE PIT GRILL


Fire pit grill is included and fits securely into the firepit.

Stones & Bundling	Units per Course	Units per Pallet	Diameter Outside of Stone	Diameter Inside of Stone	Diameter Pit Insert	Height	Lbs./ Pallet	Kits / Pallet
Sunset Fire Pit - Square	16	48	56"	40"	38"	12"	1,525	1
Sunset Fire Pit - Round	18	54	52"	36"	34"	12"	1,125	1
Rivercrest Fire Pit Kit	4	12	54"	35"	34.5"	15.5" (w/coping)	1,512	1

Notes: All measurements are nominal. Add 20 lbs. to weight when ordering grill unit for Sunset Fire Pits Contact Unilock for more information.


LAYING PATTERNS

ARTLINE™




Artline A - 100% Random

BEACON HILL FLAGSTONE™/BRISTOL VALLEY®




Beacon Hill Flagstone/Bristol Valley A - 40% Lg Rect, 40% Sq, 20% Sm Rect.




Beacon Hill Flagstone/Bristol Valley B - 40% Lg Rect, 40% Sq, 20% Sm Rect.


BRUSSELS BLOCK® / BRUSSELS PREMIER™




Brussels P - 67% Standard, 33% Half



Brussels O - 67% Standard, 33% Half




Brussels X - 57% XL, 29% Standard, 14% Half




Brussels Y - 57% XL, 29% Standard, 14% Half

BRUSSELS BLOCK® / BRUSSELS PREMIER™




Brussels Z - 67% XL, 20% Standard, 13% Half




Brussels AF - 40% XL, 40% Standard, 20% Half

COPTHORNE®




Cophorne A - 100% Standard




Cophorne B - 100% Standard

COURTSTONE®




Courtstone A - 16% Sq., 18% Sm. Rec., 19% Rec., 22% Lg. Rec., 25% XL Rec.

ECO-PRIORA™




Eco-Priora E - 100% Rectangle

HOLLANDSTONE™ & HOLLAND PREMIER™




Hollandstone D - 100% 4"x8"




Hollandstone C - 100% 4"x8"

IL CAMPO®




Il Campo H - 60% 6"x8", 30% 6"x6", 10% 4"x6"


NATURAL STONE



Natural Stone C - 67% 24" x 24", 33% 12" x 24"




Natural Stone D - 57% 12" x 24", 43% 18" x 24"




Natural Stone F - 34% 24" x 36", 24% 24" x 24", 18% 18" x 24", 24% 12" x 24"

OLDE GREENWICH COBBLE®




Greenwich G - 67% Large Rectangle, 33% Medium Rectangle

Series™ Random




Series A - 40% Lg Rect, 40% Sq, 20% Sm Rect.




Series B - 40% Lg Rect, 40% Sq, 20% Sm Rect.

RICHCLIFF




Richcliff A - 53% 12" x 9", 20% 9" x 9", 27% 6" x 9"


RICHCLIFF®




Richcliff B - 53% 12" x 9", 20% 9" x 9", 27% 6" x 9"



Richcliff C - 53% 12" x 9", 20% 9" x 9", 27% 6" x 9"




Richcliff D - 53% 12" x 9", 20% 9" x 9", 27% 6" x 9"




Richcliff E - 44.6% Random Bundle, 55.4% Large Rectangle

RICHCLIFF




Richcliff F - 44.6% Random Bundle, 55.4% Large Rectangle


RIVENSTONE™



33% 24"x24", 50% 18"x24", 17% 12"x24"




45% 24"x24", 33% 18"x24", 22% 12"x24"




36% 24"x24", 28% 18"x24", 36% 12"x24"

TRIBECA COBBLE




Tribeca Cobble - 100% Random Bundle


THORNBURY™



Thornbury A - 49% Large Rec., 34% Medium Rec., 17% Small Rec.




Thornbury B - 49% Large Rec., 34% Medium Rec., 17% Small Rec.




Thornbury C - 49% Large Rec., 34% Medium Rec., 17% Small Rec.

UMBRIANO® RANDOM




Umbriano Random A - 40% Large Rect., 40% Square, 20% Small Rect.



Umbriano Random B - 40% Large Rect., 40% Square, 20% Small Rect.

WESTPORT



WESTPORT Random - 34% Large Rect., 40% Square, 26% Rect.

Patterns may not reflect bundle configurations. More patterns available at unilock.com.

Tuscany Collection**



Tuscany Fireplace
Sandstone with Copthorne®
(3 Color Blend)



Tuscany Fireplace
Sierra with Copthorne®
(3 Color Blend)

Element Product Codes

<u>Tuscany Collection</u>		
	Sandstone	Sierra
Fireplace Top	RS-ELE074-1	RS-ELE095-2
Fireplace Bottom	RS-ELE088-1	RS-ELE096-2
Wood box Set	RS-ELE028-1	RS-ELE027-1
Arched Hearth	RS-ELE016-1	RS-ELE017-1

WEIGHTS

<u>Tuscany Collection</u>	
Fireplace Top	— 2925 lbs
Fireplace Bottom	— 4225 lbs
Wood Boxes	— 4005 lbs
Arched Hearth	— 1170 lbs

Special Order



Tuscany Sandstone with
Umbriano®



Tuscany Sierra with
Richcliff®



Tuscany Sierra with
Courtstone®

Barcelona Collection**



Barcelona Fireplace
Sierra with Umbriano®
(Summer Wheat)

Element Product Codes

<u>Barcelona Collection</u>	
	Sierra
Fireplace	RS-ELE214
Wood box Set	RS-ELE213
Arched Hearth	RS-ELE212

Weights:

<u>Barcelona Collection</u>	
Fireplace Top	— 2725 lbs
Fireplace Bottom	— 4170 lbs
Wood Boxes	— 4200 lbs
Arched Hearth	— 1200 lbs

Special Order



Barcelona Sandstone with
Copthorne®



Bella

The Bella pre-built fireplace is constructed from Rivercrest® Wall (page 30).

**Available in Coastal Slate color only.
Please call for availability.**

WEIGHTS

Bella

Fireplace Top — 1,685 lbs
Fireplace Bottom - 3,155 lbs
Grill Island — 3,420 lbs

Bella Grill Island

SPECIAL ORDER


The Bella pre-built grill island is constructed from Rivercrest® Wall (page 30).

Available in Coastal Slate color only.





Bella products are sold as shown. There is no ability to customize.

Typical Cross Section for Concrete Pad Installation



Tuscany & Barcelona Fireplace



Guarantee

The standard Unilock guarantee applies to the units used to construct Unilock Elements. (See Unilock literature for details.) Third party grills and fireboxes carry their respective manufacturer's warranty, and may change without notice.

Note: Unilock reserves the right to change model designs, accessories and colors without notice. Unilock will not be responsible for improper use or handling that results in property damage. Some models may not be exactly as shown. Fireplaces come complete with UL- approved stainless steel fireboxes. Check local building codes and regulations prior to ordering and installing Unilock Elements.

TECHNISEAL PRO SERIES CLEANING PRODUCTS



PROFESSIONAL GRADE OIL & GREASE REMOVER

RS-CLN001

Professional Grade Oil and Grease Remover is an industrial strength petroleum-based product. It lifts and absorbs embedded oil and grease stains as it dries from a liquid to a powder. Specially formulated for concrete pavers, slabs walls, natural stone, poured or stamped concrete, etc. Works without damaging or discoloring material and is easy to use.

Packaging: • 1 quart container • 6 per case • 100 cases per skid (600 qts)

Note: Carefully read all instructions and safety information on product label prior to application. For additional safety information, see SDS.



PAVER PRIMER & EFFLORESCENCE REMOVER

RS-CLN002

Paver Primer is specially formulated to dissolve efflorescence (whitish salt deposit) and remove ground-in dirt on paving stones and concrete, without discoloring or damaging surfaces. It cleans evenly, and enables the sealant to better penetrate the material to be treated.

Due to HAZMAT Regulations, no more than 1,000lbs may be picked up at one time.

Packaging: • 1 gallon • Box of 4 x 1 US gallon • 45 cases per skid (180 gallons) • 150 sq ft approx. coverage

Note: Carefully read all instructions and safety information on product label prior to application. For additional safety information, see SDS.



RUST REMOVER

RS-CLN012

Paver Cleaner cleans rust from paving stones and concrete without discoloring the surface.

Packaging: • 1 quart container • 6 per case • 120 cases per skid (720 qts)

Note: Carefully read all instructions and safety information on product label prior to application. For additional safety information, see SDS.



PAINT, TAR & RUBBER REMOVER

RS-CLN007

Description: Paver Cleaner thoroughly dissolves paint, tar or bitumen, rubber and chewing gum, from paving stones, concrete, and masonry.

Packaging: • 1 liter container (1US qt) • 6 per case • 120 cases per skid (720 x 1 liter/ 720 x 1 US qt)

Note: Carefully read all instructions and safety information on product label prior to application. For additional safety information, see SDS.



PAVER RESTORER

RS-CLN044 (1 gal) / RS-CLN019 (5 gal)

Description: Paver Restorer's concentrated formula removes cement slurry and jointing haze, as well as stains generated by pavers and slabs cuts. Unlike muriatic acid, Paver Restorer has very little odor and is environmentally friendly.

Packaging: • 1 gallon / 4 per case • Cleans up to 200 square feet • Coverage depends on surface porosity and severity of haze. Note: Carefully read all instructions and safety information on product label prior to application. For additional safety information, see SDS.

SUREBOND CLEANING PRODUCTS



SUREBOND SURECLEAN

RS-CLN014 - 1 Gal / RL-CLN063 - 5 Gal

SureClean is a powerful, super concentrated non-acid multi-use cleaner that dislodges deep set dirt and grime, tire scuffing, and environmental soiling. SureClean's unique Clean Rinse Technology allows residue to be quickly and easily rinsed away with a high or low pressure washer. Its biodegradable and environmentally friendly phosphate-free formula replaces most harsh acid cleaners and its alkaline nature will help neutralize acid based detergents and cleaners. **Due to HAZMAT Regulations, no more than 1000 lbs. may be picked up at one time.** (1 Gallon / 4 per case / 27 Cases per Skid)



SUREBOND EFFLO OFF

RS-CLN062 - 1 Gal / RS-CLN067 - 5 Gal

Efflo Off is a buffered, non-acid, organic salts, technologically advanced concentrated cleaner designed for the removal of efflorescence, mineral and salt deposits from virtually any type of hardscape surface with minimal or no brushing. Efflo Off is mild but may be corrosive to certain woods, metals and plants. Covering and protecting surrounding areas during application may be required. Efflo Off's unique Clean Rinse Technology allows residue to be quickly and easily rinsed away with a high or low pressure washer. Efflo Off's biodegradable and environmentally friendly phosphate free formula replaces several types of harsh acid cleaners and its alkaline nature will help neutralize acid based detergents and cleaners.

1 Gallon / 4 per case / 36 Cases per Skid (144 each)



SUREBOND STAIN & RUST BUSTER

RS-CLN065 - 1 Quart

S.R.B. is a powerful, concentrated spot cleaner which dislodges and removes common stains caused by moss, mildew, leaf, rust, blood, beverage spills and non-greasy food. S.R.B.'s concentrated, biodegradable formula allows for a full spectrum of dilutions matched to your cleaning needs. S.R.B.'s unique Clean Rinse Technology quickly and easily rinses away residue with a high or low pressure washer.

1 Quart/ 12 per case / 27 Cases per Skid (324 each)



SB-10 ADHESIVE

RS-ADH009-1 (10 oz) / RS-ADH015-1 (28 oz)

(Conforms to UN-STD. 1804, ASTM 2339-70& FHA UM-60) Color: light tan

Surebond SB-10 adhesive SB-10 Paver Bond is a fast set up, quick curing, superior strength, structural grade hardscape adhesive. Adheres well in extreme conditions such as temperatures ranging from 0° to 100° F, frozen and/or damp substrates. Superior durability to withstand extreme wear and tear including heavy vehicular traffic. Helps to level and shim. Applies easily with a caulking gun.

• Low odor • VOC compliant • 10 oz. Tube: 12/case & 140 cases/skid • 28 oz Tube: 12/case & 60 cases/skid • 900 psi

Note: Carefully read all instructions and safety information on product label prior to application. For additional safety information, see SDS.



SB-15 RAPID SET ADHESIVE

RS-ADH050 (10 oz) / RS-ADH051 (28 oz) **Limited Stock Available**

SB-15 Rapid Set is an ultra-fast set up, quick curing, superior strength, structural grade hardscape adhesive. It will adhere well in extreme conditions such as temperatures ranging from 10° to 100° F, and on frozen and/or damp substrates. SB-15's superior durability will withstand extreme wear and tear including heavy vehicular traffic. It helps to level and shim and can be applied easily with a standard caulking gun. Ideal for retaining walls, seat walls, columns, caps, steps, outdoor kitchens, grill surrounds, paver installations, coping systems and more.

1/4" bead yields: 26 lin. ft./10 oz tube | 86 lin. ft. /28 oz. tube

Packaging: 12 tubes/case, 140 cases/skid



XP GATOR BLOCK ADHESIVE

RS-ADH039 (10 oz) / RS-ADH040 (28 oz)

Gator Block Bond Adhesive is one of the strongest polyurethane adhesives on the market, specially formulated for bonding concrete, natural stone, blocks, bricks and pavers and can be used on dry or damp surfaces. It bonds permanently in 24 hours.

• Low odor • VOC compliant • 10 oz. Tube: 12/case & 90 cases/skid • 28 oz Tube: 12/case & 60 cases/skid • 850 psi in 24 hours/1000 psi in 7 days

Note: Carefully read all instructions and safety information on product label prior to application. For additional safety information, see SDS.



SHERWIN WILLIAMS POWERHOUSE - ALL PURPOSE ELASTOMERIC SEALANT

RS-TOOL201 Tan / RS-ADH022 Grey

Sherwin Williams Powerhouse is a premium sealant that provides excellent flexibility and performance.

• 10 oz. Tube / 12 per case • Crack proof seal • Water/Weatherproof seal

Note: Carefully read all instructions and safety information on product label prior to application. For additional safety information, see SDS.



UNICARE NATURAL STONE ACID CLEAN **NEW!**

RS-CLN095 (1L) / RS-CLN098 (5L)

Removal of:

- Cement Staining
- Efflorescence
- Iron Oxide (Rust)
- Cement mortar
- Grout

Note: Never use hydrochloric or sulphuric acid based products. **ONLY FOR ACID RESISTANT STONE.**

Carefully read all instructions and safety information on product label prior to application. For additional safety information, see SDS.



UNICARE NATURAL POWER CLEAN **NEW!**

RS-CLN096 (1L) / RS-CLN099 (5L)

Removal of:

- Oil & Grease
- Food Stains
- General Dirt & Mud
- Light cement contamination (on acid sensitive surfaces)
- Sap & certain plant stains

Note: Carefully read all instructions and safety information on product label prior to application. For additional safety information, see SDS.



UNICARE BIOCLEAN **NEW!**

RS-CLN097 (1L) / RS-CLN100 (5L)

Removal of:

- Black spot algae
- Green algae
- Plant stains from leaves, wood, trees, berries & flowers
- Organic staining from bark & compost
- Colored stains from food spillages, tea, coffee and wine

Note: Carefully read all instructions and safety information on product label prior to application. For additional safety information, see SDS.

SEALING PRODUCTS



SUREBOND 8700 WET LOOK JOINT STABILIZING SEALER

RS-SEAL151 (1 gal) / RS-SEAL152 (5 gal)

Surebond 8700 is an advanced premium acrylic sealer with a gloss finish that repels water within 90 minutes and stabilizes joint sand. SUREBOND 8700 is specially formulated with antifungal agents designed to help inhibit the growth of mold, fungi and moss on horizontal pavement surfaces. This breathable sealer can be applied immediately to new installations and will not trap naturally occurring efflorescence. Note: Carefully read all instructions and safety information on product label prior to application. For additional safety information, see SDS. Packaging: 4 1-gallons/case • Approximate coverage 80-120 sq.ft. per gallon • **Due to HAZMAT regulations, no more than 1000lbs may be picked up at one time.** (27 cases per skid or 22-5 gallons per skid/truckload)



SUREBOND 1300 JOINT STABILIZING SEALER

RS-SEAL037 (1 gal) / RS-SEAL036 (5 gal) / RS-SEAL038 (55 gal)

Surebond 1300 is an epoxy modified, single-component VOC, EPA, and OSHA compliant, solvent-free, penetrating sealer that provides protection to interlocking paving stone installations against salt spray, acid rain, food and beverage stains, and other oxidizers. This matte finish sealer binds joint sand together to ensure the integrity of the pavement by forming a homogeneous, flexible pavement that stops erosion or joint sand failures in large paver installations. This sealer is also used to seal retaining walls and for concrete and aggregate and split-face stone to protect against staining, salt spray, and acid rain damage and discoloration for architectural, industrial, and residential installations. Packaging: 6 1-gallons/case • 27 cases per skid • 36-5 gallon pails/skid • Approximate coverage 100-150 sq.ft. per gallon



WL4 TECHNISEAL® PROSERIES WET LOOK WATER REPELLANT

RS-SEAL001 (1gal) / RS-SEAL073 (5 gal) / RS-SEAL003 (55 gal)

Made of acrylic and plasticizers, Wet-Look Paver Protector (WL4) is a wet-look, gloss-finish and microporous transparent coating that protects pavers made of concrete while enhancing their original color. It reduces oil and dirt penetration, and makes cleaning easier. Easy to apply, it penetrates the surface for maximum adhesion and durability. It will not peel or discolor. It resists the elements (freeze-thaw cycles, sun, rain, etc.), as well as calcium and salt. It also resists hot tire pick-up. Note: Carefully read all instructions and safety information on product label prior to application. For additional safety information, see SDS. For outdoor use only. Packaging: 4 1-gallons per case • Approximate coverage 100-150 sq.ft. per gallon • **Due to HAZMAT regulations, no more than 1000lbs may be picked up at one time.** (22 Cases per skid or 19-5 Gallon pails per skid/truckload)



WL5 TECHNISEAL® PROSERIES WET LOOK RECOATER PAVEMENT PROTECTOR

RS-SEAL113 (1gal) / RS-SEAL096 (5 gal)

Wet Look Recoater (WL5) is specially formulated for surfaces previously sealed with the WL4 or WLWR Protectors. This easy to apply sealer, adds a rich satin and glossy appearance to pavers. Consisting of acrylic and plasticizers, the Wet Look Recoater (WL5) can be used to effectively protect and enhance hardscape installations. The sealer has optimum oil repellency and resists the assaults of weather (freeze-thaw cycles, sun, rain, etc.) as well as calcium and salt. Note: Carefully read all instructions and safety information on product label prior to application. For additional safety information, see SDS. For outdoor use only. Packaging: 4 1-gallons per case • Approximate coverage 100-150 sq.ft. per gallon • **Due to HAZMAT regulations, no more than 1000lbs may be picked up at one time.** (22 cases / skid or 19 x 5 gallon per truck load)



WL BP PRO WET LOOK SOLVENT-BASED SEALER

RS-SEAL049-1 (1 gal) / RS-SEAL050 (5 gal) / SPECIAL ORDER (55 gal)

Designed specifically for use on block paving to seal the paver surface and fuse the joint sand. It is a solvent-based single component polymer that creates a semi-gloss finish. It has the consistency of a light oil and is clear in appearance. It has a strong odor when in its liquid state and dries to a transparent semi-gloss finish with a darkened wet look. It can be used outdoors on new and existing projects because it is UV stable. WetLook Stabilizing Sealer can be applied immediately because it is breathable and does not trap moisture and it has outstanding coverage. The product is easy to install and offers great stain and environment protection. Cured product is heat and freeze resistant. Packaging: 4 1-gallons per case • 50-125 sq.ft. coverage per gallon (approx.) • **Due to HAZMAT regulations, no more than 1000lbs may be picked up at one time.** (27 cases per skid or 25-5 gallons per skid/truckload)



BP PRO INVISIBLE STAIN BLOCKER

RS-SEAL127 (1 Gal) / RS-SEAL128 (5 Gal) *SPECIAL ORDER*

Designed specifically for use on block paving to provide an invisible stain resistant barrier. It is a water-based single component polymer that penetrates to give you an invisible natural finish. StainBlocker is a green product that is solvent free and environmentally friendly. It is VOC, EPA, OSHA and FDA compliant. It is non-hazardous and non-toxic and has the consistency of water and a milky white appearance and a slight odor when in its liquid state and dries to an invisible finish. It can be used indoors and outdoors on new and existing projects because it is safe and UV stable. StainBlocker can be applied immediately because it is breathable and it has outstanding coverage. The product is easy to install and offers excellent stain protection and reduces the formation of efflorescence. Cured StainBlocker is heat and freeze resistant. Packaging: 4 1-gallons per case • 150-250 sq.ft. coverage per gallon (approx.)



WSS BP PRO WET LOOK JOINT STABILIZING SEALER

RS-SEAL078 (1 gal) / RS-SEAL079 (5 gal) / RS-SEAL080 (55 gal)

Designed specifically for use on block paving to seal the paver surface and fuse the joint sand. It is a solvent-based single component polymer that creates a semi-gloss finish. It has the consistency of a light oil and is clear in appearance. It has a strong odor when in its liquid state and dries to a transparent semi-gloss finish with a darkened wet look. It can be used outdoors on new and existing projects because it is UV stable. WetLook Stabilizing Sealer can be applied immediately because it is breathable and does not trap moisture and it has outstanding coverage. The product is easy to install and offers great stain and environment protection. Cured product is heat and freeze resistant. Packaging: 4 1-gallons per case • 50-125 sq.ft. coverage per gallon (approx.) • **Due to HAZMAT Regulations, no more than 1000 lbs. may be picked up at one time.** (27 cases per skid or 25-5 gallons per skid/truckload)



ESS BP PRO ENHANCED JOINT STABILIZING SEALER

RS-SEAL042 (1 gal) / RS-SEAL043 (5 gal) / RS-SEAL044 (55 gal)

BP Pro Enhanced Joint Stabilizing Sealer is designed specifically for use on block paving to stabilize joint sand and seal the paver surface. It is a water-based, single-component polymer that penetrates into the pores and seals the surface with a coating that creates a semi-gloss finish. Enhanced Joint Stabilizing Sealer is a green product that is solvent free and environmentally friendly. It is VOC, EPA, OSHA, and FDA compliant. It is non-hazardous and non-toxic. Stabilized joint sand will significantly reduce weeds and insect infestations. It is a dual-purposed surface and joint sand stabilizer. Packaging: 4 1-gallons per case • 36 cases per skid • 36 5-gallons per skid • 4 55-gallon container per skid • 80-100 sq.ft. coverage per gallon (approx.)



TECHNISEAL® SUREFOOT ANTI-SLIP GRIT

RS-SEAL166 (Solvent-based) / RS-SEAL167 (Water-based)

Unicase SureFoot Anti-slip grit mixes easily with sealer to reduce the slipperiness of pavers without changing the sealer's original appearance. It provides a uniform coat and a safer, more slip-resistant surface where slips and falls are likely to occur; such as pool decks, access ramps, etc. Two separate formulas are available to mix well with either water or solvent based sealers. Directions: 5 Scoops mix into 1 Gallon of Sealer / One Can mixes into 5 Gallons of Sealer. Packaging: 6 cans/case Note: Carefully read all instructions and safety information on product label prior to application. For additional safety information, see SDS.



UNICARE NATURAL STONE NATMATTE SEALER NEW!

RS-SEAL229 (1L) / RS-SEAL231 (5L)

For Porous Stones

- No change of color
 - No surface coating, sheen or shine at all
 - Riven Sandstone & Smooth Sandstone
- Note: Carefully read all instructions and safety information on product label prior to application. For additional safety information, see SDS.



UNICARE NATURAL STONE NATCOLORENHANCE SEALER NEW!

RS-SEAL230 (1L) / RS-SEAL232 (5L)

Color Enhancement For Porous Stones

- No surface coating, sheen or shine
 - Breathable
 - Lasts several years
 - Easy to apply
- Note: Carefully read all instructions and safety information on product label prior to application. For additional safety information, see SDS.



JOINTING SAND

RS-SAND001-1 - Tan / RS-SAND140 - Grey (limited stock available)

50 lb/bag 56 bags/skid

Kiln dried and angular shaped in order to flow easily and stay in place.



SEK POLYSWEEP SAND

RS-SAND045 - Tan / RS-SAND046 - Grey

50 lb/bag 56 bags/skid

For concrete paver, cast stone pavements, slabs and natural stone joints up to 3/4". PolySweep polymeric sand is a blend of native sands and high quality synthetic polymers specially formulated to allow the joints to expand and contract with elements such as extreme heat, extreme cold and freeze/thaw cycles.

Also available in limited stock - X-treme Wide PolySweep for joints up to 4" RS-SAND111 - Russett Brown / RS-SAND117 - Grey



TECHNISEAL PRO SERIES SMARTSAND POLYMERIC SAND

RS-SAND169 - Tan / RS-SAND168 - Grey

For Standard Joints - 50 lb/bag, 56 bags/skid (2860 lbs/skid)

A special mix of graded sand and binder specifically formulated for achieving optimum lock-up of pavers or slabs by filling the joints between them. Unlike regular sweeping jointing sand, Polymeric Sand resists insect penetration, weed growth, and erosion. New formulation with half hour setting time. Coverage: Approx. 75 sq. ft./bag Coverage will vary depending on the type/size of stone used. Note: This product is recommended with extra care for use with Copthorne®, Courtstone®, Richcliff®, Town Hall® and Umbriano® products. Umbriano must have the surface cleaned with a foam squeegee post installation. This product is not suitable for use with Il Campo®, Series™ and Unigranite®.



TECHNISEAL PRO SERIES HP NEXTGEL POLYMERIC SAND

RS-SAND131 Prairie - Tan / RS-SAND130 - Prairie Grey

For Large Joints - 50 lb/bag, 56 bags/skid (2860 lbs/skid)

Designed for paver joints up to a maximum of 1 inch. This paver sand is a high-performance polymer sand - it is the ideal product for heavy traffic and wet areas. Weeds and insects in paver joints is part of the past with this high-end product. This polymer sand is a mixture of graded sand (ASTM C144) and binder. It penetrates easily into joints, ensuring a fast and efficient jointing solution. This easy to use jointing sand will start to harden in minutes after water activation, and it quickly becomes resistant to erosion caused by water (rain, sprinklers and spray). Coverage: 65-85 sq.ft. coverage per bag for narrow joints, larger joints will require more sand.



EASY-PRO™

RS-SAND066-1 - Tan / RS-SAND068-1 - Black / RS-SAND069-1 - Grey

50 lb container - premixed *Discontinued for 2019 - Minimal Quantities remain — please contact Unilock for availability.*

Ultimate Paving Stone Joint Compound. Designed for installation in light rain or sun with a surface temperature above 32°F, this pre-mixed epoxy resin product is ideal for patios, pool decks and walkways. It is also permeable. Features: Vacuum packed, pre-mixed and ready to use, eco-friendly (60% renewable products), no haze formulation, for joint widths starting from 1/4" wide and 1 1/4" deep.

Colors: Tan, Black, Grey

Coverage: Approximately 75 sq. ft./container. Coverage will vary depending on the type/size of stone used.

STORAGE: Open product good for 30 day when covered with water.

Note: This product is not suitable for use with Umbriano®, Il Campo®, Series™, Unigranite®, Artline™ and Bristol Valley®.



GATOR HP SUPER SAND BOND

RS-SAND078 - Beige / RS-SAND080 - Slate Grey

50lb. bags (56 bags/skid)

Wetcast & Natural Stone Joints up to 1"

Super Sand Bond is a unique mixture of polymer binders and calibrated sand available in Beige and Slate Grey. The installation of Super Sand Bond is almost identical to using regular paver joint sand, except for the application of water. Once Super Sand Bond sets, it becomes very firm and locks between the paver joints. This firm bond maintains pavers securely in place, being equally effective on both horizontal and sloped surfaces.



GATOR MAXX BOND

RS-SAND074 - Beige / RS-SAND075 - Slate Grey
50lb. bag (56 bags/skid)

For Concrete Paver, Wetcast & Natural Stone Joints up to 1"

Gator Maxx Sand is the first polymeric sand specifically designed for drainage and non-drainage base systems. It can be used with concrete pavers, wetcast and natural stones. It is recommended for a variety of uses, including pool sides, patios, foot paths, driveways, parking spaces, pavements etc. This complete multi-purpose sand is available in two colors: Beige, and Slate Grey. It sets above the freezing temperature (32°F / 0°C) and can be used for joints up to a maximum of 1 inch.



ALLIANCE SUPER SAND G2

RS-SAND156 - Beige / RS-SAND157 - Slate Grey
50lb. bag (56 bags/skid)

SUPERSAND G2 is made with a state-of-the-art manufacturing process. Specifically, calibrated sand is mixed with sophisticated intelligent polymers. This new generation of Intelligent Polymers neutralizes haze and dust. No blower is needed and the intelligent polymeric sand requires only one watering. SUPERSAND G2 is recommended for a variety of uses including pool decks, patios, footpaths, driveways, parking spaces and pavements.



ALLIANCE MAXX G2 - 50 LBS.

RS-SAND158 - Beige / RS-SAND159 - Slate Grey / RS-SAND160 - Diamond Black / RS-SAND161 - Ivory
50lb bag (56 bags/skid)

GATOR MAXX G2 is made with a state-of-the-art manufacturing process. Specifically, calibrated sand is mixed with sophisticated intelligent polymers. This new generation of Intelligent Polymers neutralizes haze and dust. The polymeric sand application is now dust free and haze free. No blower is needed and the intelligent polymeric sand requires only one watering. GATOR MAXX G2 is recommended for a variety of uses including pool decks, patios, footpaths, driveways, parking spaces, pavements, etc.



EUROSTONE BOND

RS-SAND097 - Beige / RS-SAND095 - Slate Grey / RS-SAND116 Diamond Black / RS-SAND132 Ivory
50lb. bag (56 bags/skid)

For Driveway Aprons Application & Cobblestone Joints up to 3.5cm / 1"

Eurostone Bond is the first polymeric sand specifically designed for drainage and non-drainage base systems. It can be used with natural stones and cobblestone. It is recommended for a variety of uses, including streets, plazas (pedestrian and vehicular traffic) paths, sloping areas, around pools, etc. This complete multi-purpose sand is available in three colors: Beige, Slate Grey and Diamond Black. It sets above the freezing temperature (0°C / 32°F) and can be used for joints up to a maximum of 3.5 cm/ 1".



GATOR DUST BOND

RS-SAND072 - Beige / RS-SAND073 - Slate Grey
50lb. bag (56 bags/skid)

For Stone Joints 1/2" to 4"

Gator Dust is a unique mixture of polymer binders and calibrated crushed stone available in Sahara Beige or Stone Grey. Once Gator Dust sets, it becomes very firm and locks between the stone joints. This firm bond maintains the stones securely in place equally effectively on both horizontal and sloped surfaces.



GATOR AQUA ROCK

RS-AGG032 - 50lb. bag (56 bags/skid) / RS-AGG033 (2200 lb. SuperSak)
50lb. bags (56 bags/skid)

For Permeable Paver Joints Graded ASTM NO.9 Granite Stone

Gator Aqua Rock is manufactured to meet ASTM No.9 requirements for permeable paver joint units. The calibrated gradation obtained from the fractured high-strength granite makes it the ideal product for the bedding course & jointing material to collect surface water run-off and help stabilize interlocking paver surfaces.

Coverage: 20-25 Sq.Ft. = 50 lb bag / 880-1100 Sq.Ft. = 2200 lb bag



SEK PERMEABLE CHIPS

RS-AGG035 - Eclipse Black / RS-AGG036 - Eclipse Black 2500 lb / RS-AGG040 - Stormy Grey /
RS-AGG034 - Sunset Red / RS-AGG037 - Saturn Tan * Sunset Red & Saturn Tan are Special Order - Full Skid Qty. only! *
50lb. bags (56 bags/skid)

The high strength crushed and washed granite meets ASTM No. 9 Stone Specifications for permeable joint filler.

Ensure surface infiltration performance- SEK PermChip is the perfect choice for permeable paving stone installations, both as a bedding course and as a joint filler. SEK PermChip is an extremely hard material, easily withstanding the rigors of freeze/thaw cycles. It will not break down, helping to control the runoff for years to come. The right choice for both residential and commercial applications, including driveways, patios, walkways and parking lots. SEK PermChip comes in four colors: Eclipse Black, Sunset Red, Saturn Tan and Stormy Grey.

Coverage: 30-35 Sq.Ft. = 50 lb bag / 1500-1750 Sq.Ft. = 2500 lb bag

UNILOCK DRIVEGRID™ SYSTEM




UNILOCK DRIVEGRID™ SYSTEM

RS-FAB075

- 120' x 13.1' Roll - 1572 Sq. Ft. & 56 lbs per Roll
- **Sold in Full Rolls Only**

STRATAGRID



STRATAGRID RS-FAB007

Stratagrid is a geogrid reinforcement for soil and aggregate reinforcement. These high-molecular weight and high-tenacity polyester yarns, utilizing a complex knitting process and low-temperature coating technology to provide superior engineering properties. Yarns are precision-knitted into a dimensionally stable, uniform network of apertures providing significant tensile reinforcement capacity. Stratagrid is engineered to be mechanically & chemically durable, in both the harsh construction installation phase and in aggressive soil environments (pH ranges from 2-10). A proprietary UV-stabilized coating provides further chemical and mechanical benefits.

SPECIFICATIONS

Ultimate and Creep-Limited Tensile Strength (lbs/ft)	SG200
Ultimate Strength	3000
Creep-Limited Strength	1863
Roll Dimensions (width x length) (feet)	6 x 300
Area (square yards)	200
Weight per Roll (lbs)	85
Last Number	GB-3022


X & T SLAB SPACERS



X & T SLAB SPACERS

- 250 per bag
- X & T bagged separately
- T spacers 2" x 1" (RS-ACC236)
- X spacers 2" x 2" (RS-ACC237)

GEOTEXTILE FABRIC



GEOTEXTILE FABRIC RS-FAB001

FX-40HS, a non-woven Multipurpose Geotextile Fabric composed of 100T Polyester continuous-filament yarns and heat bonded so the filaments retain their relative position. **Sold in full roll quantities only. 15' x 300' (4500 sqft per roll)**

SPECIFICATIONS

<i>Physical Properties</i>	Test Method	
60x. NonWoven	<i>Mechanical</i>	
Puncture Strength (lbs)	ASTM D-4833	120
Water Flow Rate (gpm/ft ²)	ASTM D-4491	130
Weight (oz/vd ²)	ASTM D-3776	6.0
Thickness (mils)	ASTM- D-1777	75
Weight		225lbs/roll

PAVER PULLER



EZ PULLER

RS-TOOL178

- E-Z Puller removes pavers up to 16 inches with the E-Z 16
- No damage to surrounding pavers
- Sealed pavers or Polymeric Sand - no problem, pavers pop right out
- E-Z one man operation, saving time and money
- Great for engraved paver installations

BASE/DRAINAGE SYSTEMS

Gator Tile System

Contact Unilock for more information.

GATOR BASE 	GATOR SPACER 	GATOR BLOCK 	GATOR EDGE 	GATOR BASE 	GATOR TILE 
					
1 RS-ACC074	2 RS-ACC087	3 10oz - RS-ADH039 28oz - RS-ADH040	4 RS-EDGE061	5 RS-ACC088	6 Beige - RS-SAND136 Black - RS-SAND139 Grey - RS-SAND137 Ivory - RS-SAND138



Wall Drain Pro

12 unites/case, 63 cases/pallet

Wall Drain Pro is a simpler, more effective wall drain than you've ever used before.

- Easy Installation
- Aesthetically Pleasing
- Integral Component of Wall Construction
- Customizable Height
- Works with Block or Timber Walls

Black - RS-ACC086

Grey - RS-ACC123


Tan - RS-ACC122

EDGE RESTRAINTS

SnapEdge - One-Piece Edging That Does It All!

RS-EDGE001 Low Profile - RS-EDGE017

- Only one part required for straight runs or curved installations.
- Built-in connector fastens one piece to the next - convenient 96" size, makes them easy to transport.
- Unique 'Snip and Flex' feature speeds installations of curves and corners without pre-planning.
- The open design allows a root system to grow through SnapEdge, further reinforcing the installation.
- Engineered to provide a strong, easy-to-install edge restraint for concrete/clay pavers.
- Nail hole bosses are full-length cylinders. Hammer blows will not fracture or force nail heads through edging.



RS-EDGE001

Product Information:

8' (96") length pcs.

Sidewall: 1 7/8"

Pieces per Pallet: 672 (5,376 In. ft.)

Pieces per Bundle: 24 (192 In. ft.)

Bundles per Pallet: 28

Pallet Weight: 1395 lbs.

Pallet Size: 98" l x 48"w x 50" h



Low Profile - RS-EDGE017

Product Information:

6'8" (80") length pcs.

Sidewall: 1 3/8"

Pieces per Pallet: 672 (5,376 In. ft.)

Pieces per Bundle: 24 (192 In. ft.)

Bundles per Pallet: 28

Pallet Weight: 1395 lbs.

Pallet Size: 98" l x 48"w x 50" h

PermEdge Permeable Paver Edging

RS-EDGE033

Designed specifically for permeable pavement with open graded base material.

- Holds pavement edges securely in place.
- Does straight and curved edges.

Product Information:

8' (96") length pcs.

Weight per Unit: 2.5 lbs.

Pieces per Pallet: 64 (72 In. ft.)

Freight Class: 300

Pallet Weight: 210 lbs.

Pallet Size: 98" l x 48"w x 50" h



Spikes

RS-EDGE014

• 10" Round Spikes

• About 150 spikes per case

• Sold in full cases only



ACCESSORY QUICK REFERENCE GUIDE

CLEANERS

RS-CLN001	TECHNISEAL PROSERIES OIL & GREASE REMOVER
RS-CLN002	TECHNISEAL PROSERIES EFFLORESCENCE REMOVER - 1 GAL.
RS-CLN007	TECHNISEAL PROSERIES PAINT, TAR & RUBBER REMOVER - 1 QUART
RS-CLN012	TECHNISEAL PROSERIES RUST REMOVER PAVER CLEANER - 1 QUART
RS-CLN043	BP PRO ECO-NEW CONCENTRATE CLEANER - 1 GAL.
RS-CLN044	TECHNISEAL PROSERIES PAVER RESTORER - 1 GAL.
RS-CLN014	SUREBOND SURECLEAN - 1 GAL.
RS-CLN063	SUREBOND SURECLEAN - 5 GAL.
RS-CLN062	SUREBOND EFFLO OFF - 1 GAL.
RS-CLN067	SUREBOND EFFLO OFF - 5 GAL.
RS-CLN065	SUREBOND STAIN AND RUST BUSTER - 1 QUART

WET LOOK SOLVENT-BASED SEALERS

WL4 TECHNISEAL WET LOOK - PAVER PROTECTOR GLOSS FINISHERS	
1 GAL.: RS-SEAL001 (4 /CASE)	— 5 GAL.: RS-SEAL073 (51 LBS/PAIL) — 55 GAL.: RS-SEAL003 (520 LBS/DRUM)
BP PRO WETLOOK STABILIZING	
1 GAL.: RS-SEAL078 (4/CASE)	— 5 GAL.: RS-SEAL079 (40LBS/PAIL) — 55 GAL.: RS-SEAL080 (418LBS/DRUM)
BP PRO WETLOOK SOLVENT BASED	
1 GAL.: RS-SEAL049-1	— 5 GAL.: RS-SEAL050 — 55 GAL.; SPECIAL ORDER
SUREBOND SB-8700 WET-LOOK JOINT STABILIZING SEALER WITH ANTI-FUNGAL	
1 GAL.: RS-SEAL151 (4/CASE)	— 5 GAL.: RS-SEAL152
WL5 TECHNISEAL PROSERIES WET LOOK RECOATER PAVER PROTECTOR	
1 GAL.: RS-SEAL113 (4 /CASE)	— 5 GAL.: RS-SEAL096 — 55 GAL.: RS-SEAL175

WATERBASED SEALERS AND ACCESSORIES

BP PRO NATURAL JOINT STABILIZING SEALER	
1 GAL.: RS-SEAL045	— 5 GAL.: RS-SEAL046
BP PRO PAVER ENHANCER STABILIZING SEALER	
1 GAL.: RS-SEAL042	— 5 GAL.: RS-SEAL043 — 55 GAL.: RS-SEAL044
SUREBOND SB-1300 JOINT SAND STABILIZER SEALER	
1 GAL.: RS-SEAL037	— 5 GAL.: RS-SEAL036 — 55 GAL.: RS-SEAL038

ADHESIVE & CAULK

RS-ADH009-1	SB-10 ADHESIVE 10OZ. (12/CASE - 140C./SKID)
RS-ADH015-1	SB-10 ADHESIVE 28OZ. (12/CASE - 60C./SKID)
RS-ADH039	XP GATOR BLOCK ADHESIVE 10 OZ. (12/CASE - 90C./SKID)
RS-ADH040	XP GATOR BLOCK ADHESIVE 28 OZ. (12/CASE - 60C./SKID)
RS-TOOL201	SHERWIN WILLIAMS POWERHOUSE - TAN (12/CASE)
RS-ADH022	SHERWIN WILLIAMS POWERHOUSE - GREY (12/CASE)

SANDS

SEK JOINTING SAND 50# BAGS (56 BAGS/SKID)	
TAN: RS-SAND001 - 1	GREY: RS-SAND140
TECHNISEAL PROSERIES SMARTSAND - POLYMERIC SAND - 50# BAGS (56 BAGS/SKID)	
TAN: RS-SAND169	— GREY: RS-SAND168
TECHNISEAL PROSERIES HP NEXTGEL - POLYMERIC SAND - 50# BAGS (56 BAGS/SKID)	
PRAIRIE GREY: RS-SAND130	— PRAIRIE TAN: RS-SAND131
SEK - POLYSWEEP SAND 50# BAGS (56 BAGS/SKID)	
TAN: RS-SAND045	— GRAY: RS-SAND046
SEK - X-TREME WIDE JOINT SAND (56 BAGS/SKID)	
RUSSET BROWN: RS-SAND111 — GREY: RS-SAND117 - Special Order *	
ALLIANCE - SUPERSAND HP 50# BAGS (56 BAGS/SKID)	
BEIGE: RS-SAND078	— SLATE GREY: RS-SAND080
ALLIANCE - GATOR DUST BOND 50# BAGS (56 BAGS/SKID)	
SAHARA BEIGE: RS-SAND072	— STONE GREY: RS-SAND073
ALLIANCE - GATOR MAXX BOND 50# BAGS (56 BAGS/SKID)	
BEIGE: RS-SAND074	— SLATE GREY: RS-SAND075
ALLIANCE - EUROSTONE BOND 50# BAGS (56 BAGS/SKID)	
IVORY: RS-SAND132	— BEIGE: RS-SAND097 — SLATE GREY: RS-SAND095 — BLACK DIAMOND: RS-SAND116
UNILOCK EASY PRO PREMIXED JOINT STABILIZING COMPOUND 50# CONTAINER (36 PAILS/SKID) * Discontinued for 2019 - Minimal Quantities remain	
TAN: RS-SAND066-1	— BLACK: RS-SAND068-1 — GREY: RS-SAND069-1 — please contact Unilock for availability.*
ALLIANCE SUPER SAND G2 - 50# BAGS (56 BAGS/SKID)	
BEIGE: RS-SAND156	— SLATE GREY: RS-SAND157
ALLIANCE MAXX G2 - 50# BAGS (56 BAGS/SKID)	
BEIGE: RS-SAND158	— SLATE GREY: RS-SAND159 - DIAMOND BLACK: RS-SAND160 - IVORY RS-SAND161

ACCESSORY QUICK REFERENCE GUIDE

PERMEABLE GRANITE CHIPS - ASTM NO. 9 (2-5mm)

SEK PERM CHIPS - 50# BAGS

ECLIPSE BLACK: RS-AGG035 — STORMY GREY: RS-AGG040 — **SUNSET RED: RS-AGG034 — SATURN TAN: RS-AGG037 — Special Order ***

SEK PERM CHIPS - 2500# SUPERSAK

ECLIPSE BLACK: RS-AGG036 — STORMY GREY: RS-AGG041 — **SUNSET RED: RS-AGG038 — SATURN TAN: RS-AGG039 — Special Order ***

ALLIANCE GATOR AQUA ROCK - GRANITE GREY

50#: RS-AGG032 — 2200# BAG: RS-AGG033

GEOTEXTILES & DRAINAGE SYSTEMS

RS-ACC086 WALL DRAIN PRO BLACK (12/CASE - 63C./SKID) - TAN - RS-ACC122, GREY - RS-ACC123

EDGING & SPIKES

RS-EDGE001 SEK - SNAP EDGE - 8 FT PCS. (24PCS/Bnd 28Bnd/SKID)

RS-EDGE017 LOW PROFILE EDGE (APPROX. 150 PER BUNDLE/672 PER PALLET)

RS-EDGE033 SEK - SNAP EDGE - PERMEABLE 8FT PCS.

RS-EDGE014 10" SPIKES (APPROX. 150/BOX)

UNICARE DRIVEGRID™ SYSTEM

RS-FAB075 13.1' x 120' Roll - 1572 Sq. Ft.

MISCELLANEOUS TOOLS

RS-TOOL009 STEEL TAMPER 10x10

RS-TOOL027 MIGHTY TEE LEVEL

RS-TOOL041 TECHNISEAL SPLIT FOAM ROLLER

RS-TOOL052 CHISEL 4"

RS-TOOL104 29oz. CAULK GUN

RS-TOOL018 14oz. CAULK GUN

RS-TOOL112 HAMMER 4lbs

RS-TOOL143 PAVERSAVER URETHANE MAT KIT

RS-TOOL144 PROBST PAVER EXTRACTOR

RS-TOOL146-1 PAVER EXTRACTOR REPLACEMENT TEETH

RS-TOOL177 H.D. PLASTIC BRICK GUARD 36"

RS-TOOL178 EZ PAVER PULLER 16

RS-TOOL181 22" SQUEEGEE

RS-TOOL184 SNIP STRAIGHT & COMB

RS-TOOL187 RATCHET STRAP

RS-TOOL318 PAVEMOR PAVER PLACER-PM-3 AIR

RS-TOOL319 PAVEMOR PAVER PLACER-PM-1 AIR

RS-TOOL365 TECHNISEAL EXACT DILUTION SPRAYER

RS-TOOL378 TECHNISEAL STRUCTUREBOND GUN II

* ITEMS ARE SPECIAL ORDER

CALCULATIONS

AREA OF A CIRCLE

Radius (in.)	18	21	24	27	30	33	36	39	42	45	48	51	54	57
Radius (ft.)	1.50	1.75	2.00	2.25	2.50	2.75	3.00	3.25	3.50	3.75	4.00	4.235	4.50	4.75
Square Feet	7.07	9.62	12.56	15.90	19.63	23.75	28.26	33.17	38.47	44.16	50.24	56.72	63.59	70.85
Circumference (in.)	113.04	131.88	150.72	169.56	188.40	207.24	226.08	244.92	263.76	282.60	301.44	320.28	339.12	357.96
Circumference (Ft.)	9.42	10.99	12.56	14.13	15.70	17.27	18.84	20.41	21.98	23.55	25.12	26.69	28.26	29.83

Area of a circle = $3.14 \times \text{Radius} \times \text{Radius}$

Circumference = $6.28 \times \text{Radius}$

AREA CONVERSION CHART

Square Feet	1	2	3	4	5	6	7	8	9	10	11	12	13	14
Square Meter	0.09	0.19	0.28	0.39	0.46	0.56	0.65	0.74	0.84	0.93	1.02	1.11	1.21	1.30
Square Meter	1	2	3	4	5	6	7	8	9	10	11	12	13	14
Square Feet	10.76	21.53	32.29	43.06	53.82	64.58	75.35	86.11	96.88	107.64	118.40	129.17	139.93	150.69
Cubic Yard	1	2	3	4	5	6	7	8	9	10	11	12	13	14
Cubic Feet	27	54	81	108	135	162	189	216	243	270	297	324	351	378

Area Square = Length x Width

Area Triangle = $1/2 \text{ Base} \times \text{Height}$

Calculation charts and formulas are provided as a service by Unilock for estimating material requirements. Unilock will not be held responsible in any way for resulting product overage or shortage.

SEALER BEST PRACTICES

- The paver surface should be **clean** and free from oil, dirt, dust and any loose material. This ensures a uniform result and allows the sealer to better penetrate the surface.
- The pavers should be **free of any visible efflorescence**.
- If pavers have been sealed before, make sure to resealed with compatible product.
- **Surface must be dry** (48 hours without precipitation) and warm to the touch (morning).
- Joint sand must also be dry.
- Make sure lawn sprinklers are shut off.
- Best air temperature is between **50 degrees to 80 degrees** with no rain forecasted for the next 24 hours.
- It is best to apply product under constant weather conditions and use the **same application method from start to finish**.
- The paver joints should be completely filled with dry correctly-graded joint sand. The top level should not exceed the bottom of the chamfer or **1/8" below** the surface on the non-beveled or tumbled paver surface.
- **Always test the product** on a small hidden area to ensure the results will meet your expectations.
- Always show homeowners samples to ensure expectations.

At this point read all sealer instructions and determine the best sealer for your desired goal. Do you want to retain the original look, enhance the color, or stabilize the sand joint?

- **Read application information as each sealer can be applied differently.**
- **Make sure you have the correct equipment based on type of sealer. Solvent based sealers need solvent resistant sprayers, watering cans or paint trays.** Water base sealers can be generally applied using plastic equipment. Example: solvent based sealers come in metal containers and water based sealers come in plastic containers.
- Care should be taken that no excess sealer material is pooled on the surface during application always back roll. When using solvent based sealers make sure roller is solvent resistant or for all paints. Foam rollers work best and are less likely to pull sand from the joints.
- Stabilizing sealers are generally sprayed or flood coated with a watering can, then back rolled.
- Acrylic non-stabilizing sealers can be sprayed, then back rolled or rolled on using a metal paint tray.
- **Send your most experienced worker to do sealing projects.**

POLYSAND BEST PRACTICES

- Ensure that paver surface has **proper drainage runoff** (Min 1" over 8'). Finished paver height should always be higher than grade to allow proper surface drainage.
- **Do not set pavers in limestone screenings.** This product holds moisture and does not meet the gradation, drainage qualities or strength of coarse concrete sand.
- Make sure pavers are **clean of all construction dust**. Residual construction dust will haze pavers!
- **Compact pavers** into setting bed to create proper interlock.
- Read and review all polysand manufactures methods of application. **(Read Directions)**
- **Don't rush polysand installation.**
- **Paver area must be completely dry.**
- Lay bags of polysand over paver area. **Stage bags** in areas of coverage. Example: one bag for 60 square feet.
- **Do not over sweep sand.** Sweep sand back and forth within coverage area to fill paver joints.
- **Compact sand into joints.** This is a must in achieving proper density of the sand joint (repeat 3 times). Compaction is critical to assuring sand strength.
- Do not fill sand above the chamfer of paver. Sand should sit 1/8" below bottom of chamfer.
- Using a fine-bristle broom **remove any excess sand** from the paver surface.
- Using a **leaf blower** remove any sand or binder residue.
- **Review all watering directions (Each manufacture has different watering instructions.) This is VERY IMPORTANT!**
- Always start watering at the **bottom of the slope**.
- Always start watering in **controlled areas** per manufacturers recommendations. Example: complete watering in 200 sq. ft. area then move on to the next 200 sq. ft. and repeat.
- During final watering of poly sand, **clean surface by removing excess water** with leaf blower or squeegee depending on paver surface texture. This will remove any leftover binder residue or sand.
- Final thoughts – Always be aware of the weather when installing poly sand. **(Temperature and setting time ratings differ between products.)**
- Refer to all manufactures websites for installation videos.

TERMS AND CONDITIONS OF SALE

- All orders are accepted subject to prevailing state or other taxes, and subject to the cost of freight applying at the time of shipment.
- The acceptance by the seller of an order shall constitute a binding contract of purchase and sale, in accordance with the terms set out in this agreement.
- These terms and conditions together with the purchase order form the complete contract, and there are no representations, warranties, or conditions expressed or implied affecting this contract, other than as contained herein.
- All sales are made in accordance with the seller's samples, which the purchaser has seen and approved. No guarantee of exact color shades is made.
- Delays incurred on delivery in excess of one hour will be billed to the purchaser at \$80 per hour or fraction thereof. Similarly, delays incurred on partial delivery (1-7 bundles) in excess of one half hour, will be billed to the purchaser at the same rate.
- Use of any delivered materials by or on behalf of the purchaser shall be deemed to constitute acceptance of the materials by the purchaser.
- Excessive defective material picked up or delivered to the purchaser will be replaced free of charge if a claim is made within five days. Free replacement will be the extent of the seller's warranty. Any such claim will not constitute a reason for delaying payment. All other claims must be submitted within 30 days of purchase.
- Unsuitable or unsatisfactory materials must be available for inspection by the seller, to entitle the purchaser to any adjustment or credit.
- No materials may be returned for credit except with the written consent of the seller, whether such materials were ordered in excess of the purchaser's requirement, by mistake, or otherwise. ACCESSORIES, SECTIONS AND OPENED MATERIAL ARE NON-RETURNABLE FOR ANY REASON.
- Where the seller agrees to accept the return of goods, these goods are subject to freight charges and a restocking charge of 20% of their value plus delivery.
- All custom produced product must be shipped within 30 days of the receipt of the order. After 30 days, all custom produced material will be subject to a storage fee of \$5.00 per pallet per month. Please contact your Territory Manager for more information.
- Seller does not accept responsibility for delays in deliveries due to fire, flood, strikes, or any other condition or contingencies beyond its control.
- The purchaser is responsible for installation of the materials on the job site, and the seller has no responsibilities in this regard.
- All C.O.D. orders must be paid by certified check, cash, or prior approved check.
- All approved credit accounts are payable within thirty days from the date of invoice. After 30 days, interest will be charged at 1.5% per month (A.P.R. 19.65%), calculated monthly on the balance owing at the beginning of the period. If purchaser defaults in the payment of any portion of amounts due on this account, the entire remaining unpaid balance shall, at the option of the seller, immediately become due and payable with collection costs incurred.
- Skid deposits are non-refundable with 2 or more broken top boards or one main stringer board. If you should have skids loaded onto your vehicle or receive a delivery with skids in this condition, you must have the Unilock representative (loader or truck driver) note the quantity on the shipping document paperwork.
- Title and ownership of the goods shall not pass to the purchaser until the entire amount owing; including interest is paid in full.

ADDITIONAL INFORMATION

- All prices are F.O.B. Aurora, IL, Marengo, IL & Elkhorn, WI (see Freight rates below) - Contact Unilock for Kansas rates
- Phone shipping desk for schedules, rates, and conditions.
- Configurations may vary from time to time due to mold design changes.
- Sectioning charge is \$22.00 per bundle.
- There is a \$17.00 charge per standard and LTD shipping skids, \$16.00 of which is refundable when returned in good condition (\$1.00 usage fee).
- There is a \$25.00 charge for all Stonemark™ and Ledgestone™ product pallets, \$24.00 of which is refundable when returned in good condition (\$1.00 usage fee). Stonemark products include Arcana, Skyline™ 24x24, Rivenstone™ & Yorkstone™.

CONFIRM PRICES, AS THEY ARE SUBJECT TO CHANGE.

2019 FREIGHT RATES

# of Bundles	Boom	Princeton
1 to 7	\$325.00	\$365.00
8	\$365.00	\$395.00
9	\$385.00	\$445.00
10	\$445.00	\$485.00
11 to 14	\$455.00	\$510.00

Rates are based on a 0-50 mile radius from Aurora, IL, Marengo, IL & Elkhorn, WI facilities. Please contact the shipping department for all other rates and any questions concerning delivery. Approximately 14 bundles or 43,000 pounds per truckload. Delays incurred on delivery in excess of one hour will be billed to the purchaser at \$80 per hour or a fraction thereof. Partial load deliveries in excess of one-half hour will be billed to the purchaser at the same rate.

Based on the US National Average for the Midwest Rates

Cost of Fuel	Flat Surcharge
\$2.30 to \$2.79	\$27.00
\$2.80 to \$3.29	\$42.00
\$3.30 to \$3.79	\$51.00
\$3.80 to \$4.29	\$64.00
\$4.30 to \$4.79	\$78.00
\$4.80 to \$5.29	\$93.00
\$5.30 to \$5.79	\$106.00

At Least	Less Than	Fuel Surcharge
\$2.30	\$2.79	5%
\$2.80	\$3.29	10%
\$3.30	\$3.79	15%
\$3.80	\$4.29	20%
\$4.30	\$4.79	25%
\$4.80	\$5.29	30%
\$5.30	\$5.79	35%

NOTE: Rates are based on current economic conditions and are subject to fuel surcharges, which will be based on the U.S. National Average Midwest rate of diesel fuel, calculated weekly. When the average price of fuel rises (or drops), the surcharge will take effect the following Monday. These rates can be located at www.eia.gov/petroleum/gasdiesel/.

Fuel Surcharge for 0-50 miles only

Fuel Surcharge for deliveries over 50 miles

IMPORTANT NOTES

SPECIAL ORDER PRODUCTS

Products listed as “Special Order” are not currently inventoried and may require additional lead times for manufacturing (or transfer from other Unilock locations). Prior to bidding or quoting projects, confirm Special Order unit pricing and minimum quantity requirements. A signed “Special Order Release Form” must be submitted prior to manufacturing and all material must begin shipping within 30 days of manufacturing date. Any Special Order products remaining at Unilock after 30 days will be subjected to a storage fee of \$5.00 per pallet per month. (Maximum storage is 3 months) All quantities listed on the Special Order Release Form must ship and be paid in full. Please contact your Territory Manager for more information.

UNILOCK PAVER PATTERNS

This Product Data Guide contains an extensive reference to patterns and designs. The purpose of these pattern swatches is to help the designer plan unique and exceptional designs. The percentages of products shown are based on the pattern and not on bundle configurations. In fact, there may be situations in which a pattern has been created with one particular size of stone, but that stone only comes packaged with two other sizes. This means that the designer will have to plan how the other components are used in the overall plan. This is usually accomplished by adding a border or an accent. As a result, overages or shortages may occur in certain patterns. The designer and/or installer of Unilock products accepts all responsibility for design and all associated costs incurred as a result of applying any of Unilock’s suggested design patterns in a project. Please plan your project and review your order carefully prior to ordering.

TRANSFERABLE LIFETIME GUARANTEE

Unilock provides a Transferable Lifetime Guarantee* on the structural integrity of our paving stones, slabs and retaining wall units to the original purchaser of the product for residential use. Any materials installed and maintained to our guidelines, and subject to normal wear, that prove defective, will be replaced without cost. Color matching cannot be guaranteed and replacement labor is not included. Proof of purchase is required.

Excessive defective material (over the industry accepted normal of 2% for non-tumbled unit pavers) delivered to the purchaser will be replaced free of charge if a written claim is made within 5 days of delivery from the manufacturer. Such claims will not constitute reason for delaying payment. All goods shall be deemed accepted if completely installed. Inspect concrete products prior to opening bundle packaging to ensure that shape and color are as ordered. Unsatisfactory material must be available for inspection by Unilock to entitle the purchaser to any adjustment or credit. Inspect all concrete units during installation and set aside any which are chipped or cracked to use for any cut pieces required. The color of concrete products may vary significantly between production lots. Always install concrete units from several bundles simultaneously to ensure proper distribution of color. Prior to final compaction, inspect installed pavers for good color distribution. Relocate certain pavers, if necessary, to achieve desired color blend.

*Transferable Lifetime Guarantee: Register your project within 60 days of your dated proof of purchase to ensure your Unilock Guarantee is fully transferable! Simply go online at unilock.com and follow instructions. Once processed, you will receive an original Transferable Warranty Certificate for your records.

PRODUCT HANDLING WARNING

Bundle Straps Under Tension - Use extreme caution when removing or handling straps. Always wear gloves, goggles, safety footwear, and protective clothing when removing or handling straps. Failure to do so may result in serious bodily injury or loss of sight.

Cut all concrete products only in well ventilated areas. Inhalation of dust is a serious health risk. A “NIOSH” (US) or a “CSA” (CDN) approved respirator, safety goggles, hearing protectors, and gloves must be worn at all times. Always “wet-cut” or “wet grind” concrete products to minimize dust.

Do not stack bundled concrete products higher than 2 bundles high. Contents of the bundle may be unstable and subject to topple when stacked. Always use extreme caution and appropriate equipment when transporting or storing bundled concrete products. Failure to do so may result in serious bodily injury or death. Always obey gross vehicle weight (GVW) loading limitations and regulations.

Hazard Rating: Fire 0, Health 1, Reactivity 0. See SDS Concrete Masonry (Pavers). Contact Unilock for complete sheet or view safety information at www.unilock.com

Unilock assumes no liability or responsibility for loss or damage, resulting from the improper use or handling of our products, or from failure to follow instructions, warnings, and/or advisories on the product label, and on the SDS sheet.

IMPORTANT NOTES

Umbriano® is a trademark of Metten Stein + Design GmbH & Co KG used under license by Unilock.

By permission of Ceramiche Caesar S.p.A., Via Canaletto 49, 41040 Spezzano di Fiorano (MO), Italy, which is the sole proprietor of the trademark and some images in this catalog. Fairstone™ is a trademark of Marshalls PLC.

Unilock Ltd. and Hengestone Holdings, Inc. are the owners or authorized users of all trademarks used in this publication unless otherwise specified.

Measurements throughout this portfolio are nominal.

*Colors shown in this catalog should be used only as a guide. Colors should always be chosen from actual samples. Contact your local Unilock representative for color availability in your area.

Not all products shown are available at all Unilock locations. Log on to www.unilock.com for availability.

©2019 Hengestone Holdings, Inc.

1-800-UNILOCK

www.unilock.com

IMPORTANT NOTICE

IMPORTANT NOTICE

1. **DO NOT USE** Polymeric Jointing Sand on the following products:

Series™ Il Campo®

If joint stabilization is required, use ordinary jointing sand and apply a stabilizing sealer. Contact your local Unilock office for recommended sealants and application specifics.

2. **EXTRA CARE** must be exercised when using Polymeric Sand on the following products:

Arcana Courtstone® Copthorne® Richcliff Senzo™ Town Hall® Tribeca Cobble Umbriano®

Unilock’s Polymeric Jointing Sand can be used on these products but the fine polymers and binders in Unilock Polymeric Jointing Sand have a natural tendency to adhere to the surface and therefore extra diligence must be taken to pre-clean the surface prior to “wetting the sand in” and squeegee off the surface post application. Failure to do so will result in a “whitish haze” on the surface that is difficult to remove.

3. **IMPORTANT COMPACTION NOTICE:** Always pre-compact the pavers WITHOUT SAND IN THE JOINTS. This will facilitate proper leveling. Polymeric sand can then be swept into the joints. *Always use a compactor with a protective membrane attached to the bottom of the plate.*

Unilock Polymeric Jointing Sand, cleaners and sealers, must always be applied by a trained and experienced professional. Contact your local Unilock office for training and the most up-to-date best practices.

NOTICE: Unilock does not accept any responsibility for damage to the surface caused by the improper application and use of Unilock polymeric sand, sealers or cleaners.

COLOR BLEND DESCRIPTIONS

COLOR NAME	DESCRIPTION	COLOR NAME	DESCRIPTION
Alpine Grey	Natural, Buff and Charcoal	Lugano	Solid Beige/Tan
Autumn Red	Red, Buff and Charcoal	Midnight Sky	Charcoal with Black Flake
Basalt	Blue-Black	Mineral Ice Grey	Fine Black and White Granite
Bavarian Blend	Brown, Cream and Charcoal	Mocha Brown	Brown and Red Granite
Belgian Blue	Blue-Grey	Modena	White concrete with Black flecks
Bluestone	Blue with Black and Brown Veining	Nevada	Chamois and Natural
Burgundy Red	Plum with Red	Nuvola	Dark Charcoal and Light Grey
Burnt Clay	Brown with Red	Old Oak	Rust with Red
Canyon	Plum, Gold & Grey	Onyx Black	Dark Charcoal with Black Granite
Castano	Dark Brown and Burnt Brown Blend	Opal	Light Grey and White
Chamois	Medium Buff	Pebble Taupe	Tan and Brown
Charleston	Plum, Charcoal and Sand	Peppered Granite	White aggregates with black flecks
Corvara	Light Grey/Beige	Prairie	Lt. Brown, Lt. Buff and Lt. Salmon
Cocoa Brown	Solid Dark Brown	River	Buff, Natural and Charcoal
Cobalt Grey	White, Grey and Blue hues	Rustic Red	Red and Charcoal
Coastal Slate	Grey and Tan	Sable Blend	Cream, Tan and Brown
Coffee Creek	Yellow, Rose and Charcoal	Saddle	Light Tan, Dark Tan and Brown
Copper Ridge	Copper and Buff	Sahara	Cream and Light Buff
Crema	Cream and Buff	Sandalwood	Brown and Buff
Dawn Mist	Grey and Tan	Sierra	Brown, Sandstone and Charcoal
French Grey	Light Grey	Smoke Shale	Charcoal and Dark Charcoal
Golden Tan	Dark Brown, Light Brown with White Granite	Steel Blue	Grey and Blue
Granite	Charcoal and Natural	Steel Mountain	Grey and Cream
Granite Fusion	Charcoal and Natural	Summer Wheat	Cream White with Yellow and Light Grey Flake
Heritage Brown	Dark Brown and Salmon	Sycamore	Brown, Buff and Charcoal
Heritage Clay	Burnt Clay and Basalt	Vivanto	Dark Grey and Charcoal
Heritage Red	Burgundy Red and Basalt	Winter Marvel	White with Black Flake
Limestone	Light Grey, Charcoal and Natural		

PRODUCT DIRECTORY

Unit Pavers

Product	Page	Finish	Pedestrian	Residential Vehicular	Commercial Vehicular	Environmental	For Borders & Accents
Ada Paver™	2	S	✓				
Anchorlock®	4	S			✓		
Arcana	2	S	✓				
Artline™	3	M	✓	✓			
Beacon Hill Flagstone™	4	F	✓				
Beacon Hill Smooth™	5	S	✓				
Bristol Valley®	5	F	✓				
Brussels Block®	6	W	✓	✓			✓
Brussels Premier™	6	W	✓	✓			✓
Camelot™	7	S	✓	✓			✓
Copthorne®	7	T	✓	✓			✓
Courtstone®	8	C	✓	✓			✓
Eco-Line®	9	S	✓	✓	✓	✓	✓
Eco-Optiloc™	9	S	✓	✓	✓	✓	
Eco-Priora™	10	M	✓	✓	✓	✓	
Eco-Promenade®	10	M	✓	✓	✓	✓	
Hollandstone™	11	S	✓	✓	✓		✓
Holland Premier™	11	S	✓	✓	✓		✓
Il Campo®	12	B	✓	✓	✓		✓
Mattoni	12	T	✓	✓	✓		✓
Natural Stone	13	SM	✓				✓
Olde Greenwich Cobble®	14	D	✓	✓	✓		✓
Optiloc®	14	S	✓	✓	✓		
Porcelain	15	SM	✓				
Promenade® Paver	16	M	✓	✓	✓		✓
Richcliff®	17	F	✓	✓			✓
Rivenstone™	16	F	✓				
Senzo™	18	SZ	✓	✓	✓		✓
Series™	18	WS	✓	✓	✓		✓
Skyline™ 24" x 24"	17	S	✓				
Thornbury™	19	F	✓	✓	✓	✓	
Town Hall®	19	C	✓	✓	✓	✓	✓
Tribeca Cobble	20	T	✓	✓	✓		✓
Turfstone™	20	S		✓		✓	
Umbriano®	21	SZ	✓				✓
Westport™	22	F	✓	✓			✓

Retaining Walls

Product	Page	Finish	Gardens	Retaining Walls	Steps	Seat walls	Pillars
Brussels Dimensional Stone®	23	W	✓		✓	✓	✓
Cumberland™ Wall	24	CH	✓	✓	✓	✓	✓
DuraHold®	25	SM		✓			
Estate Wall®	26	SP/W	✓	✓	✓	✓	✓
Lineo™ Dimensional Stone	27	SM	✓		✓	✓	✓
Olde Quarry®	28	W	✓	✓	✓	✓	✓
Pisa2®	29	SP	✓	✓	✓	✓	✓
Rivercrest® Wall	30	F	✓		✓	✓	✓
U-Cara™	32	SD	✓	✓	✓	✓	✓

Finishes: B=Brushed; C=Cobblestone; CH=Chiseled Stone; D=Dimpled; DW=Dimpled and Weathered; F=Flagstone; S=Standard; SM=Smooth; SZ=Smooth Zero Bevel; SP=Split; SP/W=Split and Weathered; T=Timeworn; W=Weathered; WS=Washed; M=Multiple Finishes available
This application chart should only be used as a guide. Site conditions, base materials, pattern, and frequency of use may vary the performance of various types and styles of products.



BOSTON
(508) 278-4536

CLEVELAND
(330) 927-4000

NEW YORK
(845) 278-6700

BUFFALO
(716) 822-6074

DETROIT
(248) 437-7037

ONTARIO
(416) 646-9000

CHICAGO
(630) 892-9191

MILWAUKEE
(262) 742-3890

KANSAS CITY
(913) 417-7985

MARENGO
(815) 568-4700

UNILOCK.COM | 1-800-UNILOCK

©2019 Hengestone Holdings, Inc.