

# 2017 **PRODUCT DATA**



**UNILOCK**<sup>®</sup>  
DESIGNED TO CONNECT.™

# THE UNILOCK® DIFFERENCE



WHEN HELD, TOUCHED AND VIEWED SIDE BY SIDE, UNILOCK PRODUCTS LOOK AND FEEL DIFFERENT, AND SET THE STANDARD FOR QUALITY.

For over 40 years we've been committed to investing in the future of landscape design. Today, we continue to lead the industry with the best selection of quality products and support. We've made this commitment because at Unilock, we believe that the outside of your home should be as beautiful, functional and welcoming as the inside of your home. So, it's no surprise more families are choosing to work with architects, designers and craftsmen who recommend our products.

If you're planning to landscape your home, we're confident that you'll be inspired by all that Unilock has to offer.

## ENDURACOLOR™

EnduraColor products deliver durability through a perfect union: **long-lasting color united with permanent strength.**

The top portion of each stone is engineered with concentrated color and special wear-resistant materials. This is permanently united with the stone's base - a sturdier, coarser foundation designed for remarkable strength.



## ENDURACOLOR™ PLUS ARCHITECTURAL FINISHES

EnduraColor Plus Architectural Finishes promise long-lasting beauty through a proprietary blend of exclusive and superior ingredients.

### WHAT IS THE 'PLUS' IN ENDURACOLOR PLUS?

A complex blend of granite and quartz, some of nature's highest performing minerals, are combined to create ultra-realistic surface textures and unique style options that are exceptionally durable.

### A NEW STANDARD FOR EVERLASTING BEAUTY.

 This symbol indicates that the product facilitates the flow of water from the surface into the joints and into the ground below. Unilock's exclusive line of permeable pavement products are recognized and awarded with internationally accepted Leadership in Energy and Environmental Design (LEED) credits required by the Green Building Rating System™ to certify green building construction.

## PROPRIETARY UNILOCK TECHNOLOGIES

### EXTRA STRENGTH

#### Ultima™ Concrete Technology

A proprietary manufacturing process that creates pavers and walls with up to four times the strength of poured concrete.

– Copthorne®, Courtstone®, Richcliff® & Town Hall®

### THE LOOK OF GRANITE

#### ColorFusion™ Technology

A proprietary technology that disperses color randomly to achieve the look of natural granite.

– Umbriano®

### NATURAL STONE TEXTURE

#### Reala™ Technology

Ultra realistic textures are cast from natural stone, brick and historic cobblestones.

– Copthorne®, Courtstone®, Ledgestone™, Richcliff®, Rivenstone™, Town Hall® & Yorkstone™

### STAIN RESISTANCE

#### EasyClean™ Stain Resistance

An integral surface protection that allows for easier cleanup of spills when they happen, before a stain can develop.

– Arcana, Artline™, Bristol Valley®, Senzo™, Soreno & Umbriano®

There are two Clean Factors (CF®) to choose from:

CLEAN FACTORS (CF)	CF 90	CF 100
Pavers are pre-sealed at the factory	*	*
Enhanced resistance to weathering	*	*
Reduced dirt absorption	*	**
Stains from leaves, coffee, ketchup, mustard, wine and BBQ oils are easier to remove	*	**

# TABLE OF CONTENTS


TRIBECA COBBLE



New  
for 2017

22

MATTONI



New  
for 2017

12

## PAGE PAVERS

2	Ada Paver™
2	Arcana <b>NEW</b>
3	Artline™
4	Anchorlock®
5	Avante Ashlar™
4	Beacon Hill Flagstone™
5	Bristol Valley®
6	Brussels Block®
6	Brussels Premier™
7	Camelot™
7	Copthorne®
8	Courtstone®
9	Eco-Line®
9	Eco-Optiloc™
10	Eco-Priora™
11	Eco-Promenade®
11	Hollandstone™
12	Holland Premier™
12	Mattoni <b>NEW</b>
13	Il Campo®
14	Natural Stone
15	Olde Greenwich Cobble®
15	Optiloc®
17	Premier 24 x 24 <b>NEW</b>
16	Porcelain Tile
17	Promenade® Series
18	Richcliff®
18	Rivenstone™
19	Senzo™
20	Series 3000®
19	Soreno <b>NEW</b>
21	Thornbury™
21	Town Hall®
22	Tribeca Cobble <b>NEW</b>
22	Turfstone™
23	Umbriano®
24	Unigranite®
24	Westport™
25	Yorkstone™

## PAGE VERTICAL ELEMENTS

26	Brussels Dimensional Stone®
27	Brussels Fullnose™
27	6" x 12" Fullnose
28	Cumberland Wall® <b>NEW</b>
29	DuraHold®
30	Estate Wall®
31	Ledgestone™ Pillar Cap, Coping, Fullnose & Steps
32	Lineo™ Dimensional Stone
33	Olde Quarry®
34	Pisa2®
35	Rivercrest® Wall
37	SienaStone®
38	Fire Pit Kits - Sunset and Rivercrest®


## PAGE ACCESSORIES & INSTALLATION

39	Laying Patterns
42	Elements By Harmony®
45	Cleaners, Sealers & Accessories
50	Accessory Quick Reference Guide
51	Calculations
51	Sealer Best Practices
52	Easy-Pro™ & Polysand Best Practices
53	Terms & Conditions
53	Freight Rates
54	Important Notes
55	Color Blends
56	Product Directory


Unilock contact information  
1-800-Unilock  
Orders@Unilock.com  
Customer Service Fax #: 630-892-2066

# ADA PAVER™

Special Order / Non-Stock



CHARCOAL



RED



STANDARD  
12 x 12 x 2<sup>3</sup>/<sub>4</sub>"  
30 x 30 x 7cm  
**SPECIAL ORDER**

Stones & Bundling	Unit		SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per		
	Thickness	Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle	
Chicago Manufacturing																				
12"x12"	2 <sup>3</sup> / <sub>4</sub> " (7cm)	93.04	11.63	23.26	0.969	8	4	0.985	23.6	94.5	-	-	-	1.03	24	96	395	790	3,160	

Notes: **Sold in full bundles only. Special Order for standard colors - Lead time required.** Minimum quantities apply. All measurements are nominal.

Internal Use Only. ADA CH

# ARCANA

Stocked at Aurora & Elkhorn (Transferrable upon request to Tonganoxie)

**ENDURACOLOR™**  
PLUS ARCHITECTURAL FINISHES

**New**  
for 2017



LUGANO



MODENA



VIVANTO

### PRODUCT TECHNOLOGY

#### EasyClean™ Stain Resistance - CF 100

An integral surface protection that allows for easier cleanup of spills when they happen, and before a stain can develop.



24 x 24  
23<sup>3</sup>/<sub>8</sub> x 23<sup>3</sup>/<sub>8</sub> x 2"  
60.6 x 60.6 x 5cm



18 x 24  
17<sup>7</sup>/<sub>8</sub> x 23<sup>3</sup>/<sub>8</sub> x 2"  
45.3 x 60.6 x 5cm



12 x 24  
11<sup>7</sup>/<sub>8</sub> x 23<sup>3</sup>/<sub>8</sub> x 2"  
30.1 x 60.6 x 5cm

Stones & Bundling	Unit		SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per		
	Thickness	Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle	
Chicago Manufacturing																				
24"x24"	2" (5cm)	72.00	8.00	-	4.000	9	-	-	-	-	-	-	-	0.25	-	18	192	-	1,728	
18"x24"	2" (5cm)	54.00	6.00	-	3.000	9	-	-	-	-	-	-	-	0.33	-	18	144	-	1,296	
12"x24"	2" (5cm)	36.00	4.00	-	2.000	9	-	-	-	-	-	-	-	0.50	-	18	96	-	864	

Notes: **Sold in full bundles only and is produced and sold on a required and refundable skid.** Unilock offers adjustable and stackable pedestal systems; please contact your Territory Manager for pricing and availability. **Product is not intended for vehicular applications.** Please refer to the Polymeric Sand Best Practices on page 52 and Important Notice on page 55. All measurements are nominal.

Internal Use Only. ARC CH

SMOOTH FINISH



BAVARIAN BLEND    STEEL MOUNTAIN    COPPER RIDGE

**PRODUCT TECHNOLOGY**

**EasyClean™ Stain Resistance - CF 90**

An integral surface protection that allows for easier cleanup of spills when they happen, before a stain can develop.

ANTIQUED FINISH



BAVARIAN BLEND    STEEL MOUNTAIN    COPPER RIDGE



 Unit A $6\frac{3}{4} \times 4\frac{7}{8} \times 2\frac{3}{4}$ " 16.9 x 12.5 x 7cm	 Unit B $10\frac{3}{8} \times 4\frac{7}{8} \times 2\frac{3}{4}$ " 26.25 x 12.5 x 7cm	 Unit C $13\frac{3}{8} \times 4\frac{7}{8} \times 2\frac{3}{4}$ " 33.75 x 12.5 x 7cm	 Unit D $17\frac{3}{4} \times 4\frac{7}{8} \times 2\frac{3}{4}$ " 45 x 12.5 x 7cm	Individual units cannot be sold separately <b>Random Bundle</b>
 Unit E $8\frac{7}{8} \times 7\frac{1}{2} \times 2\frac{3}{4}$ " 22.5 x 18.75 x 7cm	 Unit F $13\frac{3}{8} \times 7\frac{1}{2} \times 2\frac{3}{4}$ " 33.75 x 18.75 x 7cm	 Unit G $17\frac{3}{4} \times 7\frac{1}{2} \times 2\frac{3}{4}$ " 45 x 18.75 x 7cm		

Stones & Bundling	Unit Thickness	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per		
		Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
Marengo Manufacturing																			
<b>Random Bundle</b>	-	93.25	11.66	-		8	-	-	-	-	-	-	-	-	-	192	370	-	2,963
Unit A	2 $\frac{3}{4}$ " (7cm)	-	-	-	0.227	-	-	-	-	-	-	-	-	-	4.40	-	32	-	-
Unit B	2 $\frac{3}{4}$ " (7cm)	-	-	-	0.353	-	-	-	-	-	-	-	-	-	2.83	-	32	-	-
Unit C	2 $\frac{3}{4}$ " (7cm)	-	-	-	0.454	-	-	-	-	-	-	-	-	-	2.20	-	32	-	-
Unit D	2 $\frac{3}{4}$ " (7cm)	-	-	-	0.605	-	-	-	-	-	-	-	-	-	1.65	-	32	-	-
Unit E	2 $\frac{3}{4}$ " (7cm)	-	-	-	0.454	-	-	-	-	-	-	-	-	-	2.20	-	32	-	-
Unit F	2 $\frac{3}{4}$ " (7cm)	-	-	-	0.681	-	-	-	-	-	-	-	-	-	1.47	-	16	-	-
Unit G	2 $\frac{3}{4}$ " (7cm)	-	-	-	0.908	-	-	-	-	-	-	-	-	-	1.10	-	16	-	-

Notes: **Sold in full bundles only and is produced and sold on a required, refundable skid.** Antique, Smooth and Umbriano finish offer EasyClean™ Stain Resistance technology. **Important: A urethane rubber paver mat must be used to prevent scuffing.** All measurements are nominal. Contact Unilock for more information.

Internal Use Only. ART ON

TO CREATE A ONE-OF-A-KIND CUSTOM LOOK, ARTLINE IS ALSO AVAILABLE IN THESE FINISHES:

IL CAMPO® FINISH

IL CAMPO® FINISH

SERIES 3000® FINISH

UMBRIANO® FINISH

UMBRIANO® FINISH



BAVARIAN BLEND

GRANITE BLEND

MINERAL ICE GREY

MIDNIGHT SKY - CF90

WINTER MARVEL - CF90



STANDARD FINISH  
CUSTOM FINISH  
AVAILABLE



ANCHORLOCK®  
8<sup>7</sup>/<sub>8</sub> x 8<sup>7</sup>/<sub>8</sub> x 3<sup>1</sup>/<sub>8</sub>"  
22.5 x 22.5 x 8cm  
**SPECIAL ORDER**



Stones & Bundling	Unit Thickness	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per			
		Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle	
Chicago Manufacturing																				
Standard	3 <sup>1</sup> / <sub>8</sub> " (8cm)	86.72	10.84	-	0.417	8	-	-	-	-	-	-	-	-	2.40	-	208	374	-	2,991
Anchorlock 1/3 Stone	3 <sup>1</sup> / <sub>8</sub> " (8cm)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16	-	-	-

Notes: **Sold in full bundles only. Special Order Only - Lead time required.** Minimum quantities apply. This product is optimized for mechanical installation. 1/3 stones incorporated within the standard bundle - 1/3 stone not shown. All measurements are nominal.

Internal Use Only. ANC CH

## BEACON HILL™ FLAGSTONE

Stocked at Aurora, Elkhorn, Marengo & Tonganoxie

ENDURACOLOR™



ALPINE GREY



BAVARIAN BLEND  
Available in both  
6cm & 8cm - **NEW!**



SYCAMORE



			Random Bundle Individual units cannot be sold separately
LARGE RECTANGLE 21 <sup>1</sup> / <sub>4</sub> x 14 <sup>1</sup> / <sub>8</sub> x 2 <sup>3</sup> / <sub>8</sub> " 54 x 36 x 6cm	SQUARE 14 <sup>1</sup> / <sub>8</sub> x 14 <sup>1</sup> / <sub>8</sub> x 2 <sup>3</sup> / <sub>8</sub> " 36 x 36 x 6cm	SMALL RECTANGLE 7 <sup>1</sup> / <sub>16</sub> x 14 <sup>1</sup> / <sub>8</sub> x 2 <sup>3</sup> / <sub>8</sub> " 18 x 36 x 6cm	

Stones & Bundling	Unit Thickness	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per			
		Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle	
Marengo Manufacturing																				
<b>6cm Random Bundle</b>		104.00	10.40	-	-	10	-	-	-	-	-	-	-	-	-	80	290	-	2,896	
Large Rectangle	2 <sup>3</sup> / <sub>8</sub> " (6cm)	-	-	-	2.093	-	-	-	-	-	-	-	-	-	0.48	-	20	-	-	
Square	2 <sup>3</sup> / <sub>8</sub> " (6cm)	-	-	-	1.395	-	-	-	-	-	-	-	-	-	0.72	-	30	-	-	
Small Rectangle	2 <sup>3</sup> / <sub>8</sub> " (6cm)	-	-	-	0.698	-	-	-	-	-	-	-	-	-	1.43	-	30	-	-	
<b>8cm Random Bundle</b> (stocked in Bavarian Blend only)		72.80	10.40	-	-	7	-	-	-	-	-	-	-	-	-	56	362	-	2,534	
Large Rectangle	3 <sup>1</sup> / <sub>8</sub> " (8cm)	-	-	-	2.093	-	-	-	-	-	-	-	-	-	0.48	-	14	-	-	
Square	3 <sup>1</sup> / <sub>8</sub> " (8cm)	-	-	-	1.395	-	-	-	-	-	-	-	-	-	0.72	-	21	-	-	
Small Rectangle	3 <sup>1</sup> / <sub>8</sub> " (8cm)	-	-	-	0.698	-	-	-	-	-	-	-	-	-	1.43	-	21	-	-	

Notes: **Sold in full bundles only and is produced and sold on a required, refundable skid. 6cm product is not intended for vehicular applications. Important: A urethane rubber paver mat must be used to prevent scuffing.** All measurements are nominal. **8cm thickness is available in Bavarian Blend, all other colors available as SPECIAL ORDER.** Contact Unilock for more information.


Internal Use Only. BHF CH



ALMOND GROVE



SHADOW CREEK



Random Bundle  
Individual units cannot be sold separately

UNIT A  
11 1/2 x 19 x 2 3/4"  
29 x 48.5 x 7cm

UNIT B  
11 1/2 x 19 x 2 3/4"  
29 x 48.5 x 7cm

UNIT C  
11 1/2 x 19 x 2 3/4"  
29 x 48.5 x 7cm

UNIT D  
11 1/2 x 19 x 2 3/4"  
29 x 48.5 x 7cm

Stones & Bundling	Unit Thickness	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per		
		Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
Chicago Manufacturing																			
<b>Random Bundle</b>		90.75	11.34	-	-	8	-	-	-	-	-	-	-	-	-	64	331	-	2,644
Unit A	2 3/4" (7cm)	-	-	-	1.418	-	-	-	-	-	-	-	-	-	0.71	-	16	-	-
Unit B	2 3/4" (7cm)	-	-	-	1.418	-	-	-	-	-	-	-	-	-	0.71	-	24	-	-
Unit C	2 3/4" (7cm)	-	-	-	1.418	-	-	-	-	-	-	-	-	-	0.71	-	8	-	-
Unit D	2 3/4" (7cm)	-	-	-	1.418	-	-	-	-	-	-	-	-	-	0.71	-	16	-	-

Notes: **Sold in full bundles only and is produced and sold on a required, refundable skid. Important: A urethane rubber paver mat must be used to prevent scuffing.** All measurements are nominal. Contact Unilock for more information.

Internal Use Only. AVT CH



BAVARIAN BLEND



STEEL MOUNTAIN




COPPER RIDGE

PRODUCT TECHNOLOGY

EasyClean™ Stain Resistance - CF 90

An integral surface protection that allows for easier cleanup of spills when they happen, and before a stain can develop.

NEW! 8cm available for Special Order



Random Bundle  
Individual units cannot be sold separately

LARGE RECTANGLE  
21 1/4 x 14 1/8 x 2 3/8"  
54 x 36 x 6cm

SQUARE  
14 1/8 x 14 1/8 x 2 3/8"  
36 x 36 x 6cm

SMALL RECTANGLE  
7 1/8 x 14 1/8 x 2 3/8"  
18 x 36 x 6cm



Stones & Bundling	Unit Thickness	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per		
		Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
Marengo Manufacturing																			
<b>6cm Random Bundle</b>		104.00	10.40	-	-	10	-	-	-	-	-	-	-	-	-	80	293	-	2,929
Large Rectangle	2 3/8" (6cm)	-	-	-	2.093	-	-	-	-	-	-	-	-	-	0.48	-	20	-	-
Square	2 3/8" (6cm)	-	-	-	1.395	-	-	-	-	-	-	-	-	-	0.72	-	30	-	-
Small Rectangle	2 3/8" (6cm)	-	-	-	0.698	-	-	-	-	-	-	-	-	-	1.43	-	30	-	-
<b>8cm Random Bundle SPECIAL ORDER</b>		72.80	10.40	-	-	7	-	-	-	-	-	-	-	-	-	56	390	-	2,730
Large Rectangle	3 1/8" (8cm)	-	-	-	2.093	-	-	-	-	-	-	-	-	-	0.48	-	14	-	-
Square	3 1/8" (8cm)	-	-	-	1.395	-	-	-	-	-	-	-	-	-	0.72	-	21	-	-
Small Rectangle	3 1/8" (8cm)	-	-	-	0.698	-	-	-	-	-	-	-	-	-	1.43	-	21	-	-

Notes: **Sold in full bundles only and is produced and sold on a required, refundable skid. 6cm product is not intended for vehicular applications. 8cm product is SPECIAL ORDER. Important: A urethane rubber paver mat must be used to prevent scuffing.** All measurements are nominal. Contact Unilock for more information.

Internal Use Only. BRV CH

# BRUSSELS BLOCK®

Stocked at Aurora, Elkhorn & Tonganoxie



COFFEE CREEK



LIMESTONE



PRAIRIE



SANDSTONE



SIERRA



XL STONE  
8<sup>7</sup>/<sub>4</sub> x 13<sup>3</sup>/<sub>4</sub> x 2<sup>3</sup>/<sub>4</sub>"  
20.8 x 34.8 x 7cm



STANDARD STONE  
6<sup>7</sup>/<sub>8</sub> x 8<sup>1</sup>/<sub>4</sub> x 2<sup>3</sup>/<sub>4</sub>"  
17.5 x 20.8 x 7cm



HALF STONE  
4<sup>1</sup>/<sub>8</sub> x 6<sup>7</sup>/<sub>8</sub> x 2<sup>3</sup>/<sub>4</sub>"  
10.4 x 17.5 x 7cm



Stones & Bundling	Unit	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per		
	Thickness	Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
Chicago Manufacturing																			
XL	2 <sup>3</sup> / <sub>4</sub> " (7cm)	93.86	9.39	31.29	0.782	10	3	1.146	27.3	81.9	-	-	-	1.28	40	120	310	1,032	3,097
Standard	2 <sup>3</sup> / <sub>4</sub> " (7cm)	94.91	11.86	15.82	0.395	8	6	0.697	22.7	136.2	-	-	-	2.53	40	240	382	509	3,056
Half	2 <sup>3</sup> / <sub>4</sub> " (7cm)	88.70	11.09	12.67	0.198	8	7	0.580	21.8	152.9	-	-	-	5.05	64	448	355	406	2,840

Notes: XL Unit can also be used as a coping or step tread. Please see page 27 for Brussels Fullnose and 6" x 12" Fullnose packaging information. All measurements are nominal. Contact Unilock for more information.

Internal Use Only. BBK CH

# BRUSSELS PREMIER™

Stocked at Aurora, Elkhorn & Tonganoxie

ENDURACOLOR™




ALPINE GREY



BAVARIAN BLEND



SYCAMORE



XL STONE  
8<sup>7</sup>/<sub>4</sub> x 13<sup>3</sup>/<sub>4</sub> x 2<sup>3</sup>/<sub>4</sub>"  
20.8 x 34.8 x 7cm



STANDARD STONE  
6<sup>7</sup>/<sub>8</sub> x 8<sup>1</sup>/<sub>4</sub> x 2<sup>3</sup>/<sub>4</sub>"  
17.5 x 20.8 x 7cm



HALF STONE  
4<sup>1</sup>/<sub>8</sub> x 6<sup>7</sup>/<sub>8</sub> x 2<sup>3</sup>/<sub>4</sub>"  
10.4 x 17.5 x 7cm



Stones & Bundling	Unit	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per		
	Thickness	Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
Chicago Manufacturing																			
XL	2 <sup>3</sup> / <sub>4</sub> " (7cm)	93.86	9.39	31.29	0.782	10	3	1.146	27.3	81.9	-	-	-	1.28	40	120	310	1,032	3,097
Standard	2 <sup>3</sup> / <sub>4</sub> " (7cm)	94.91	11.86	15.82	0.395	8	6	0.697	22.7	136.2	-	-	-	2.53	40	240	382	509	3,056
Half	2 <sup>3</sup> / <sub>4</sub> " (7cm)	88.70	11.09	12.67	0.198	8	7	0.580	21.8	152.9	-	-	-	5.05	64	448	355	406	2,840

Notes: **Important:** A urethane rubber paver mat must be used to prevent scuffing. All measurements are nominal. Contact Unilock for more information.

Internal Use Only. BPR CH

# CAMELOT™

Stocked at Aurora, Elkhorn & Tonganoxie



AUTUMN RED



SIERRA



FIELDSTONE



CHARCOAL  
Available in Rectangle  
shape only



RECTANGLE  
6<sup>3</sup>/<sub>4</sub> x 9<sup>1</sup>/<sub>2</sub> x 3<sup>1</sup>/<sub>8</sub>"  
16 x 24 x 8cm



SQUARE  
6<sup>3</sup>/<sub>4</sub> x 6<sup>3</sup>/<sub>4</sub> x 3<sup>1</sup>/<sub>8</sub>"  
16 x 16 x 8cm

Stones & Bundling	Unit Thickness	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per			
		Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle	
Chicago Manufacturing																				
Rectangle	3 <sup>1</sup> / <sub>8</sub> " (8cm)	74.40	12.40	14.88	0.413	6	5	0.787	18.9	94.5	-	-	-	2.42	36	180	453	543	2,717	
Square	3 <sup>1</sup> / <sub>8</sub> " (8cm)	81.20	11.60	11.60	0.276	7	7	0.526	22.0	154.3	-	-	-	3.62	42	294	422	422	2,954	

Notes: **Important:** A urethane rubber paver mat must be used to prevent scuffing. All measurements are nominal. Contact Unilock for more information.

Internal Use Only. CAM CH

# COPTHORNE®

Stocked at Aurora, Elkhorn & Tonganoxie

**ENDURACOLOR™**  
PLUS ARCHITECTURAL FINISHES



BURGUNDY RED



BURNT CLAY



OLD OAK



BASALT



STANDARD  
2<sup>1</sup>/<sub>2</sub> x 7<sup>7</sup>/<sub>8</sub> x 2<sup>3</sup>/<sub>8</sub>"  
6.5 x 20 x 6cm

### PRODUCT TECHNOLOGY

#### Reala™ Surface Technology

Ultra-realistic textures cast from natural stone, brick and historic cobblestones.

#### Ultima™ Concrete Technology

This proprietary manufacturing process creates pavers and walls with up to four times the strength of poured concrete.

Stones & Bundling	Unit Thickness	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per			
		Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle	
Ayr Manufacturing																				
Standard	2 <sup>3</sup> / <sub>8</sub> " (6cm)	89.20	11.15	-	0.149	8	-	0.697	-	127.9	-	-	-	6.73	-	600	294	-	2,349	

Notes: **Sold in full bundles only and is produced and sold on a required, refundable skid. Important:** A urethane rubber paver mat must be used to prevent scuffing. Please refer to the Polymeric Sand Best Practices on page 52 and Important Notice on page 55. All measurements are nominal. Contact Unilock for more information.

Internal Use Only. COP ON



BASALT



BELGIAN BLUE



DAWN MIST



PEBBLE TAUPE



BASALT/  
BELGIAN BLUE  
Sold Separately/  
Blended on Site



DAWN MIST/  
PEBBLE TAUPE  
Sold Separately/  
Blended on Site

PRODUCT TECHNOLOGY

Reala™ Surface Technology

Ultra-realistic textures cast from natural stone, brick and historic cobblestones.

Ultima™ Concrete Technology

This proprietary manufacturing process creates pavers and walls with up to four times the strength of poured concrete.



					Random Bundle Individual units cannot be sold separately
<b>XL RECTANGLE</b> 5 1/8 x 8 3/8 x 2 3/8" 13 x 21.5 x 6cm	<b>LARGE RECTANGLE</b> 5 1/8 x 7 1/4 x 2 3/8" 13 x 18.5 x 6cm	<b>RECTANGLE</b> 5 1/8 x 6 1/2 x 2 3/8" 13 x 16.5 x 6cm	<b>SMALL RECTANGLE</b> 5 1/8 x 5 3/4 x 2 3/8" 13 x 14.5 x 6cm	<b>SQUARE</b> 5 1/8 x 5 1/8 x 2 3/8" 13 x 13 x 6cm	

Stones & Bundling	Unit Thickness	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per		
		Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
<i>Ayr Manufacturing</i>																			
<b>Random Bundle</b>		98.30	12.29	-	-	8	-	-	-	-	0.444	-	221.5	3.91	-	384	291	-	2,326
XL Rectangle	2 3/8" (6cm)	-	-	-	0.301	-	-	-	-	-	0.427	-	90.3	3.32	-	128	-	-	-
Large Rectangle	2 3/8" (6cm)	-	-	-	0.259	-	-	-	-	-	0.427	-	38.8	3.86	-	64	-	-	-
Rectangle	2 3/8" (6cm)	-	-	-	0.231	-	-	-	-	-	0.427	-	34.6	4.33	-	64	-	-	-
Small Rectangle	2 3/8" (6cm)	-	-	-	0.203	-	-	-	-	-	0.427	-	30.4	4.93	-	64	-	-	-
Square	2 3/8" (6cm)	-	-	-	0.182	-	-	-	-	-	0.427	-	27.3	5.50	-	64	-	-	-

Notes: **Sold in full bundles only and is produced and sold on a required, refundable skid. Important: A urethane rubber paver mat must be used to prevent scuffing.** Please refer to the Polymeric Sand Best Practices on page 52 and Important Notice on page 55. All measurements are nominal. Contact Unilock for ore information.

Internal Use Only. CRT ON



STANDARD FINISH    IL CAMPO FINISH    SERIES 3000® FINISH    UMBRIANO® FINISH    PREMIER FINISH



**SPECIAL ORDER**


 UNIT A 14 x 3 <sup>3</sup> / <sub>16</sub> x 4" 35.7 x 8.4 x 10cm	 UNIT B 12 <sup>1</sup> / <sub>2</sub> x 3 <sup>3</sup> / <sub>16</sub> x 4" 31.7 x 8.4 x 10cm	 UNIT C 11 x 3 <sup>3</sup> / <sub>16</sub> x 4" 27.7 x 8.4 x 10cm	 UNIT D 9 <sup>3</sup> / <sub>8</sub> x 3 <sup>3</sup> / <sub>16</sub> x 4" 23.7 x 8.4 x 10cm
 UNIT E 14 x 4 <sup>1</sup> / <sub>2</sub> x 4" 35.7 x 11.4 x 10cm	 UNIT F 12 <sup>1</sup> / <sub>2</sub> x 4 <sup>1</sup> / <sub>2</sub> x 4" 31.7 x 11.4 x 10cm	 UNIT G 11 x 4 <sup>1</sup> / <sub>2</sub> x 4" 27.7 x 11.4 x 10cm	 UNIT H 9 <sup>3</sup> / <sub>8</sub> x 4 <sup>1</sup> / <sub>2</sub> x 4" 23.7 x 11.4 x 10cm

Individual units cannot be sold separately  
Random Bundle

Stones & Bundling	Unit Thickness	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per		
		Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
Chicago Manufacturing																			
<b>Random Bundle</b>		55.17	11.03	-	-	5	-	-	-	-	-	-	-	-	-	160	513	-	2,564
Unit A	4" (10cm)	-	-	-	0.323	-	-	-	-	-	-	-	-	-	3.10	-	20	-	-
Unit B	4" (10cm)	-	-	-	0.287	-	-	-	-	-	-	-	-	-	3.49	-	20	-	-
Unit C	4" (10cm)	-	-	-	0.250	-	-	-	-	-	-	-	-	-	3.99	-	20	-	-
Unit D	4" (10cm)	-	-	-	0.214	-	-	-	-	-	-	-	-	-	4.67	-	20	-	-
Unit E	4" (10cm)	-	-	-	0.438	-	-	-	-	-	-	-	-	-	2.28	-	20	-	-
Unit F	4" (10cm)	-	-	-	0.389	-	-	-	-	-	-	-	-	-	2.57	-	20	-	-
Unit G	4" (10cm)	-	-	-	0.340	-	-	-	-	-	-	-	-	-	2.94	-	20	-	-
Unit H	4" (10cm)	-	-	-	0.291	-	-	-	-	-	-	-	-	-	3.44	-	20	-	-

Notes: **Sold in full bundles only and is produced and sold on a required, refundable skid.** Custom finish and color options are available. **Special order lead time is required,** minimum quantities apply. **Important: A urethane rubber paver mat must be used to prevent scuffing.** This product is optimized for mechanical installation. For permeable installations, Unilock recommends using Easy-Pro™ or granite chips for joint filler. All measurements are nominal. Contact Unilock for more information.

Internal Use Only. EOL CH



STANDARD FINISH    PREMIER FINISH    IL CAMPO® FINISH    SERIES 3000® FINISH

 STANDARD  
10<sup>1</sup>/<sub>4</sub> x 10<sup>1</sup>/<sub>4</sub> x 3<sup>1</sup>/<sub>8</sub>"  
26 x 26 x 8cm  
**SPECIAL ORDER**



Stones & Bundling	Unit Thickness	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per			
		Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle	
Chicago Manufacturing																				
Standard	3 <sup>1</sup> / <sub>8</sub> " (8cm)	84.40	10.55	-	0.502	8	-	-	-	-	-	-	-	-	1.99	-	168	363	-	2,908

Notes: **Sold in full bundles only and is produced and sold on a required, refundable skid.** Custom finish and color options are available. **Special order - lead time is required,** minimum quantities apply. **Important: A urethane rubber paver mat must be used to prevent scuffing.** This product is optimized for mechanical installation. For permeable installations, Unilock recommends using granite chips for joint filler. All measurements are nominal. Contact Unilock for more information.

Internal Use Only. EOP CH



HERITAGE BROWN  
SPECIAL ORDER ONLY



LARGE SQUARE  
10 x 10 x 3 1/8"  
24 x 24 x 8cm

SPECIAL ORDER



RECTANGLE  
5 x 10 x 3 1/8"  
12 x 24 x 8cm

SPECIAL ORDER



Stones & Bundling	Unit Thickness	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per			
		Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle	
Chicago Manufacturing																				
10"x10" *	3 1/8" (8cm)	86.60	12.37	-	0.619	7	-	0.786	-	110.2	-	-	-	1.62	-	140	443	-	3,099	
5"x10" *	3 1/8" (8cm)	74.59	10.66	-	0.304	7	-	0.773	-	96.5	-	-	-	3.29	-	245	381	-	2,669	

Notes: \*Special Order - Lead time is required, minimum quantities apply. Sold in full bundles only. Important: A urethane rubber paver mat must be used to prevent scuffing. For permeable installations, Unilock recommends using Easy-Pro™ or granite chips for joint filler. All measurements are nominal. Contact Unilock for more information.

Internal Use Only. EPA CH



RIVER  
STANDARD FINISH



SIERRA  
STANDARD FINISH



SIERRA  
ANTIQUED FINISH  
Available in 5 x 10" only



RIVER  
ANTIQUED FINISH  
Available in 5 x 10" only



LARGE SQUARE  
10 x 10 x 3 1/8"  
24 x 24 x 8cm

STANDARD  
FINISH ONLY




RECTANGLE  
5 x 10 x 3 1/8"  
12 x 24 x 8cm



Stones & Bundling	Unit Thickness	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per			
		Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle	
Chicago Manufacturing																				
10"x10"	3 1/8" (8cm)	86.60	12.37	-	0.619	7	-	0.786	-	110.2	-	-	-	1.62	-	140	443	-	3,099	
5"x10"	3 1/8" (8cm)	74.59	10.66	-	0.304	7	-	0.773	-	96.5	-	-	-	3.29	-	245	381	-	2,669	
Herringbone 5x10 *	3 1/8" (8cm)	74.59	10.66	-	0.300	7	-	0.761	-	98.0	-	-	-	3.34	-	249	381	-	2,669	

Notes: \*Special Order - Lead time is required, minimum quantities apply. Sold in full bundles only. Herringbone is only available in standard finish and produced/sold on a required, refundable skid. Important: A urethane rubber paver mat must be used to prevent scuffing. For permeable installations, Unilock recommends using EasyPro™ or Granite Chips for joint filler. All measurements are nominal. Contact Unilock for more information.

Internal Use Only. EPA CH



PREMIER FINISH    IL CAMPO® FINISH    SERIES 3000® FINISH    UMBRIANO® FINISH



STANDARD FINISH



3 x 12 x 4"  
7.5 x 30 x 10cm

**SPECIAL ORDER**



Stones & Bundling	Unit		SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per		
	Thickness	Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle	
3" x 12" Permeable	4" (10cm)	63.94	10.66	-	.242	6	-	-	-	-	-	-	-	4.13	-	-	465	-	2788	

Notes: **Sold in full bundles only and is produced and sold on a required, refundable skid.** Custom finish and color options are available. **Special order - lead time is required,** minimum quantities apply. **Important: A urethane rubber paver mat must be used to prevent scuffing.** For permeable installations, Unilock recommends using Easy-Pro™ or granite chips for joint filler. All measurements are nominal. Contact Unilock for more information.

Internal Use Only. ECP CH

HOLLANDSTONE™

Stocked at Aurora, Elkhorn & Tonganoxie




AUTUMN RED    CHARCOAL    PRAIRIE    RED



RIVER    RUSTIC RED    SIERRA



HOLLANDSTONE  
4 x 8 x 2 3/8"  
10 x 20 x 6cm



Stones & Bundling	Unit		SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per		
	Thickness	Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle	
Chicago Manufacturing																				
Standard	2 3/8" (6cm)	117.90	11.79	19.65	0.218	10	6	0.665	29.5	177.2	-	-	-	4.58	90	540	306	511	3,065	
Heavy Duty *	3 1/8" (8cm)	82.50	11.79	13.75	0.218	7	6	0.665	20.7	124.0	-	-	-	4.58	63	378	423	493	2,960	

Notes: **\* Special Order - Lead time is required, minimum quantities apply, sold in full bundles only.** All measurements are nominal. Contact Unilock for more information.

Internal Use Only. HOL CH

# HOLLAND PREMIER™ 6CM

Stocked at Aurora, Elkhorn & Tonganoxie

ENDURACOLOR™




CHARLESTON      GRANITE BLEND      HERITAGE BROWN      RIVER



SIERRA      BROWN



STANDARD  
4 x 8 x 2 5/8"  
10 x 20 x 6cm



Stones & Bundling	Unit	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per			
	Thickness	Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle	
Chicago Manufacturing																				
Standard	2 5/8" (6cm)	117.90	11.79	-	0.218	10	-	0.665	-	177.2	-	-	-	4.58	-	540	306	-	3,065	

Notes: **Sold in full bundles only and is produced and sold on a required, refundable skid.** **Important: A urethane rubber paver mat must be used to prevent scuffing.** All measurements are nominal. Contact Unilock for more information.

Internal Use Only. HPR CH

# MATTONI

Stocked at Aurora, Elkhorn, Marengo & Tonganoxie

ENDURACOLOR™


New  
for 2017



COCOA BROWN      DARK CHARCOAL      SABLE BLEND



STANDARD  
2 1/4 x 9 1/2 x 2 3/4"  
6 x 24 x 7cm



Stones & Bundling	Unit	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per			
	Thickness	Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle	
Marengo Manufacturing																				
Standard	2 3/4" (7cm)	89.28	11.16	-	0.16	8	-	-	-	-	-	-	-	7.09	-	576	357	-	2,859	

Notes: **Sold in full bundles only and produced and sold on a required, refundable skid.** **Important: A urethane rubber paver mat must be used to prevent scuffing.** All measurements are nominal. Contact Unilock for more information.

Internal Use Only. MAT CH



BAVARIAN BLEND    COFFEE CREEK    HERITAGE BROWN    OAKWOOD  
Available in 4x8" only

ARTLINE SIZES AVAILABLE, SEE PAGE 3



BAVARIAN    GRANITE



24 x 24 x 2<sup>3</sup>/<sub>4</sub>"  
60 x 60 x 7cm  
**SPECIAL ORDER**



12 x 24 x 2<sup>3</sup>/<sub>4</sub>"  
30 x 60 x 7cm  
**SPECIAL ORDER**



6 x 24 x 2<sup>3</sup>/<sub>4</sub>"  
15 x 60 x 7cm  
**SPECIAL ORDER**



12 x 12 x 2<sup>3</sup>/<sub>4</sub>"  
30 x 30 x 7cm



6 x 12 x 2<sup>3</sup>/<sub>4</sub>"  
15 x 30 x 7cm



4 x 8 x 2<sup>3</sup>/<sub>4</sub>"  
10 x 20 x 7cm



6 x 8 x 2<sup>3</sup>/<sub>4</sub>"  
15 x 20 x 7cm



6 x 6 x 2<sup>3</sup>/<sub>4</sub>"  
15 x 15 x 7cm



4 x 6 x 2<sup>3</sup>/<sub>4</sub>"  
10 x 15 x 7cm

Individual units cannot  
be sold separately  
**Random Bundle**



Stones & Bundling	Unit Thickness	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per		
		Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
Chicago Manufacturing																			
24"x24" *	2 <sup>3</sup> / <sub>4</sub> " (7cm)	62.00	7.75	-	3.875	8	-	1.969	-	31.5	-	-	-	0.26	-	16	248	-	1,985
12"x24" *	2 <sup>3</sup> / <sub>4</sub> " (7cm)	93.00	11.63	-	1.938	8	-	1.969	-	47.2	-	-	-	0.52	-	48	372	-	2,978
6"x24" *	2 <sup>3</sup> / <sub>4</sub> " (7cm)	93.00	11.63	-	0.969	8	-	1.969	-	47.2	-	-	-	1.03	-	96	372	-	2,978
12"x12"	2 <sup>3</sup> / <sub>4</sub> " (7cm)	93.04	11.63	23.26	0.969	8	4	0.985	23.6	94.5	-	-	-	1.03	24	96	373	745	2,980
6"x12"	2 <sup>3</sup> / <sub>4</sub> " (7cm)	93.04	11.63	23.26	0.485	8	4	0.985	23.6	94.5	-	-	-	2.06	48	192	382	764	3,056
4"x8"	2 <sup>3</sup> / <sub>4</sub> " (7cm)	106.11	11.79	17.69	0.218	9	6	0.655	27.0	162.0	-	-	-	4.58	81	486	362	543	3,261
<b>Random Bundle</b>		89.12	11.14	-	-	8	-	-	-	154.9	-	-	-	3.77	-	336	376	-	3,008
6"x8"	2 <sup>3</sup> / <sub>4</sub> " (7cm)	-	-	-	0.323	-	-	0.656	-	78.7	-	-	-	3.10	-	160	-	-	-
6"x6"	2 <sup>3</sup> / <sub>4</sub> " (7cm)	-	-	-	0.242	-	-	0.492	-	55.1	-	-	-	4.13	-	112	-	-	-
4"x6"	2 <sup>3</sup> / <sub>4</sub> " (7cm)	-	-	-	0.161	-	-	0.492	-	21.0	-	-	-	6.19	-	64	-	-	-

Notes: **\*Special Order - Lead time is required, minimum quantities apply. Random bundle is sold in full bundles only. Important: A urethane rubber paver mat must be used to prevent scuffing.** Please refer to the Sealer Best Practices on page 51 and Important Notice on page 55. All measurements are nominal. Contact Unilock for more information.

Internal Use Only. ILC CH

# NATURAL STONE

Stocked at Marengo (Transferrable upon request to Tonganoxie)

## SANDSTONE



AUTUMN HARVEST



STONE CLIFF GREY



INDIAN COAST

## LIMESTONE



BLACK RIVER



WINTER MIST

## SLABS



24 x 36 x 7/8"  
60 x 90 x 2.2cm




24 x 24 x 7/8"  
60 x 60 x 2.2cm



18 x 24 x 7/8"  
45 x 60 x 2.2cm




12 x 24 x 7/8"  
30 x 60 x 2.2cm



Stones & Bundling	Unit Thickness	SqFt Per		Units Per		Lbs Per	
		Crate	Stone	SqFt	Crate	Unit	Crate
<b>Slabs</b>							
24" x 36"	.87" (2.2cm)	180	6	0.1720	30	71.64	2,149
24" x 24"	.87" (2.2cm)	160	4	0.2581	40	47.76	1,910
18" x 24"	.87" (2.2cm)	186	3	0.3441	62	35.82	2,221
12" x 24"	.87" (2.2cm)	180	2	0.5161	90	23.88	2,149

### NATURAL EDGE COPING


AVAILABLE IN:  
Autumn Harvest  
Black River  
Indian Coast  
Stone Cliff Grey



12 x 48 x 2"  
30 x 120 x 5cm

### 4' FULLNOSE COPING


AVAILABLE IN:  
Autumn Harvest  
Indian Coast  
Stone Cliff Grey



12 x 48 x 2"  
30 x 120 x 5cm

### 6' FULLNOSE COPING


AVAILABLE IN:  
Indian Coast



12 x 72 x 2"  
30 x 182 x 5cm

### NATURAL EDGE STEP

AVAILABLE IN:  
Black River  
Indian Coast



16 x 48 x 6"  
15 x 120 x 15cm

### 24" PILLAR CAP

AVAILABLE IN:  
Black River



24 x 24 x 2.5"  
60 x 60 x 6.4cm

### 28" PILLAR CAP

AVAILABLE IN:  
Black River



28 x 28 x 2.5"  
71 x 71 x 6.4cm

Stones & Bundling	Unit Thickness	LnFt Per		Units Per Crate	Lbs Per	
		Crate	Stone		Unit	Crate
<b>Copings, Step &amp; Pillar Caps</b>						
Natural Edge Coping	2" (5cm)	80	4	20	105.82	2,116
4' Fullnose Coping	2" (5cm)	80	4	20	105.82	2,116
6' Fullnose Coping	2" (5cm)	72	6	12	159.83	1,918
Natural Edge Step	6" (15cm)	24	4	6	421.08	2,526
24" Pillar Cap	2.5" (6.4cm)	-	-	14	136.7	1,914
28" Pillar Cap	2.5" (6.4cm)	-	-	14	200.2	2,802

Notes: **Sold in full crates only.** Natural Stone is available for purchase by Unilock Authorized Dealers only. Unilock offers adjustable and stackable pedestal systems; please contact your Territory Manager for pricing and availability. All measurements are nominal.

# OLDE GREENWICH COBBLE®

Stocked at Aurora, Elkhorn & Tonganoxie




AUTUMN RED



RIVER BLEND



SIERRA



LARGE RECTANGLE  
7 x 9<sup>1</sup>/<sub>2</sub> x 2<sup>3</sup>/<sub>8</sub>"  
18 x 24 x 6cm



MEDIUM RECTANGLE  
4<sup>3</sup>/<sub>4</sub> x 7 x 2<sup>3</sup>/<sub>8</sub>"  
12 x 18 x 6cm



SMALL RECTANGLE  
2<sup>3</sup>/<sub>8</sub> x 4<sup>3</sup>/<sub>4</sub> x 2<sup>3</sup>/<sub>8</sub>"  
6 x 12 x 6cm



SQUARE  
4<sup>3</sup>/<sub>4</sub> x 4<sup>3</sup>/<sub>4</sub> x 2<sup>3</sup>/<sub>8</sub>"  
12 x 12 x 6cm

Square Bundle \*  
Individual units cannot  
be sold separately

Stones & Bundling	Unit Thickness	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per		
		Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
Chicago Manufacturing																			
Large Rectangle	2 <sup>3</sup> / <sub>8</sub> " (6cm)	113.70	11.37	22.74	0.455	10	5	0.770	29.5	147.6	-	-	-	2.20	50	250	304	608	3,040
Medium Rectangle	2 <sup>3</sup> / <sub>8</sub> " (6cm)	97.60	9.76	16.27	0.232	10	6	0.590	27.6	165.4	-	-	-	4.30	70	420	258	430	2,581
<b>Square Bundle * DISCONTINUED</b>		97.40	9.74	-	-	10	-	-	-	-	-	-	-	-	-	720	253	-	2,532
Small Rectangle	2 <sup>3</sup> / <sub>8</sub> " (6cm)	-	-	-	0.078	-	-	-	-	-	-	-	-	12.90	-	180	-	-	-
Square	2 <sup>3</sup> / <sub>8</sub> " (6cm)	-	-	-	0.155	-	-	-	-	-	-	-	-	6.45	-	540	-	-	-

Notes: **Square bundles are sold in full bundles only. Important: A urethane rubber paver mat must be used to prevent scuffing.** All measurements are nominal. Contact Unilock for more information. **\* Square Bundle has been discontinued for 2017 - only available while supplies last.**

Internal Use Only. OGC CH

# OPTILOC®


Special Order / Non-Stock




STANDARD FINISH



PREMIER FINISH



IL CAMPO® FINISH



SERIES 3000® FINISH



STANDARD  
10<sup>1</sup>/<sub>4</sub> x 10<sup>1</sup>/<sub>4</sub> x 3<sup>1</sup>/<sub>8</sub>"  
26 x 26 x 8cm

**SPECIAL ORDER**

Stones & Bundling	Unit Thickness	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per		
		Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
Chicago Manufacturing																			
Standard *	3 <sup>1</sup> / <sub>8</sub> " (8cm)	77.33	9.67	-	0.537	8	-	-	-	-	-	-	-	1.86	-	144	350	-	2,801

Notes: **\*Special Order - Lead time is required**, minimum quantities apply. **Sold in full bundles only.** This product is optimized for mechanical installation. All measurements are nominal. Contact Unilock for more information.

Internal Use Only. OPL CH

# PORCELAIN

Stocked at Marengo (Transferrable upon request to Tonganoxie)

DEL CONCA USA



TRAVSTONE BEIGE TRAVSTONE NOCE GOTHAM BEIGE GOTHAM GREY GOTHAM NERO

DEL CONCA



EPOKAL BEIGE SCURO EPOKAL GREY EPOKAL BEIGE DAVINCI BIRCH DAVINCI DRIFTWOOD



DOLOMITI BLONDE NEW DOLOMITI BROWN NEW DOLOMITI GREY NEW



23<sup>5</sup>/<sub>8</sub> x 23<sup>5</sup>/<sub>8</sub> x 3/4"  
60 x 60 x 2cm



15<sup>3</sup>/<sub>4</sub> x 31<sup>1</sup>/<sub>2</sub> x 3/4"  
40 x 80 x 2cm  
EPOKAL TILES ONLY



15<sup>3</sup>/<sub>4</sub> x 47<sup>3</sup>/<sub>4</sub> x 3/4"  
40 x 120 x 2cm  
DOLOMITI TILES ONLY

CAESAR  
LA CULTURA DELLA NATURA



BEOLA BIANCA GOLDEN STONE GRAUSTEIN EIKON GEa NEW EIKON TITANIO NEW



23<sup>1</sup>/<sub>2</sub> x 23<sup>1</sup>/<sub>2</sub> x 3/4"  
60 x 60 x 2cm  
CAESAR TILES ONLY

Stones & Bundling	Unit Thickness	SqFt Per			Boxes /Crate	Units Per		Lbs Per		
		Unit	Box	Crate		Box	Crate	SqFt	Box	Crate
<b>Del Conca USA (60 x 60cm) 23<sup>5</sup>/<sub>8</sub>" x 23<sup>5</sup>/<sub>8</sub>"</b>	.75" (2cm)	3.875	-	255.76	-	-	66	9.23	-	2,360
Travstone Beige										
Travstone Noce										
Gotham Beige										
Gotham Grey										
Gotham Nero										
<b>Del Conca</b>										
<b>Epokal Tiles (40 x 80cm) 15<sup>3</sup>/<sub>4</sub>" x 31<sup>1</sup>/<sub>2</sub>"</b>	.75" (2cm)	3.445	6.89	165.36	24	2	48	9.04	62.3	1,541
Epokal Beige Scuro										
Epokal Grey										
Epokal Beige										
<b>DaVinci Tiles (60 x 60cm) 23<sup>5</sup>/<sub>8</sub>" x 23<sup>5</sup>/<sub>8</sub>"</b>	.75" (2cm)	3.875	7.75	248	32	2	64	9.04	70.1	2,293
DaVinci Birch										
DaVinci Driftwood										
<b>DoloMiti Tiles (40 x 120cm) 15<sup>3</sup>/<sub>4</sub>" x 47<sup>3</sup>/<sub>4</sub>"</b>	.75" (2cm)	5.17	5.17	279.18	54	1	54	9.64	50.7	2,736
DoloMiti Blonde										
DoloMiti Brown										
DoloMiti Grey										
<b>Caesar Tiles (60 x 60cm) 23<sup>1</sup>/<sub>2</sub>" x 23<sup>1</sup>/<sub>2</sub>"</b>	.75" (2cm)	3.875	7.75	232.5	30	2	60	9	72.6	2,178
Beola Bianca										
Golden Stone										
Graustein										
Eikon Gea										
Eikon Titanio										

Notes: **Sold in full bundles only.** All porcelain tile is available for purchase by Unilock Authorized Dealers only. Unilock offers adjustable and stackable pedestal systems; please contact your Territory Manager for pricing and availability. All measurements are nominal.

# PREMIER 24 X 24


Stocked at Aurora & Elkhorn (Transferrable upon request to Tonganoxie)

**ENDURACOLOR**

**New**  
for 2017



SS0083



MEDIUM GREY



24 x 24"  
23<sup>3</sup>/<sub>8</sub> x 23<sup>3</sup>/<sub>8</sub> x 2"  
60.6 x 60.6 x 5cm

Stones & Bundling	Unit	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per			
	Thickness	Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle	
Chicago Manufacturing																				
24 x 24 Slab	2" (5cm)	72.00	8.00	-	4,000	9	-	-	-	-	-	-	-	0.25	-	18	192	-	1,728	

Notes: **Sold in full bundles only and is produced and sold on a required and refundable skid. Product is not intended for vehicular applications.** Unilock offers adjustable and stackable pedestal systems; please contact your Territory Manager for pricing and availability. All measurements are nominal.

Internal Use Only. PRE CH

# PROMENADE<sup>®</sup> SERIES

Special Order / Non-Stock


**ENDURACOLOR** & **ENDURACOLOR PLUS** ARCHITECTURAL FINISHES



PREMIER FINISH



IL CAMPO FINISH



SERIES 3000 FINISH



UMBRIANO FINISH



8 x 24 x 4" or 6"  
20 x 60 x 10cm or 15cm  
**SPECIAL ORDER**



6 x 24 x 2<sup>3</sup>/<sub>4</sub>" or 6"  
15 x 60 x 7cm or 15cm  
**SPECIAL ORDER**



4 x 16 x 4"  
10 x 40 x 10cm  
**SPECIAL ORDER**



STANDARD FINISH



4 x 12 x 4"  
10 x 30 x 10cm  
**SPECIAL ORDER**



3 x 12 x 4"  
7.5 x 30 x 10cm  
**SPECIAL ORDER**



Stones & Bundling	Unit	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per			
	Thickness	Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle	
Chicago Manufacturing																				
8"x24"	4" (10cm)	51.67	10.33	-	1,292	5	-	-	-	-	-	-	-	0.77	-	40	479	-	2,395	
8"x24"	6" (15cm)	41.33	10.33	-	1,292	4	-	-	-	-	-	-	-	0.77	-	32	709	-	2,836	
6"x24"	2 <sup>3</sup> / <sub>4</sub> " (7cm)	93.00	11.63	-	0,969	8	-	-	-	-	-	-	-	1.03	-	96	372	-	2,978	
6"x24"	6" (15cm)	46.50	11.63	-	0,969	4	-	-	-	-	-	-	-	1.03	-	48	819	-	3,278	
4"x16"	4" (10cm)	51.67	10.33	-	0,431	5	-	-	-	-	-	-	-	2.32	-	120	469	-	2,345	
4"x12"	4" (10cm)	58.13	11.63	-	0,363	5	-	-	-	-	-	-	-	2.75	-	160	532	-	2,659	
3"x12"	4" (10cm)	63.94	10.66	-	0,242	6	-	-	-	-	-	-	-	4.13	-	264	484	-	2,901	

Notes: **Sold in full bundles only and is produced and sold on a required, refundable skid.** Custom finish and color options are available. **Special order - lead time is required,** minimum quantities apply. **Important: A urethane rubber paver mat must be used to prevent scuffing.** All measurements are nominal. Contact Unilock for more information.

Internal Use Only. PMD ON



DAWN MIST



PEBBLE TAUPE

**PRODUCT TECHNOLOGY**

**Reala™ Surface Technology**

Ultra-realistic textures cast from natural stone, brick and historic cobblestones.

**Ultima™ Concrete Technology**

This proprietary manufacturing process creates pavers and walls with up to four times the strength of poured concrete.



			Individual units cannot be sold separately <b>Random Bundle</b>
<b>LARGE RECTANGLE</b> 12 x 9 x 2 <sup>3</sup> / <sub>8</sub> " 30 x 22.6 x 6cm	<b>SQUARE</b> 9 x 9 x 2 <sup>3</sup> / <sub>8</sub> " 22.6 x 22.6 x 6cm	<b>SMALL RECTANGLE</b> 6 x 9 x 2 <sup>3</sup> / <sub>8</sub> " 15 x 22.6 x 6cm	

Stones & Bundling	Unit Thickness	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per		
		Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
<b>Ayr Manufacturing</b>																			
<b>Random Bundle</b>		90.30	11.29	-	-	8	-	-	-	-	-	-	134.2	1.77	-	160	309	-	2,472
Large Rectangle	2 <sup>3</sup> / <sub>8</sub> " (6cm)	48.10	-	-	0.750	-	-	-	-	-	0.762	-	63.0	1.33	-	64	-	-	-
Square	2 <sup>3</sup> / <sub>8</sub> " (6cm)	18.10	-	-	0.575	-	-	-	-	-	0.775	-	23.7	1.74	-	32	-	-	-
Small Rectangle	2 <sup>3</sup> / <sub>8</sub> " (6cm)	24.10	-	-	0.375	-	-	-	-	-	0.506	-	47.5	2.67	-	64	-	-	-

Notes: **Sold in full bundles only and is produced and sold on a required, refundable skid. Important: A urethane rubber paver mat must be used to prevent scuffing.** Please refer to the Polymeric Sand Best Practices on page 52 and Important Notice on page 55. All measurements are nominal. Contact Unilock for more information.

Internal Use Only. RIC ON



BLUESTONE



CANYON



SAHARA  
**NEW FOR 2017**

**PRODUCT TECHNOLOGY**

**Reala™ Surface Technology**

Ultra-realistic textures cast from natural stone, brick and historic cobblestones.




24 x 24 x 1<sup>1</sup>/<sub>4</sub>"  
60 x 60 x 4.5cm



18 x 24 x 1<sup>1</sup>/<sub>4</sub>"  
45 x 60 x 4.5cm



12 x 24 x 1<sup>1</sup>/<sub>4</sub>"  
30 x 60 x 4.5cm



Stones & Bundling	Unit Thickness	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per		
		Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
<b>Chicago Manufacturing</b>																			
24"x24"	1 <sup>1</sup> / <sub>4</sub> " (4.5cm)	72.00	-	-	4.000	-	-	-	-	-	-	-	-	0.25	-	18	-	-	1,353
18"x24"	1 <sup>1</sup> / <sub>4</sub> " (4.5cm)	54.00	-	-	3.000	-	-	-	-	-	-	-	-	0.33	-	18	-	-	1,038
12"x24"	1 <sup>1</sup> / <sub>4</sub> " (4.5cm)	36.00	-	-	2.000	-	-	-	-	-	-	-	-	0.50	-	18	-	-	700

Notes: **Sold in full bundles only and is produced and sold on a required, refundable skid. Important: Do not use a vibratory plate compactor for the final compaction. Product is not intended for vehicular applications.** Stones and coverages are designed to have up to 1/4" joint size. All measurements are nominal. Contact Unilock for more information.

Internal Use Only. RIV CH



CASTANO



NUVOLA




CREMO

**PRODUCT TECHNOLOGY**

**EasyClean™ Stain Resistance - CF 100**

An integral surface protection that allows for easier cleanup of spills when they happen, and before a stain can develop.



**LARGE SQUARE**  
16 x 16 x 2 3/4"  
41.6 x 41.6 x 7cm



**RECTANGLE**  
8 x 16 x 2 3/4"  
20.8 x 41.6 x 7cm



**SQUARE**  
8 x 8 x 2 3/4"  
20.8 x 20.8 x 7cm

Stones & Bundling	Unit		SqFt Per			Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per			
	Thickness	Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle	
Georgetown Manufacturing																				
16"x16"	2 3/4" (7cm)	82.67	10.33		1.722	8	-	-	-	-	-	-	-	0.58	-	48	339	-	2,710	
8"x16"	2 3/4" (7cm)	82.67	10.33		0.861	8	-	-	-	-	-	-	-	1.16	-	96	339	-	2,710	
8"x8"	2 3/4" (7cm)	82.67	10.33		0.431	8	-	-	-	-	-	-	-	2.32	-	192	339	-	2,710	

Notes: **Sold in full bundles only and is produced and sold on a required, refundable skid. Important: A urethane rubber paver mat must be used to prevent scuffing.** Please refer to the Polymeric Sand Best Practices on page 52 and Important Notice on page 55. All measurements are nominal. Contact Unilock for more information.

Internal Use Only. SZO ON



LIGHT GRANITE



SLATE GREY



TOSCANA BEIGE

**PRODUCT TECHNOLOGY**

**EasyClean™ Stain Resistance - CF 100**

An integral surface protection that allows for easier cleanup of spills when they happen, and before a stain can develop.



24 x 24  
23 3/8 x 23 3/8 x 2"  
60.6 x 60.6 x 5cm



18 x 24  
17 7/8 x 23 3/8 x 2"  
45.3 x 60.6 x 5cm



12 x 24  
11 7/8 x 23 3/8 x 2"  
30.1 x 60.6 x 5cm

Stones & Bundling	Unit		SqFt Per			Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per			
	Thickness	Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle	
Chicago Manufacturing																				
24"x24"	2" (5cm)	72.00	8.00	-	4.000	9	-	-	-	-	-	-	-	0.25	-	18	192	-	1,728	
18"x24"	2" (5cm)	54.00	6.00	-	3.000	9	-	-	-	-	-	-	-	0.33	-	18	144	-	1,296	
12"x24"	2" (5cm)	36.00	4.00	-	2.000	9	-	-	-	-	-	-	-	0.50	-	18	96	-	864	

Notes: **Sold in full bundles only and is produced and sold on a required and refundable skid. Product is not intended for vehicular applications.** Unilock offers adjustable and stackable pedestal systems; please contact your Territory Manager for pricing and availability. Please refer to the Polymeric Sand Best Practices on page 52 and Important Notice on page 55. All measurements are nominal.


Internal Use Only. SOR CH



MINERAL ICE GREY    MOCHA BROWN    ONYX BLACK    GOLDEN TAN



COBALT GREY  
**NEW FOR 2017**  
Available in Random bundle only



24 x 24 x 2"    24 x 24 x 2 3/4"    12 x 24 x 2 3/4"    6 x 24 x 2 3/4"  
60 x 60 x 5cm    60 x 60 x 7cm    30 x 60 x 7cm    15 x 60 x 7cm  
**SPECIAL ORDER**    **SPECIAL ORDER**    **SPECIAL ORDER**    **SPECIAL ORDER**



12 x 12 x 2 3/4"    6 x 12 x 2 3/4"    6 x 6 x 2 3/4"    4 x 8 x 2 3/4"  
30 x 30 x 7cm    15 x 15 x 7cm    15 x 15 x 7cm    10 x 20 x 7cm  
**SPECIAL ORDER**    **SPECIAL ORDER**    Available in Onyx Black only



Random Bundle available in Mineral Ice Grey and Cobalt Grey only

**NEW FOR 2017**

LARGE RECTANGLE    SQUARE    SMALL RECTANGLE  
21 1/4 x 14 1/8 x 2 3/8"    14 1/8 x 14 1/8 x 2 3/8"    7 1/16 x 14 1/8 x 2 3/8"  
54 x 36 x 6cm    36 x 36 x 6cm    18 x 36 x 6cm

Random Bundle  
Individual units cannot be sold separately

Stones & Bundling	Unit	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per		
	Thickness	Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
<b>Chicago Manufacturing</b>																			
24"x24" *	2" (5cm)	77.50	7.75	-	3.875	10	-	1.969	-	39.4	1.969	-	39.4	0.26	-	20	189	-	1,889
24"x24" *	2 3/4" (7cm)	62.00	7.75	-	3.875	8	-	1.969	-	31.5	1.969	-	31.5	0.26	-	16	258	-	2,062
12"x24" *	2 3/4" (7cm)	93.04	11.63	-	1.938	8	-	1.969	-	47.2	0.985	-	94.5	0.52	-	48	372	-	2,980
6"x24" *	2 3/4" (7cm)	93.00	11.63	-	0.969	8	-	1.969	-	47.2	0.492	-	189.0	1.03	-	96	372	-	2,978
12"x12" *	2 3/4" (7cm)	93.04	11.63	-	0.969	8	-	0.985	-	94.5	0.985	-	94.5	1.03	-	96	372	-	2,980
6"x12" *	2 3/4" (7cm)	93.04	11.63	-	0.485	8	-	0.985	-	94.5	0.492	-	189.0	2.06	-	192	393	-	3,140
6"x6" (stocked in Onyx Black only)	2 3/4" (7cm)	81.36	10.17	11.62	0.242	8	7	0.492	23.6	165.4	0.492	-	165.4	4.13	48	336	343	392	2,746
4"x8"	2 3/4" (7cm)	106.11	11.79	17.69	0.218	9	6	0.665	26.6	159.5	-	-	-	4.58	81	486	398	597	3,581
<b>6cm Random Bundle</b> (stocked in Mineral Ice and Cobalt Grey)		104.00	10.40	-	-	10	-	-	-	-	-	-	-	0.77	-	80	290	-	2,896
Large Rectangle	2 3/8" (6cm)	-	-	-	2.093	-	-	-	-	-	-	-	-	0.48	-	20	-	-	-
Square	2 3/8" (6cm)	-	-	-	1.395	-	-	-	-	-	-	-	-	0.72	-	30	-	-	-
Small Rectangle	2 3/8" (6cm)	-	-	-	0.698	-	-	-	-	-	-	-	-	1.43	-	30	-	-	-

Notes: \*Special Order - Lead time is required, minimum quantities apply. Important: A urethane rubber paver mat must be used to prevent scuffing. Please refer to the Sealer Best Practices on page 51 and Important Notice on page 55. All measurements are nominal. Contact Unilock for more information. 24 x 24" (5 & 7cm) and 6cm Random Bundle pavers are not suitable for vehicular applications.



ALPINE GREY



BAVARIAN BLEND



SYCAMORE



Random Bundle  
Individual units cannot be sold separately

<b>LARGE RECTANGLE</b> 13¾ x 16½ x 2¾" 35 x 42 x 7cm	<b>MEDIUM RECTANGLE</b> 13¾ x 8¾ x 2¾" 35 x 21 x 7cm	<b>SMALL RECTANGLE</b> 6⅞ x 8¾ x 2¾" 17.3 x 21 x 7cm
--	--	--

Stones & Bundling	Unit Thickness	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per			
		Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle	
Marengo Manufacturing																				
<b>Random Bundle</b>		88.61	11.08	-	-	8	-	-	-	-	-	-	-	1.08	-	96	344	-	2,752	
Large Rectangle	2¾" (7cm)	50.63	-	-	1.582	-	-	-	-	-	-	-	-	0.63	-	32	-	-	-	
Med. Rectangle	2¾" (7cm)	25.32	-	-	0.791	-	-	-	-	-	-	-	-	1.26	-	32	-	-	-	
Small Rectangle	2¾" (7cm)	12.66	-	-	0.391	-	-	-	-	-	-	-	-	2.56	-	32	-	-	-	

Notes: **Sold in full bundles only and is produced and sold on a required, refundable skid. Important: A urethane rubber paver mat must be used to prevent scuffing.** For permeable installations, Unilock recommends using Easy-Pro™ or granite chips for joint filler. All measurements are nominal. Contact Unilock for more information.

Internal Use Only. THB CH



BURGUNDY RED



BURNT CLAY



OLD OAK



3 COLOR BLEND  
Blended on Site



BASALT



HERITAGE RED



HERITAGE CLAY



HERITAGE  
2 COLOR BLEND  
Blended on Site



STANDARD  
4 x 9¾ x 2¾"  
10 x 25 x 7cm

**PRODUCT TECHNOLOGY**

**Reala™ Surface Technology**

Ultra-realistic textures cast from natural stone, brick and historic cobblestones.

**Ultima™ Concrete Technology**

This proprietary manufacturing process creates pavers and walls with up to four times the strength of poured concrete.

Stones & Bundling	Unit Thickness	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per			
		Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle	
Ayr Manufacturing																				
Standard	2¾" (7cm)	88.41	11.05		0.276	8	-	0.842	-	105.0	-	-	-	3.62	-	320	361	-	2,888	

Notes: **Sold in full bundles only and is produced and sold on a required, refundable skid. Important: A urethane rubber paver mat must be used to prevent scuffing.** For permeable installations, Unilock recommends using Easy-Pro™ or granite chips for joint filler. For traditional applications, please refer to the Polymeric Sand Best Practices on page 52 and Important Notice on page 55. All measurements are nominal. Contact Unilock for more information.

Internal Use Only. TWH ON

# TRIBECA COBBLE

Stocked at Aurora, Elkhorn & Tonganoxie

**ENDURACOLOR**  
PLUS ARCHITECTURAL FINISHES

New  
for 2017



CRYSTALLINE BASALT



PEPPERED GRANITE



COBALT GREY



			Random Bundle Individual units cannot be sold separately
LARGE RECTANGLE 5 1/8" x 12" x 2 3/4" 13 x 30.5 x 7cm	RECTANGLE 5 1/8" x 9" x 2 3/4" 13 x 23 x 7cm	SMALL RECTANGLE 5 1/8" x 7" x 2 3/4" 13 x 17.5 x 7cm	

Stones & Bundling	Unit	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per			
	Thickness	Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle	
Chicago Manufacturing																				
Random Bundle		97.53	12.19	-	-	8	-	-	-	-	-	-	-	-	-	304	398	-	3,186	
Large Rectangle	2 3/4" (7cm)	-	-	-	0.427	-	-	-	-	-	-	-	-	2.34	-	88	-	-	-	
Rectangle	2 3/4" (7cm)	-	-	-	0.322	-	-	-	-	-	-	-	-	3.11	-	88	-	-	-	
Small Rectangle	2 3/4" (7cm)	-	-	-	0.245	-	-	-	-	-	-	-	-	4.08	-	128	-	-	-	

Notes: **Sold in full bundles only.** All measurements are nominal. **Important: A urethane rubber paver mat must be used to prevent scuffing.** Please refer to the Polymeric Sand Best Practices on page 52 and Important Notice on page 55. Contact Unilock for information.

Internal Use Only. TRC CH

# TURFSTONE™



Stocked at Aurora, Elkhorn, Marengo & Tonganoxie



NATURAL



STANDARD  
16 x 24 x 3/8"  
40 x 60 x 8cm

Stones & Bundling	Unit	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per			
	Thickness	Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle	
Chicago Manufacturing																				
Standard	3/8" (8cm)	80.00	10.00	-	2.50	8	-	1.905	-	42.0	-	-	-	0.40	-	32	249	-	1,995	

Notes: **Sold in full bundles only and is produced and sold on a required, refundable skid.** All measurements are nominal. Contact Unilock for more information.

Internal Use Only. TFS CH



AUTUMN SUNSET



MIDNIGHT SKY



SUMMER WHEAT



WINTER MARVEL



ARTLINE SIZES AVAILABLE, SEE PAGE 3



WINTER MARVEL



MIDNIGHT SKY

PRODUCT TECHNOLOGY

EasyClean™ Stain Resistance - CF 90

An integral surface protection that allows for easier cleanup of spills when they happen, and before a stain can develop.

ColorFusion™

A proprietary technology that disperses color randomly for a natural, granite-like appearance.



24 x 24 x 2 3/4"  
60 x 60 x 7cm



12 x 24 x 2 3/4"  
30 x 60 x 7cm



16 x 16 x 2 3/4"  
40 x 40 x 7cm



8 x 16 x 2 3/4"  
20 x 40 x 7cm



8 x 8 x 2 3/4"  
20 x 20 x 7cm



UMBRIANO SLAB  
23 3/8 x 23 3/8 x 2"  
60.6 x 60.6 x 5cm  
SPECIAL ORDER



LARGE RECTANGLE  
21 x 14 x 2 3/8"  
52.5 x 35 x 6cm



SQUARE  
14 x 14 x 2 3/8"  
35 x 35 x 6cm



SMALL RECTANGLE  
7 x 14 x 2 3/8"  
17.5 x 35 x 6cm


6cm Random Bundle  
Individual units cannot be sold separately

Stones & Bundling	Unit Thickness	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per			
		Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle	
Georgetown Manufacturing																				
24"x24"	2 3/4" (7cm)	62.00	7.75	-	3.875	8	-	1.969	-	31.5	1.969	-	31.5	0.26	-	16	258	-	2,062	
12"x24"	2 3/4" (7cm)	93.00	11.63	-	1.938	8	-	1.969	-	47.2	0.984	-	94.5	0.52	-	48	393	-	3,142	
16"x16"	2 3/4" (7cm)	82.67	10.33	-	1.722	8	-	1.312	-	63.0	1.312	-	63.0	0.58	-	48	331	-	2,647	
8"x16"	2 3/4" (7cm)	82.67	10.33	-	0.861	8	-	1.312	-	63.0	0.656	-	126.0	1.16	-	96	331	-	2,647	
8"x8"	2 3/4" (7cm)	82.67	10.33	-	0.431	8	-	0.656	-	126.0	0.656	-	126.0	2.32	-	192	331	-	2,647	
Umbriano Slab Special Order	2" (5cm)	80.00	8.00	-	4.000	10	-	-	-	-	-	-	-	0.25	-	20	181	-	1,811	
<b>6cm Random Bundle</b>		94.20	10.47	-	1.308	9	-	-	-	69.1	-	-	-	0.76	-	72	287	-	2,584	
Large Rectangle	2 3/8" (6cm)	-	-	-	2.093	-	-	1.772	-	21.3	-	-	-	0.48	-	18	-	-	-	
Square	2 3/8" (6cm)	-	-	-	0.698	-	-	1.181	-	15.9	-	-	-	1.43	-	27	-	-	-	
Small Rectangle	2 3/8" (6cm)	-	-	-	1.395	-	-	1.181	-	31.9	-	-	-	0.72	-	27	-	-	-	

Notes: Umbriano 24" and 6cm Random Bundle pavers are not suitable for vehicular applications. Sold in full bundles only and is produced and sold on a required, refundable skid. Important: A urethane rubber paver mat must be used to prevent scuffing. Please refer to the Sealer and Polysand Best Practices on pages 51 & 52, and Important Notice on page 55. Unilock offers adjustable and stackable pedestal systems; please contact your Territory Manager for pricing and availability. All measurements are nominal.

# UNIGRANITE®

Stocked at Aurora, Elkhorn & Tonganoxie



DARK CHARCOAL



SMALL SQUARE  
4 x 4 x 2 3/4"  
10 x 10 x 7cm



Stones & Bundling	Unit Thickness	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per		
		Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
Gormley Manufacturing																			
Small Square	2 3/4" (7cm)	110.70*	-	13.84*	0.110*	-	8	0.335	41.3	330.7	-	-	-	9.11*	126*	1,008*	-	443	3,545

Notes: \*After splitting. Dimensions may vary up to 1/4" due to the unique manufacturing method. Instead of a split finish, Unigranite® can be cut and sealed to provide a Terrazzo-like finish. Please refer to the Sealer Best Practices on page 51 and Important Notice on page 55. All measurements are nominal. Contact Unilock for more information.

Internal Use Only. UGT ON

# WESTPORT™

Stocked at Aurora, Elkhorn & Tonganoxie



GRANITE



SIERRA



PUEBLO



			Random Bundle Individual units cannot be sold separately
LARGE RECTANGLE 10 x 15 x 2 3/4" 25.4 x 38 x 7cm	SQUARE 10 x 10 x 2 3/4" 25.4 x 25.4 x 7cm	RECTANGLE 5 x 10 x 2 3/4" 12.7 x 25.4 x 7cm	



RECTANGLE  
5 x 10 x 2 3/4"  
12.7 x 25.4 x 7cm

Stones & Bundling	Unit Thickness	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per		
		Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
Chicago Manufacturing																			
<b>Random Bundle</b>		94.19	11.77	-	-	8	-	-	-	-	-	-	-	1.70	-	160	367	-	2,937
Large Rectangle	2 3/4" (7cm)	-	-	-	1.009	-	-	-	-	-	-	-	-	0.99	-	32	-	-	-
Square	2 3/4" (7cm)	-	-	-	0.673	-	-	-	-	-	-	-	-	1.49	-	56	-	-	-
Rectangle	2 3/4" (7cm)	-	-	-	0.336	-	-	-	-	-	-	-	-	2.97	-	72	-	-	-
5"x10"	2 3/4" (7cm)	94.19	11.77	-	0.336	8	-	-	-	-	-	-	-	2.97	-	280	360	-	2,884

Notes: **Sold in full bundles only and is produced and sold on a required, refundable skid. Important: A urethane rubber paver mat must be used to prevent scuffing.** All measurements are nominal. Contact Unilock for more information.

Internal Use Only. WPT CH



HONEY GOLD




IRON RIVER

**PRODUCT TECHNOLOGY**

**Reala™ Surface Technology**

Ultra-realistic textures cast from natural stone, brick and historic cobblestones.



24 x 24 x 1 3/4"  
60 x 60 x 4.5cm



18 x 24 x 1 3/4"  
45 x 60 x 4.5cm



12 x 24 x 1 3/4"  
30 x 60 x 4.5cm

Stones & Bundling	Unit	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per			
	Thickness	Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle	
Chicago Manufacturing																				
24"x24"	1 3/4" (4.5cm)	72.00	-	-	4.000	-	-	-	-	-	-	-	-	0.25	-	18	-	-	1,353	
18"x24"	1 3/4" (4.5cm)	54.00	-	-	3.000	-	-	-	-	-	-	-	-	0.33	-	18	-	-	1,038	
12"x24"	1 3/4" (4.5cm)	36.00	-	-	2.000	-	-	-	-	-	-	-	-	0.50	-	18	-	-	700	

Notes: **Sold in full bundles only and is produced and sold on a required, refundable skid. Important: Do not use a vibratory plate compactor for the final compaction. Product is not intended for vehicular applications.** Stones and coverages are designed to have up to 1/4" joint size. All measurements are nominal. Contact Unilock for more information.

Internal Use Only, YST CH



COFFEE CREEK      LIMESTONE      PRAIRIE      SANDSTONE



SIERRA




STANDARD  
4 x 8 x 12"  
10 x 20 x 30cm



SMALL TAPERED UNIT  
9 x 4 x 8"  
22.9 x 10 x 20cm



Small Tapered Units are only sold in Coffee Creek, Sandstone and Sierra colors.



Stones & Bundling	Face Feet Per		Linear Feet Per		Units Per		Per Bundle		Lbs Per	
	Bundle	Unit	Bundle	Unit	Bundle	Face Feet	Layers	Sections	Unit	Bundle
Chicago Manufacturing										
Standard	32.00	0.333	63.36	0.660	96	3.00	6	4	28	2,688
Small Tapered	36.00	0.250	108.00	0.750	144	4.00	6	-	19	2,730

Notes: Maximum height is 24" (under optimum conditions). \*Based on 12" deep wall coverage = 21.4 sqft per bundle. Based on an 8" deep wall coverage = 32 sqft per bundle. Ledge stone, Brussels XL or 6" x 12" Fullnose complement as a possible coping unit. **Small tapered units are sold in full bundles only.** All measurements are nominal. Contact Unilock for more information.

Internal Use Only. BDS CH



### SUNSET FIREPIT KITS

Available with or without grill in the following colors:


- Coffee Creek
- Sandstone
- Sierra



ROUND



SQUARE



To enlarge the radius for planters and walls, simply 'gap' the back to make the desired radius. (You will not see the gaps because they are against the backfill.) Be sure to use filter fabric between the wall and the backfill. (See Tech Guide for complete instructions.)

All joints must be adhered with Concrete Adhesive. Base preparation may vary according to soil and climate conditions. Cross sections are examples and must not be used for construction.

# BRUSSELS FULLNOSE™

Stocked at Aurora, Elkhorn & Tonganoxie



COFFEE CREEK



LIMESTONE



PRAIRIE



SANDSTONE



SIERRA



STANDARD  
6 x 12 x 2<sup>3</sup>/<sub>4</sub>"  
15 x 30.5 x 7cm



Stones & Bundling	Unit	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per			
	Thickness	Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle	
Chicago Manufacturing																				
Standard	2 <sup>3</sup> / <sub>4</sub> " (7cm)	96.00	12	24.00	0.50	8	4	1.016	24	94.5	-	-	-	2.00	48	192	364	728	2,913	

Notes: Can be used for wall coping, step treads, mantels for outdoor fireplaces and other detailed edge applications, or adhered to pool edge using Concrete Adhesive, or with mortar. Always observe proper construction techniques when adhering pavers to a surface. Consult your local pool contractors for installation specifics. All measurements are nominal. Contact Unilock for more information.

Internal Use Only. BFN CH

# 6" X 12" FULLNOSE

Stocked at Aurora, Elkhorn & Tonganoxie



COFFEE CREEK



LIMESTONE



PRAIRIE




SANDSTONE



SIERRA



6" x 12" FULLNOSE  
6 x 12 x 2<sup>3</sup>/<sub>4</sub>"  
15 x 30.5 x 7cm



Stones & Bundling	Unit	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per			
	Thickness	Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle	
Chicago Manufacturing																				
Fullnose	2 <sup>3</sup> / <sub>4</sub> " (7cm)	96.00	24.00	24.00	0.500	4	4	1.016	23.6	94.5	-	-	-	2.00	48	192	745	745	2,982	

Notes: Can be used for wall coping, step treads, mantels for outdoor fireplaces and other detailed edge applications, or adhered to pool edge using Concrete Adhesive, or with mortar. Always observe proper construction techniques when adhering pavers to a surface. Consult your local pool contractors for installation specifics. All measurements are nominal. Contact Unilock for more information.

Internal Use Only. BFN CH



RIVER



SANDSTONE



SIERRA



			Individual units cannot be sold separately.	6" Random Bundle
<b>6" LARGE UNIT</b> 15 (12½) x 6 x 9" 38 (32) x 15 x 23cm	<b>6" MEDIUM UNIT</b> 12½ (10) x 6 x 9" 32 (25) x 15 x 23cm	<b>6" SMALL UNIT</b> 10 (7½) x 6 x 9" 25 (19) x 15 x 23cm		



6" CORNER/PILLAR UNIT  
12½ x 6 x 9"  
32 x 15 x 23cm

Stones & Bundling	Face Feet Per		Linear Feet Per		Units Per		Per Bundle		Lbs Per	
	Bundle	Unit	Bundle	Unit	Bundle	Face Feet	Layers	Sections	Unit	Bundle
Chicago Manufacturing										
<b>6" Random Bundle</b>	31.25	-	62.30	-	60	-	5	2	-	2,937
Large Unit	12.50	0.625	24.92	1.246	20	1.60	-	-	59	-
Medium Unit	10.42	0.521	20.98	1.049	20	1.92	-	-	49	-
Small Unit	8.34	0.417	16.40	0.820	20	2.40	-	-	39	-
Corner/Pillar Unit	18.76	0.521	-	0.96	36	-	3	-	54.5	1,964

Notes: **Corner/Pillar bundles are non-sectionable, sold in full bundles only.** LedgeStone™ or Natural Stone provide coping possibilities. All measurements are nominal. Contact Unilock for more information.

Internal Use Only. CMB CH



NATURAL



STANDARD  
72 x 12 x 24"  
183 x 30 x 60cm  
**SPECIAL ORDER**



CORNER 90°  
60 x 12 x 24"  
152 x 30 x 60cm  
**SPECIAL ORDER**  
(Right Corner Shown)



COPING  
72 x 12 x 24"  
183 x 30 x 60cm  
**SPECIAL ORDER**



CLOSED-END COPING  
72 x 12 x 24"  
183 x 30 x 60cm  
**SPECIAL ORDER**



TIE-BACK  
72 x 12 x 24"  
183 x 30 x 60cm  
**SPECIAL ORDER**



1/2 COPING  
36 x 12 x 24"  
91.5 x 30 x 60cm  
**SPECIAL ORDER**



CORNER 45°  
60 x 12 x 24"  
152 x 30 x 60cm  
**SPECIAL ORDER**  
(Right Corner Shown)





1/2 STANDARD  
36 x 12 x 24"  
91.5 x 30 x 60cm  
**SPECIAL ORDER**



Stones & Bundling	Face Feet Per		Linear Feet Per		Units Per		Per Bundle		Lbs Per	
	Bundle	Unit	Bundle	Unit	Bundle	Face Feet	Layers	Sections	Unit	Bundle
Gormley Manufacturing										
Coping Closed End 72" *	-	6.024	-	6.024	-	0.17	-	-	1,560	-
Half Coping *	-	3.003	-	3.003	-	0.33	-	-	780	-
Corner 45° Right *	-	7.042	-	7.042	-	0.14	-	-	1,480	-
Corner 90° Right *	-	7.042	-	7.042	-	0.14	-	-	1,320	-
Coping 72" *	-	6.024	-	6.024	-	0.17	-	-	1,560	-
Wall Half *	-	3.003	-	3.003	-	0.33	-	-	800	-
Wall Standard *	-	6.024	-	6.024	-	0.17	-	-	1,680	-
Wall Tieback *	-	2.000	-	2.000	-	0.50	-	-	1,660	-

Notes: **\*Special Order - Lead time is required**, minimum quantities apply. **Sold in full bundles only**. Closed-end coping units are closed on both ends so that they may be used as left or right units. Tie-back units are reinforced with steel. 1/2 Standard units are slightly tapered and can be used to create a 45 foot radius. Refer to terms and conditions for placement rates. Unilock, through Risi Stone® Systems International, can provide preliminary site engineering for most commercial projects. Soils information, site drawings, and loading requirements are some of the information details required in order to provide this preliminary site engineering. All measurements are nominal. Contact Unilock for more information.

Internal Use Only. DH1 ON



Cross sections are examples and must not be used for construction.



PRAIRIE

RIVER

SANDSTONE

SIERRA



COPING  
12½ (9½) x 3 x 12"  
32 (24) x 7.5 x 30cm



COFFEE CREEK

FIELDSTONE



6" CORNER  
12½ x 6 x 9"  
32 x 15 x 23cm



3" CORNER  
12½ x 3 x 9"  
32 x 7.5 x 23cm



			Individual units cannot be sold separately. <b>6" Random Bundle</b>
6" LARGE UNIT 15 (12½) x 6 x 9" 38 (32) x 15 x 23cm	6" MEDIUM UNIT 12½ (10) x 6 x 9" 32 (25) x 15 x 23cm	6" SMALL UNIT 10 (7½) x 6 x 9" 25 (19) x 15 x 23cm	


			Individual units cannot be sold separately. <b>3" Random Bundle</b>
3" LARGE UNIT 15 (12½) x 3 x 9" 38 (32) x 7.5 x 23cm	3" MEDIUM UNIT 12½ (10) x 3 x 9" 32 (25) x 7.5 x 23cm	3" SMALL UNIT 10 (7½) x 3 x 9" 25 (19) x 7.5 x 23cm	

Stones & Bundling	Face Feet Per		Linear Feet Per		Units Per		Per Bundle		Lbs Per	
	Bundle	Unit	Bundle	Unit	Bundle	Face Feet	Layers	Sections	Unit	Bundle
Chicago Manufacturing										
Coping 12"	18.75	0.260	66.00	0.917	72	3.84	8	3	33	2,392
6" Corner	20.83	0.521	41.60	1.040	40	1.92	5	4	54	2,179
3" Corner	18.75	0.293	62.64	0.979	64	3.41	8	4	29	1,828
<b>6" Random Bundle</b>	31.25	-	62.30	-	60	-	5	4	-	2,926
Large Unit	12.50	0.625	24.92	1.246	20	1.60	-	-	59	-
Medium Unit	10.42	0.521	20.98	1.049	20	1.92	-	-	49	-
Small Unit	8.34	0.417	16.40	0.820	20	2.40	-	-	39	-
<b>3" Random Bundle</b>	25.12	-	99.68	-	96	-	8	4	-	2,209
Large Unit	10.02	0.313	39.87	1.246	32	3.19	-	-	29.5	-
Medium Unit	8.32	0.260	33.57	1.049	32	3.85	-	-	20	-
Small Unit	6.66	0.208	26.24	0.820	32	4.80	-	-	19.5	-

Notes: 3" and 6" random wall bundles have convertible large units that can be used for corners or ending seat walls. End caps not sold separately. LedgeStone™, Olde Quarry Coping, Brussels Block™ XL, Brussels Fullnose™ or 6" x 12" Fullnose complement as a possible coping. All measurements are nominal. Contact Unilock for more information.

Internal Use Only. EWL CH


RETAINING WALL PATTERNS



**Minimum Outside Radius = 48"**  
**Maximum height for vertical installation - 21"**  
 (Under optimum conditions)

**This pattern is a 66% mix of 6" and 33% of 3".**

6" & 3" RANDOM SEAT WALL PATTERN




For more information please consult the Estate Wall installation booklet.

# LEDGESTONE™ PILLAR CAPS, STEPS & COPING

Stocked at Aurora, Elkhorn, Marengo & Tonganoxie



BUFF



GREY



BLUE  
Available in Fullnose coping only



24" PILLAR CAP  
24 x 24 x 4"  
61 x 61 x 10cm



FULLNOSE COPING  
12 x 24 x 1 3/4"  
30.5 x 61 x 4.5cm

### PRODUCT TECHNOLOGY

#### Reala™ Surface Technology

Ultra-realistic textures cast from natural stone, brick and historic cobblestones.



CLOSED-END COPING  
12 x 24 x 3"  
30.5 x 61 x 7.5cm



COPING UNIT  
12 x 24 x 3"  
30.5 x 61 x 7.5cm



36" LEDGESTONE STEP  
36 x 18 x 6"  
91.4 x 45.7 x 15.2cm



48" LEDGESTONE STEP  
48 x 24 x 6"  
122 x 61 x 15.2cm



72" LEDGESTONE STEP  
72 x 24 x 6"  
183 x 61 x 15.2cm



Stones & Bundling	Face Feet Per		Linear Feet Per		Units Per		Per Bundle		Lbs Per	
	Bundle	Unit	Bundle	Unit	Bundle	Face Feet	Layers	Sections	Unit	Bundle
Chicago Manufacturing										
Pillar Cap	-	-	-	-	5	-	-	-	159	795
Fullnose Coping	-	-	32.00	2.00	16	-	-	-	42	667
Closed-End Coping	-	-	24.00	2.00	12	-	-	-	66	796
Coping	-	-	24.00	2.00	12	-	-	-	64	772
Manufactured in Canada - Stocked in Buff & Grey only										
Ledgestone Steps 36"	-	-	9.00	3.00	3	-	-	-	327	982
Ledgestone Steps 48"	-	-	12.00	4.00	3	-	-	-	574	1,721
Ledgestone Steps 72"	-	-	18.00	6.00	3	-	-	-	860	2,581

Notes: **Sold in full bundles only and is produced and sold on a required, refundable skid.** Coping is rock faced on the front and the back; Closed-end coping and steps are rock faced on three sides. See page 45 for caulk information. **28 1/2" Pillar Caps are also available and are referred to as Lineo Pillar Cap, see page 32 for packaging information.** All measurements are nominal. Contact Unilock for more information.

Internal Use Only. LDG CH



GRANITE



SANDALWOOD



SIERRA



PILLAR UNIT  
16 X 4 X 8"  
40 X 10 X 20cm



LINEO PILLAR CAP  
28½" x 28½" x 4"  
72 x 72 x 10cm  
Buff & Grey Only

For Lineo Pillars, Unilock recommends using 28½" Pillar Cap for a refined look. See page 31 for Buff and Grey color swatches.

				Individual units cannot be sold separately	Random Bundle
XL RECTANGLE 24 x 4 x 8" 60 x 10 x 20cm	LARGE RECTANGLE 20 x 4 x 8" 50 x 10 x 20cm	RECTANGLE 16 x 4 x 8" 40 x 10 x 20cm	SMALL RECTANGLE 12 x 4 x 8" 30 x 10 x 20cm		



Stones & Bundling	Face Feet Per		Linear Feet Per		Units Per		Per Bundle		Lbs Per	
	Bundle	Unit	Bundle	Unit	Bundle	Face Feet	Layers	Sections	Unit	Bundle
Chicago Manufacturing										
Pillar Unit	47.80	0.664	95.10	1.321	72	1.51	3	-	39	2,837
<b>Random Wall Bundle</b>	31.91	-	94.46	-	63	-	3	-	-	2,845
XL Rectangle	11.95	0.664	35.42	1.968	18	1.51	-	-	-	-
Large Rectangle	8.31	0.554	24.60	1.640	15	1.81	-	-	-	-
Rectangle	6.66	0.444	19.68	1.312	15	2.25	-	-	-	-
Small Rectangle	4.99	0.333	14.76	0.984	15	3.01	-	-	-	-
Georgetown Manufacturing										
28.5" Pillar Cap	-	-	-	-	5	-	-	-	302	1,510

Notes: **Sold in full bundles only and is produced and sold on a required, refundable skid. 28½" Pillar Caps are sold by the full bundle only.** Spacing strips are shipped with random wall bundles to create even spacing between units. Ledgestone®, Unilock Natural Stone or 6"x12" Fullnose complement as possible coping options. All measurements are nominal. Contact Unilock for more information.

Internal Use Only. LDS CH




COFFEE CREEK      PRAIRIE      RIVER      SANDSTONE



SIERRA      FIELDSTONE      CORNER  
4½ x 9 x 12"  
11 x 23 x 30cm

COPING UNIT  
12 (9) x 3 x 12"  
30.5 (23) x 7.5 x 30.5cm




15" UNIT  
15 (12) x 4½ x 9"  
38 (30.5) x 11.5 x 23cm

12" UNIT  
12 (9) x 4½ x 9"  
30.5 (15) x 11.5 x 23cm

9" UNIT  
9 (6) x 4½ x 9"  
23 (15) x 11.5 x 23cm


Wall Bundle  
Individual units cannot be sold separately



Stones & Bundling	Face Feet Per		Linear Feet Per		Units Per		Per Bundle		Lbs Per	
	Bundle	Unit	Bundle	Unit	Bundle	Face Feet	Layers	Sections	Unit	Bundle
Eikhorn Manufacturing										
Coping Unit	24.00	0.250	96.00	1.000	96	4.00	8	4	32	3,039
Corner Unit	30.89	0.386	82.40	1.030	80	2.59	5	4	39	3,150
<b>Wall Bundle</b>	33.75	-	90.00	-	90	-	6	5	-	2,867
15" Unit	14.07	0.469	37.38	1.246	30	2.13	-	-	44	-
12" Unit	11.25	0.375	30.00	1.000	30	2.67	-	-	34	-
9" Unit	8.43	0.281	22.62	0.754	30	3.56	-	-	24	-

Notes: Structural retaining walls greater than 2' high require professional engineering. Connector units provided with every bundle upon request. Use plastic connectors on set-back walls. Wall Bundle includes 32 End Units per bundle - Not sold separately. Ledgestone™, Olde Quarry Coping, Brussels Block™ XL, Brussels Fullnose™ or 6" x 12" Fullnose complement as a possible coping. All measurements are nominal. Contact Unilock for more information.

Internal Use Only. OQY CH



**OLDE QUARRY RADIUS CHART**

Radius achieved using only the tapered units from a "random bundle"							
Radius (inches)	35"	27"	35"	47"	32"	37"	42"
Unit sequence	9", 12", 15"	only 9" units	only 12" units	only 15" units	9", 12" etc.	9", 15" etc.	12", 15" etc.
	uses all units in bundle	Note: These sequences will have left over units. Plan to use the left over units in other parts of the project.					



NEVADA



SIERRA



TAPERED  
8 x 6 x 12"  
20 x 15 x 30cm



CORNER  
12 x 6 x 8"  
30 x 15 x 20cm



12" COPING  
12 x 3 x 12"  
30 x 7.5 x 30cm





XL WALL  
16 x 6 x 12"  
40 x 15 x 30cm

Stones & Bundling	Face Feet Per		Linear Feet Per		Dbl Units Per		Per Bundle		Lbs Per	
	Bundle	Dbl Unit	Bundle	Dbl Unit	Bundle	Face Feet	Layers	Sections	Dbl Unit	Bundle
<b>Chicago Manufacturing</b>										
Tapered	20.00	0.667	40.00	1.333	30	1.50	3	2	80	2,393
Corner Unit	30.00	1.667	-	-	18	0.60	3	6	112	2,008
12" Coping	21.00	0.500	84.00	2.000	42	2.00	7	2	68	2,875
XL Wall*	21.33	0.667	42.67	1.333	32	1.50	4	-	77	2,501

Notes: \*XL Wall units are single units and are sold in full bundles only and is produced and sold on a required, refundable skid. When purchased by the full bundle, Corner Units are produced and sold on a required, refundable skid. 12" Coping bundle has 16 units of closed-end coping (8 left and 8 right). Closed-end 12" coping not sold separately. Maximum height - 36" (under optimum conditions). Higher walls can be achieved using geogrid reinforcement. The set back on Pisa2 wall is 3/4" every course or 1 1/2" every 2 courses. Retaining wall engineering software is also available free of charge at [www.unilock.com](http://www.unilock.com). Walls greater than 4' in height require professional engineering. Tapered Units allow for a minimum 5' Radius. All measurements are nominal. Contact Unilock for more information.

Internal Use Only. PS2 CH



Cross sections are examples and must not be used for construction.

# RIVERCREST® WALL

Stocked at Aurora, Elkhorn & Tonganoxie



COASTAL SLATE



BUFF

## PRODUCT TECHNOLOGY

### Reala™ Surface Technology

Ultra-realistic textures cast from natural stone, brick and historic cobblestones.



JUMPER CORNER UNIT  
12 x 9-10 x 4½"  
31 x 23-25 x 11.4cm



LONG CORNER UNIT  
12 x 9-10 x 2¼"  
31 x 23-25 x 6cm



SHORT CORNER UNIT  
10 x 9-10 x 2¼"  
25 x 23-25 x 6cm

Corner Bundle  
Individual units cannot be sold separately



STANDARD UNIT 1  
8 x 9-10 x 2¼"  
20 x 23-25 x 6cm



STANDARD UNIT 2  
12 x 9-10 x 2¼"  
31 x 23-25 x 6cm



STANDARD UNIT 3  
12 x 9-10 x 2¼"  
31 x 23-25 x 6cm



STANDARD UNIT 4  
17 x 9-10 x 2¼"  
42.5 x 23-25 x 6cm

Standard Bundle  
Individual units cannot be sold separately

## RAPID PILLAR SYSTEM



PILLAR UNIT  
20" x 20" x 4½"  
50cm x 50cm x 11.4cm



RIVERCREST  
FIRE PIT KIT  
See page 38 for  
more information.



JUMPER UNIT 1  
8 x 9-10 x 4½"  
20 x 23-25 x 11.4cm



JUMPER UNIT 2  
12 x 9-10 x 4½"  
31 x 23-25 x 11.4cm



JUMPER UNIT 3  
12 x 9-10 x 4½"  
31 x 23-25 x 11.4cm



JUMPER UNIT 4  
17 x 9-10 x 4½"  
42.5 x 23-25 x 11.4cm


Jumper Bundle  
Individual units cannot be sold separately

Stones & Bundling	Face Feet Per		Linear Feet Per		Units Per		Per Bundle		Lbs Per	
	Bundle	Unit	Bundle	Unit	Bundle	Face Feet	Layers	Sections	Unit	Bundle
<b>Ayr Manufacturing</b>										
Jumper Corner Unit	21.60	0.675	57.28	1.790	32	1.48	-	-	40	1,280
<b>Corner Bundle</b>	20.92	-	61.94	-	64	-	4	-	-	1,240
Long Corner Unit	16.10	0.335	48.82	1.017	48	2.98	-	-	-	-
Short Corner Unit	4.80	0.300	13.12	0.820	16	3.33	-	-	-	-
Pillar Unit Bundle	-	-	-	-	8	-	-	-	125	1,000
<b>Wall Bundle</b>	24.30	-	130.69	-	128	-	8	-	-	1,990
Standard Unit 1	3.93	0.123	20.99	0.656	32	8.15	-	-	-	-
Standard Unit 2	6.09	0.190	32.54	1.017	32	5.26	-	-	-	-
Standard Unit 3	6.09	0.190	32.54	1.017	32	5.26	-	-	-	-
Standard Unit 4	8.20	0.256	44.61	1.394	32	3.90	-	-	-	-
<b>Jumper Bundle</b>	24.30	-	65.34	-	64	-	4	-	-	2,720
Jumper Unit 1	3.93	0.245	10.50	0.656	16	4.07	-	-	-	-
Jumper Unit 2	6.09	0.380	16.27	1.017	16	2.63	-	-	-	-
Jumper Unit 3	6.09	0.380	16.27	1.017	16	2.63	-	-	-	-
Jumper Unit 4	8.20	0.513	22.30	1.394	16	1.95	-	-	-	-



Notes: **Sold in full bundles only and is produced and sold on a required, refundable skid.** Rivercrest is recommended for walls under 2ft. Ideal for straight or curved walls, seat walls, pillars, tree rings, planters, firepits and grill islands. Integrated connectors require no pins or clips. Minimum radius using equal amounts of each unit is 1.25m / 4.1ft. Using only unit 1 & 3 a 1.055m / 3.5ft radius can be achieved. For more information, please consult the Rivercrest installation booklet. Retaining wall engineering software is also available free of charge at [www.unilock.com](http://www.unilock.com). All measurements are nominal. Contact Unilock for more information. Unilock recommends using Ledgestone™ or Natural Stone coping for a complete and refined look.

Internal Use Only. RVC ON


# RIVERCREST WALL cont'd




## Starting a Wall



## Straight Wall - Align A-A / B-B



## Curved Wall - Align A-B / B-A




## DESIGN STYLE

To accurately determine the number of standard and jumper units you will require, start by selecting an aesthetic option.



## JUMPER UNITS

In addition to being used to enhance sections of wall, jumper units can also be used in a variety of different ways within the Rivercrest Wall system. The Jumper Unit #2 has faces on three sides making it perfect for incorporating into pillars and corners. The unit can also be used when starting and ending seat walls.



For more information please consult the Rivercrest® installation booklet.



NEVADA  
Coping Only



SIERRA  
Coping Only



STANDARD 925  
39 x 7¼ x 36½"  
100 x 18.5 x 92.5cm  
**SPECIAL ORDER**



STANDARD 500  
39 x 7¼ x 20"  
100 x 18.5 x 50cm  
**SPECIAL ORDER**



COPING  
39 x 7¼ x 20"  
100 x 18.5 x 50cm



CLOSED-END COPING  
39 x 7¼ x 20"  
100 x 18.5 x 50cm  
**SPECIAL ORDER**





CORNER 90° (left & right)  
36½ x 7¼ x 20"  
93 x 18.5 x 50cm  
**SPECIAL ORDER**

Stones & Bundling	Face Feet Per		Linear Feet Per		Units Per		Per Bundle		Lbs Per	
	Bundle	Unit	Bundle	Unit	Bundle	Face Feet	Layers	Sections	Unit	Bundle
Chicago Manufacturing										
Standard 925 *	6.00	2.000	9.75	3.250	3	0.50	-	-	872	2,617
Standard 500 *	12.00	2.000	19.50	3.250	6	0.50	-	-	463	2,778
Coping	12.00	2.000	19.50	3.250	6	0.50	-	-	459	2,756
Closed- End Coping *	12.00	2.000	19.50	3.250	6	0.50	-	-	459	2,756
Corner 90° *	17.19	2.865	-	-	6	0.35	-	-	477	2,862

Notes: \* **Special Order - Lead time is required, minimum quantities apply. All Special Order items are sold in full bundles only.** Coping units can be used to construct steps. Retaining wall engineering software is also available free of charge at [www.unilock.com](http://www.unilock.com). All measurements are nominal. Contact Unilock for more information.

Internal Use Only. SST CH



Cross sections are examples, and must not be used for construction.

# FIRE PIT KITS

Stocked at Aurora, Elkhorn, Marengo & Tonganoxie

Add instant charm and appeal to your backyard with a welcoming fire pit from Unilock. Each fire pit is pre-assembled in order to provide you with the easiest installation, with a variety of stone options to match your existing patio. Whether you are building a new patio, or adding to an existing one, your fire pit will become the ultimate gathering spot.

## SUNSET FIRE PIT KIT



This fire pit kit uses Brussels Dimensional Stone® (small tapered units).



COFFEE CREEK SANDSTONE SIERRA


SUNSET FIRE PIT KIT	Square	Round
Coffee Creek	RS-CON038	RS-CON032
Coffee Creek w/ Grill	RS-CON041	RS-CON035
Sandstone	RS-CON037	RS-CON031
Sandstone w/ Grill	RS-CON040	RS-CON034
Sierra	RS-CON036	RS-CON030
Sierra w/Grill	RS-CON039	RS-CON033



SQUARE



ROUND



FIRE PIT GRILL

This *optional* fire pit grill fits securely into both the round or square firepit designs.

## RIVERCREST® FIRE PIT KIT



This fire pit kit is built with the Rivercrest Wall.



COASTAL SLATE RS-CON063 BUFF RS-CON061



FIRE PIT GRILL


Fire pit grill is included and fits securely into the firepit.

Stones & Bundling	Units per Course	Units per Pallet	Diameter Outside of Stone	Diameter Inside of Stone	Diameter Pit Insert	Lbs./ Pallet	Kits / Pallet
Sunset Fire Pit - Square	16	48	56"	40"	38"	1,525	1
Sunset Fire Pit - Round	18	54	52"	36"	34"	1,125	1
Rivercrest Fire Pit Kit	4	12	54"	35"	34.5"	1,512	1

Notes: All measurements are nominal. Add 20 lbs. to weight when ordering grill unit for Sunset Fire Pits Contact Unilock for more information.

# LAYING PATTERNS

## ARTLINE™




Artline A - 100% Random

## AVANTE ASHLAR™




Avante Ashlar A - 38% Unit A,  
25% Unit B, 12% Unit C, 25% Unit D

## BEACON HILL FLAGSTONE™/BRISTOL VALLEY®




Beacon Hill Flagstone/Bristol Valley A -  
40% Lg Rect, 40% Sq, 20% Sm Rect.




Beacon Hill Flagstone/Bristol Valley B -  
40% Lg Rect, 40% Sq, 20% Sm Rect.


## BRUSSELS BLOCK® / BRUSSELS PREMIER™




Brussels P - 67% Standard, 33% Half



Brussels O - 67% Standard, 33% Half




Brussels X - 57% XL, 29% Standard,  
14% Half




Brussels Y - 57% XL, 29% Standard,  
14% Half

## BRUSSELS BLOCK® / BRUSSELS PREMIER™




Brussels Z - 67% XL, 20% Standard,  
13% Half




Brussels AF - 40% XL, 40% Standard,  
20% Half

## COPTHORNE®




Cophorne A - 100% Standard




Cophorne B - 100% Standard

## CAMELOT™




Camelot F - 75% Lg Rectangle,  
25% Square




Camelot M - 60% Lg Rectangle,  
40% Square

## COURTSTONE®




Courtstone A - 16% Sq., 18% Sm. Rec.,  
19% Rec., 22% Lg. Rec., 25% XL Rec.

## ECO-PRIORA™




Eco-Priora E - 100% Rectangle

## ECO-PRIORA™




Eco-Priora H - 50% Large Square,  
50% Rectangle

## HOLLANDSTONE™ & HOLLAND PREMIER™




Hollandstone D - 100% 4"x8"




Hollandstone C - 100% 4"x8"

## IL CAMPO®




Il Campo AB - 58% 12"x12",  
29% 6"x12", 13% 4"x8"


**IL CAMPO®**



Il Campo H - 60% 6"x8", 30% 6"x6", 10% 4"x6"




Il Campo M - 50% 6"x12", 50% 12"x12"




Il Campo AC - 46% 12"x12", 23% 6"x12", 31% 4"x8"

**NATURAL STONE**




Natural Stone C - 67% 24" x 24", 33% 12" x 24"

**NATURAL STONE**




Natural Stone D - 57% 12" x 24", 43% 18" x 24"




Natural Stone F - 34% 24" x 36", 24% 24" x 24", 18% 18" x 24", 24% 12" x 24"

**OLDE GREENWICH COBBLE®**




Greenwich G - 67% Large Rectangle, 33% Medium Rectangle


**RICHCLIFF®**




Richcliff A - 53% 12" x 9", 20% 9" x 9", 27% 6" x 9"



Richcliff B - 53% 12" x 9", 20% 9" x 9", 27% 6" x 9"




Richcliff C - 53% 12" x 9", 20% 9" x 9", 27% 6" x 9"




Richcliff D - 53% 12" x 9", 20% 9" x 9", 27% 6" x 9"

**RIVENSTONE™**




I - 33% 24"x24", 50% 18"x24", 17% 12"x24"


**SENZO™**



Senzo C - 57% 16"x16", 29% 16"x8", 14% 8"x8"




Senzo D - 67% 16"x16", 22% 16"x8", 11% 8"x8"




Senzo E - 54% 16"x16", 37% 8"x16", 9% 8"x8"

**SERIES 3000® Random**




Series 3000 A - 40% Lg Rect, 40% Sq, 20% Sm Rect.




Series 3000 B - 40% Lg Rect, 40% Sq, 20% Sm Rect.


**THORNBURY™**



Thornbury A - 49% Large Rec., 34% Medium Rec., 17% Small Rec.




Thornbury B - 49% Large Rec., 34% Medium Rec., 17% Small Rec.




Thornbury C - 49% Large Rec., 34% Medium Rec., 17% Small Rec.

**TRIBECA COBBLE**




Tribea Cobble - 100% Random Bundle

**UMBRIANO®**




Umbriano A - 57% 16"x16", 29% 16"x8", 14% 8"x8"




Umbriano B - 67% 16"x16", 22% 16"x8", 11% 8"x8"

**UMBRIANO®**




Umbriano C - 54% 16"x16", 37% 8"x16", 9% 8"x8"




Umbriano E - 33% 24"x24", 33% 12"x24", 15% 16"x16", 15% 16"x8", 4% 8"x8"

**UMBRIANO® RANDOM**




Umbriano Random A - 40% Large Rect., 40% Square, 20% Small Rect.


**YORKSTONE™**



A - 45% 24"x24", 33% 18"x24", 22% 12"x24"



J - 36% 24"x24", 28% 18"x24", 36% 12"x24"



K - 47% 24"x24", 18% 18"x24", 35% 12"x24"

**Tuscany Collection\*\***



Tuscany Fireplace  
Sandstone with Copthorne®  
(3 Color Blend)



Tuscany Fireplace  
Sierra with  
Copthorne® (3 Color Blend)

**Element Product Codes**

Tuscany Collection

	Sandstone	Sierra
Fireplace Top	RS-ELE074-1	RS-ELE095-2
Fireplace Bottom	RS-ELE088-1	RS-ELE096-2
Wood box Set	RS-ELE028-1	RS-ELE027-1
Arched Hearth	RS-ELE016-1	RS-ELE017-1

**WEIGHTS** Tuscany Fireplace Top 2665 lbs Fireplace Bottom 3955 lbs Wood Boxes 3786 lbs Arched Hearth 990lbs

**Special Order**



Tuscany Sandstone with  
Umbriano®



Tuscany Sierra with  
Richcliff®



Tuscany Sierra with  
Courtstone®

**Barcelona Collection\*\***



Barcelona Fireplace  
Sierra with Umbriano®  
(Summer Wheat)

**Element Product Codes**

Barcelona Collection

	Sierra
Fireplace	RS-ELE214
Wood box Set	RS-ELE213
Arched Hearth	RS-ELE212

**WEIGHTS** Barcelona Fireplace Top 2605 lbs Fireplace Bottom 4026 lbs Wood Boxes 3900 lbs Arched Hearth 1100lbs

**Special Order**



Barcelona Sandstone with  
Unigranite®



Barcelona Sandstone with  
Copthorne®

\*\*Units and measurements may not be exactly as shown.



**Bella**

The Bella pre-built fireplace is constructed from Rivercrest® Wall (page 35). Available in Coastal Slate color only. Please call for availability.

**WEIGHTS** Bella Fireplace Top 1,685 lbs Fireplace Bottom 3,155 lbs



**Moda**

The Moda pre-built fireplace is constructed from Lineo Dimensional Stone (page 32) and Series 3000® (page 20) accent. Available in Granite color only. Please call for availability.

**WEIGHTS** Moda Fireplace Top 2,186 lbs Fireplace Bottom 3,280 lbs



**Ventana**

The Ventana pre-built fireplace is constructed with Lineo™ Dimensional Stone (page 32). Available in Granite color only. **SPECIAL ORDER**


**WEIGHTS** Ventana Fireplace 3,610 lbs

**Element Product Codes**



<u>Bella</u>	RS-ELE318
<u>Moda</u>	RS-ELE317
<u>Ventana</u>	RS-ELE319

Note: Bella, Moda & Ventana are sold as shown; they are not able to be customized or changed in any way.

## Typical Cross Section for Concrete Pad Installation



## Tuscany & Barcelona Fireplace



### Guarantee

The standard Unilock guarantee applies to the units used to construct Unilock Elements. (See Unilock literature for details.) Third party grills and fireboxes carry their respective manufacturer's warranty, and may change without notice.

Note: Unilock reserves the right to change model designs, accessories and colors without notice. Unilock will not be responsible for improper use or handling that results in property damage. Some models may not be exactly as shown. Fireplaces come complete with UL- approved stainless steel fireboxes. Check local building codes and regulations prior to ordering and installing Unilock Elements.

## CLEANING PRODUCTS



### UNICARE® PROFESSIONAL GRADE OIL & GREASE REMOVER

RS-CLN001

Professional Grade Oil and Grease Remover is an industrial strength petroleum-based product. It lifts and absorbs embedded oil and grease stains as it dries from a liquid to a powder. Specially formulated for concrete pavers, slabs walls, natural stone, poured or stamped concrete, etc. Works without damaging or discoloring material and is easy to use.

Packaging: • 1 quart container • 6 per case • 100 cases per skid (600 qts)

Note: Carefully read all instructions and safety information on product label prior to application. For additional safety information, see SDS.



### UNICARE® PAVER PRIMER & EFFLORESCENCE REMOVER

RS-CLN002

Paver Primer is specially formulated to dissolve efflorescence (whitish salt deposit) and remove ground-in dirt on paving stones and concrete, without discoloring or damaging surfaces. It cleans evenly, and enables the sealant to better penetrate the material to be treated.

Packaging: • 1 gallon • Box of 4 x 1 US gallon • 45 cases per skid (180 gallons) • 150 sq ft approx. coverage

Note: Carefully read all instructions and safety information on product label prior to application. For additional safety information, see SDS.



### UNICARE® RUST REMOVER

RS-CLN012

Paver Cleaner cleans rust from paving stones and concrete without discoloring the surface.

Packaging: • 1 quart container • 6 per case • 120 cases per skid (720 qts)

Note: Carefully read all instructions and safety information on product label prior to application. For additional safety information, see SDS.



### UNICARE® PAINT, TAR & RUBBER REMOVER

RS-CLN007

Description: Paver Cleaner thoroughly dissolves paint, tar or bitumen, rubber and chewing gum, from paving stones, concrete, and masonry.

Packaging: • 1 liter container (1US qt) • 6 per case • 120 cases per skid (720 x 1 liter/ 720 x 1 US qt)

Note: Carefully read all instructions and safety information on product label prior to application. For additional safety information, see SDS.



### TECHNISEAL® PAVER RESTORER

RS-CLN044 (1 gal) / RS-CLN019 (5 gal)

Description: Paver Restorer's concentrated formula removes cement slurry and jointing haze, as well as stains generated by pavers and slabs cuts. Unlike muriatic acid, Paver Restorer has very little odor and is environmentally friendly.

Packaging: • 1 gallon / 4 per case • Cleans up to 200 square feet • Coverage depends on surface porosity and severity of haze.

Note: Carefully read all instructions and safety information on product label prior to application. For additional safety information, see SDS.

## ADHESIVES & CAULKS



### SB-10 ADHESIVE

RS-ADH009-1 (10 oz) / RS-ADH015-1 (28 oz)

(Conforms to UN-STD. 1804, ASTM 2339-70& FHA UM-60) Color: light tan

Surebond SB-10 adhesive SB-10 Paver Bond is a fast set up, quick curing, superior strength, structural grade hardscape adhesive. Adheres well in extreme conditions such as temperatures ranging from 0° to 100° F, frozen and/or damp substrates. Superior durability to withstand extreme wear and tear including heavy vehicular traffic. Helps to level and shim. Applies easily with a caulking gun.

• Low odor • VOC compliant • 10 oz. Tube: 12/case & 140 cases/skid • 28 oz Tube: 12/case & 60 cases/skid • 900 psi

Note: Carefully read all instructions and safety information on product label prior to application. For additional safety information, see SDS.



### XP GATOR BLOCK ADHESIVE

RS-ADH039 (10.3 oz) / RS-ADH040 (28 oz)

Gator Block Bond Adhesive is one of the strongest polyurethane adhesives on the market, specially formulated for bonding concrete, natural stone, blocks, bricks and pavers and can be used on dry or damp surfaces. It bonds permanently in 24 hours.

• Low odor • VOC compliant • 10.3 oz. Tube: 12/case & 90 cases/skid • 28 oz Tube: 12/case & 60 cases/skid •

850 psi in 24 hours/1000 psi in 7 days

Note: Carefully read all instructions and safety information on product label prior to application. For additional safety information, see SDS. **Product is sold by case/skid only.**



### 3006 ULTRA ALL PURPOSE ELASTOMERIC SEALANT

RS-TOOL202 Grey

3006 Ultra is a premium sealant featuring outstanding flexibility and adhesion to surfaces.

10.5 oz. Tube / 12 per case

• 40% more flexible than standard latex caulking • Paintable • Water clean-up

• Dries non-tacky • Interior and exterior use

Exceeds requirements for Federal Specification TT-S-00230C Type II Class A and meets performance requirements of ASTM C-920 Class 35. For additional safety information, see SDS.

## ADHESIVES & CAULKS



### SHERWIN WILLIAMS POWERHOUSE - ALL PURPOSE ELASTOMERIC SEALANT

RS-TOOL201 Tan

Sherwin Williams Powerhouse is a premium sealant that provides excellent flexibility and performance.

• 10 oz. Tube / 12 per case • Crack proof seal • Water/Weatherproof seal

Note: Carefully read all instructions and safety information on product label prior to application. For additional safety information, see SDS.

## SEALING PRODUCTS



### SUREBOND 8700 WET LOOK JOINT STABILIZING SEALER

RS-SEAL151 (1 gal) / RS-SEAL152 (5 gal)

Surebond 8700 is an advanced premium acrylic sealer with a gloss finish that repels water within 90 minutes and stabilizes joint sand. SUREBOND 8700 is specially formulated with antifungal agents designed to help inhibit the growth of mold, fungi and moss on horizontal pavement surfaces. This breathable sealer can be applied immediately to new installations and will not trap naturally occurring efflorescence. Note: Carefully read all instructions and safety information on product label prior to application. For additional safety information, see SDS. Packaging: 4 1-gallons/case • Approximate coverage 80-120 sq.ft. per gallon • Due to HAZMAT regulations, 28 cases per skid or 22-5 gallons per skid/truckload • **Due to HAZMAT Regulations**, no more than 1000 lbs. may be picked up at one time.



### SUREBOND 1300 JOINT STABILIZING SEALER

RS-SEAL037 (1 gal) / RS-SEAL036 (5 gal) / RS-SEAL-38 (55 gal)

Surebond 1300 is an epoxy modified, single-component VOC, EPA, and OSHA compliant, solvent-free, penetrating sealer that provides protection to interlocking paving stone installations against salt spray, acid rain, food and beverage stains, and other oxidizers. This matte finish sealer binds joint sand together to ensure the integrity of the pavement by forming a homogeneous, flexible pavement that stops erosion or joint sand failures in large paver installations. This sealer is also used to seal retaining walls and for concrete and aggregate and split-face stone to protect against staining, salt spray, and acid rain damage and discoloration for architectural, industrial, and residential installations. Packaging: 6 1-gallons/case • 27 cases per skid • 36 5-gallon pails/skid • Approximate coverage 100-150 sq.ft. per gallon



### WL4 TECHNISEAL® PROSERIES WET LOOK WATER REPELLANT

RS-SEAL001 (1gal) / RS-SEAL073 (5 gal) / RS-SEAL003 (55 gal)

Made of acrylic and plasticizers, Wet-Look Paver Protector (WL4) is a wet-look, gloss-finish and microporous transparent coating that protects pavers made of concrete while enhancing their original color. It reduces oil and dirt penetration, and makes cleaning easier. Easy to apply, it penetrates the surface for maximum adhesion and durability. It will not peel or discolor. It resists the elements (freeze-thaw cycles, sun, rain, etc.), as well as calcium and salt. It also resists hot tire pick-up. Note: Carefully read all instructions and safety information on product label prior to application. For additional safety information, see SDS. For outdoor use only. Packaging: 4 1-gallons per case • Approximate coverage 100-150 sq.ft. per gallon • Due to HAZMAT Regulations, 22 cases per skid or 19-5 gallon pails per skid/truckload. • **Due to HAZMAT Regulations**, no more than 1000 lbs. may be picked up at one time.



### WL5 TECHNISEAL® PROSERIES WET LOOK RECOATER PAVER PROTECTOR

RS-SEAL113 (1gal) / RS-SEAL096 (5 gal)

Wet Look Recoater (WL5) is specially formulated for surfaces previously sealed with the WL4 or WLWR Protectors. This easy to apply sealer, adds a rich satin and glossy appearance to pavers. Consisting of acrylic and plasticizers, the Wet Look Recoater (WL5) can be used to effectively protect and enhance hardscape installations. The sealer has optimum oil repellency and resists the assaults of weather (freeze-thaw cycles, sun, rain, etc.) as well as calcium and salt. Note: Carefully read all instructions and safety information on product label prior to application. For additional safety information, see SDS. For outdoor use only. Packaging: 4 1-gallons per case • Approximate coverage 100-150 sq.ft. per gallon • Due to HAZMAT regulations, 22 cases per skid or 19-5 gallons per skid/truckload • **Due to HAZMAT Regulations**, no more than 1000 lbs. may be picked up at one time.



### BP PRO WET LOOK SOLVENT-BASED SEALER

RS-SEAL049-1 (1 gal) / RS-SEAL050 (5 gal) / SPECIAL ORDER (55 gal)

Designed specifically for use on block paving to seal the paver surface and fuse the joint sand. It is a solvent-based single component polymer that creates a semi-gloss finish. It has the consistency of a light oil and is clear in appearance. It has a strong odor when in its liquid state and dries to a transparent semi-gloss finish with a darkened wet look. It can be used outdoors on new and existing projects because it is UV stable. WetLook Stabilizing Sealer can be applied immediately because it is breathable and does not trap moisture and it has outstanding coverage. The product is easy to install and offers great stain and environment protection. Cured product is heat and freeze resistant. Packaging: 4 1-gallons per case • 50-125 sq.ft. coverage per gallon (approx.) • Due to HAZMAT regulations, 27 cases per skid or 25-5 gallons per skid/truckload • **Due to HAZMAT Regulations**, no more than 1000 lbs. may be picked up at one time.

## SEALING PRODUCTS



### BP PRO WET LOOK JOINT STABILIZING SEALER

RS-SEAL078 (1 gal) / RS-SEAL079 (5 gal) / RS-SEAL080 (55 gal)

Designed specifically for use on block paving to seal the paver surface and fuse the joint sand. It is a solvent-based single component polymer that creates a semi-gloss finish. It has the consistency of a light oil and is clear in appearance. It has a strong odor when in its liquid state and dries to a transparent semi-gloss finish with a darkened wet look. It can be used outdoors on new and existing projects because it is UV stable. WetLook Stabilizing Sealer can be applied immediately because it is breathable and does not trap moisture and it has outstanding coverage. The product is easy to install and offers great stain and environment protection. Cured product is heat and freeze resistant. Packaging: 4 1-gallons per case • 50-125 sq.ft. coverage per gallon (approx.) • Due to HAZMAT regulations, 27 cases per skid or 25-5 gallons per skid/truckload • **Due to HAZMAT Regulations**, no more than 1000 lbs. may be picked up at one time.



### BP PRO ENHANCED JOINT STABILIZING SEALER

RS-SEAL042 (1 gal) / RS-SEAL043 (5 gal) / RS-SEAL044 (55 gal)

BP Pro Enhanced Joint Stabilizing Sealer is designed specifically for use on block paving to stabilize joint sand and seal the paver surface. It is a water-based, single-component polymer that penetrates into the pores and seals the surface with a coating that creates a semi-gloss finish. Enhanced Joint Stabilizing Sealer is a green product that is solvent free and environmentally friendly. It is VOC, EPA, OSHA, and FDA compliant. It is non-hazardous and non-toxic. Stabilized joint sand will significantly reduce weeds and insect infestations. It is a dual-purposed surface and joint sand stabilizer. Packaging: 4 1-gallons per case • 36 cases per skid • 36 5-gallons per skid • 4 55-gallon container per skid • 80-100 sq.ft. coverage per gallon (approx.)



### TECHNISEAL® SUREFOOT ANTI-SLIP GRIT RS-SEAL166 (Solvent-based) / RS-SEAL167 (Water-based)

Unicase SureFoot Anti-slip grit mixes easily with sealer to reduce the slipperiness of pavers without changing the sealer's original appearance. It provides a uniform coat and a safer, more slip-resistant surface where slips and falls are likely to occur; such as pool decks, access ramps, etc. Two separate formulas are available to mix well with either water or solvent based sealers. Directions: 5 Scoops mix into 1 Gallon of Sealer / One Can mixes into 5 Gallons of Sealer. Packaging: 6 cans/case Note: Carefully read all instructions and safety information on product label prior to application. For additional safety information, see SDS.

## SANDS



### JOINTING SAND

RS-SAND001-1 - Tan RS-SAND140 - Grey (limited stock available)

50 lb/bag 56 bags/skid

Kiln dried and angular shaped in order to flow easily and stay in place.



### SEK POLYSWEEP SAND

RS-SAND045 - Tan / RS-SAND046 - Grey

50 lb/bag 56 bags/skid

For concrete paver, cast stone pavements, slabs and natural stone joints up to 3/4". PolySweep polymeric sand is a blend of native sands and high quality synthetic polymers specially formulated to allow the joints to expand and contract with elements such as extreme heat, extreme cold and freeze/thaw cycles.

Also available in limited stock - X-treme Wide PolySweep for joints up to 4" RS-SAND111 - Russett Brown / RS-SAND117 - Grey



### UNICARE® PLUS (RG+) SAND

RS-SAND028 - Tan / RS-SAND030 - Grey

For Standard Joints - 50 lb/bag, 56 bags/skid (2860 lbs/skid)

A special mix of graded sand and binder specifically formulated for achieving optimum lock-up of pavers or slabs by filling the joints between them. Unlike regular sweeping jointing sand, Polymeric Sand resists insect penetration, weed growth, and erosion. New formulation with half hour setting time. Coverage: Approx. 75 sq. ft./bag Coverage will vary depending on the type/size of stone used. Note: This product is recommended with extra care for use with Copthorne®, Courtstone®, Richcliff®, Town Hall® and Umbriano® products. Umbriano must have the surface cleaned with a foam squeegee post installation. This product is not suitable for use with Il Campo®, Series 3000® and Unigranite®.



### UNICARE® HP NEXTGEL POLYMERIC SAND

RS-SAND131 Prairie - Tan / RS-SAND130 - Prairie Grey

For Large Joints - 50 lb/bag, 56 bags/skid (2860 lbs/skid)

Designed for paver joints up to a maximum of 1 inch. This paver sand is a high-performance polymer sand - it is the ideal product for heavy traffic and wet areas. Weeds and insects in paver joints is part of the past with this high-end product. This polymer sand is a mixture of graded sand (ASTM C144) and binder. It penetrates easily into joints, ensuring a fast and efficient jointing solution. This easy to use jointing sand will start to harden in minutes after water activation, and it quickly becomes resistant to erosion caused by water (rain, sprinklers and spray). Coverage: 65-85 sq.ft. coverage per bag for narrow joints, larger joints will require more sand.



## EASY-PRO™

RS-SAND066-1 - Tan / RS-SAND068-1 - Black / RS-SAND069-1 - Grey

50 lb container - premixed

Ultimate Paving Stone Joint Compound. Designed for installation in light rain or sun with a surface temperature above 32°F, this pre-mixed epoxy resin product is ideal for patios, pool decks and walkways. It is also permeable. Features: Vacuum packed, pre-mixed and ready to use, eco-friendly (60% renewable products), no haze formulation, for joint widths starting from 1/4" wide and 1 1/4" deep.

Colors: Tan, Black, Grey

Coverage: Approximately 75 sq. ft./container. Coverage will vary depending on the type/size of stone used.

STORAGE: Open product good for 30 day when covered with water.

Note: This product is not suitable for use with Umbriano®, Il Campo®, Series 3000®, Unigranite®, Artline™ and Bristol Valley®.



## GATOR HP SUPER SAND BOND

RS-SAND078 - Beige / RS-SAND079 - Ivory / RS-SAND080 - Slate Grey / RS-SAND114 - Diamond Black

50lb. bags (56 bags/skid)

Wetcast & Natural Stone Joints up to 1"

Super Sand Bond is a unique mixture of polymer binders and calibrated sand available in Beige, Slate Grey, Ivory and Diamond Black. The installation of Super Sand Bond is almost identical to using regular paver joint sand, except for the application of water. Once Super Sand Bond sets, it becomes very firm and locks between the paver joints. This firm bond maintains pavers securely in place, being equally effective on both horizontal and sloped surfaces.



## GATOR MAXX BOND

RS-SAND074 - Beige / RS-SAND075 - Slate Grey / RS-SAND108 - Ivory / RS-SAND115 Diamond Black

50lb. bag (56 bags/skid)

For Concrete Paver, Wetcast & Natural Stone Joints up to 1"

Gator Maxx Sand is the first polymeric sand specifically designed for drainage and non-drainage base systems. It can be used with concrete pavers, wetcast and natural stones. It is recommended for a variety of uses, including pool sides, patios, foot paths, driveways, parking spaces, pavements etc. This complete multi-purpose sand is available in four colors: Beige, Slate Grey, Ivory and Diamond Black. It sets above the freezing temperature (32°F / 0°C) and can be used for joints up to a maximum of 1 inch.



## EUROSTONE BOND

RS-SAND097 - Beige / RS-SAND095 - Slate Grey / RS-SAND116 Diamond Black

50lb. bag (56 bags/skid)

For Driveway Aprons Application & Cobblestone Joints up to 3.5cm / 1"

Eurostone Bond is the first polymeric sand specifically designed for drainage and non-drainage base systems. It can be used with natural stones and cobblestone. It is recommended for a variety of uses, including streets, plazas (pedestrian and vehicular traffic) paths, sloping areas, around pools, etc. This complete multi-purpose sand is available in three colors: Beige, Slate Grey and Diamond Black. It sets above the freezing temperature (0°C / 32°F) and can be used for joints up to a maximum of 3.5 cm / 1".



## GATOR DUST BOND

RS-SAND072 - Beige / RS-SAND073 - Slate Grey

50lb. bag (56 bags/skid)

For Stone Joints 1/2" to 4"

Gator Dust is a unique mixture of polymer binders and calibrated crushed stone available in Sahara Beige or Stone Grey. Once Gator Dust sets, it becomes very firm and locks between the stone joints. This firm bond maintains the stones securely in place equally effectively on both horizontal and sloped surfaces.



## GATOR AQUA ROCK

RS-AGG032 - 50lb. bag (56 bags/skid) / RS-AGG033 (2200 lb. SuperSak)

50lb. bags (56 bags/skid)

For Permeable Paver Joints Graded ASTM NO.9 Granite Stone

Gator Aqua Rock is manufactured to meet ASTM No.9 requirements for permeable paver joint units. The calibrated gradation obtained from the fractured high-strength granite makes it the ideal product for the bedding course & jointing material to collect surface water run-off and help stabilize interlocking paver surfaces.

Coverage: 20-25 Sq.Ft. = 50 lb bag / 880-1100 Sq.Ft. = 2200 lb bag



## SEK PERMEABLE CHIPS

RS-AGG035 - Eclipse Black / RS-AGG036 - Eclipse Black 2500 lb / RS-AGG034 - Sunset Red /

RS-AGG037 - Saturn Tan / RS-AGG040 - Stormy Grey

50lb. bags (56 bags/skid)

The high strength crushed and washed granite meets ASTM No. 9 Stone Specifications for permeable joint filler.

Ensure surface infiltration performance- SEK PermChip is the perfect choice for permeable paving stone installations, both as a bedding course and as a joint filler. SEK PermChip is an extremely hard material, easily withstanding the rigors of freeze/thaw cycles. It will not break down, helping to control the runoff for years to come. The right choice for both residential and commercial applications, including driveways, patios, walkways and parking lots. SEK PermChip comes in four colors: Eclipse Black, Sunset Red, Saturn Tan and Stormy Grey.

Coverage: 30-35 Sq.Ft. = 50 lb bag / 1500-1750 Sq.Ft. = 2500 lb bag

## UNILOCK DRIVEGRID™ SYSTEM



### UNILOCK DRIVEGRID™ SYSTEM

RS-FAB075

- 120' x 13.1' Roll - 1572 Sq. Ft. & 56 lbs per Roll

## PAVER PULLER



### EZ Puller

RS-TOOL178

- E-Z Puller removes pavers up to 16 inches with the E-Z 16
- No damage to surrounding pavers
- Sealed pavers or Polymeric Sand - no problem, pavers pop right out
- E-Z one man operation, saving time and money
- Great for engraved paver installations

## BASE/DRAINAGE SYSTEMS

### Gator Tile System

Contact UniLock for more information.



### Wall Drain Pro

12 unites/case, 63 cases/pallet

Wall Drain Pro is a simpler, more effective wall drain than you've ever used before.

- Easy Installation
- Aesthetically Pleasing
- Integral Component of Wall Construction
- Customizable Height
- Works with Block or Timber Walls

### New Colors for 2017

Tan - RS-ACC122

Grey - RS-ACC123


Black - RS-ACC086

## EDGE RESTRAINTS

### SnapEdge - One-Piece Edging That Does It All!

RS-EDGE001

- Only one part required for straight runs or curved installations.
- Built-in connector fastens one piece to the next - convenient 96" size, makes them easy to transport.
- Unique 'Snip and Flex' feature speeds installations of curves and corners without pre-planning.
- The open design allows a root system to grow through SnapEdge, further reinforcing the installation.
- Engineered to provide a strong, easy-to-install edge restraint for concrete/clay pavers.
- Nail hole bosses are full-length cylinders. Hammer blows will not fracture or force nail heads through edging.



Product Information:

8' (96") length pcs.

Sidewall: 1 7/8"

Pieces per Pallet: 672 (5,376 In. ft.)

Pieces per Bundle: 24 (192 In. ft.)

Bundles per Pallet: 28

Pallet Weight: 1395 lbs.

Pallet Size: 98" l x 48"w x 50" h

### PermEdge Permeable Paver Edging

RS-EDGE033

- Designed specifically for permeable pavement with open graded base material.
- Holds pavement edges securely in place.
- Does straight and curved edges.



Product Information:

8' (96") length pcs.

Weight per Unit: 2.5 lbs.

Pieces per Pallet: 64 (72 In. ft.)

Freight Class: 300

Pallet Weight: 210 lbs.

Pallet Size: 98" l x 48"w x 50" h

# ACCESSORY QUICK REFERENCE GUIDE

## CLEANERS

RS-CLN001	UNICARE OIL & GREASE REMOVER
RS-CLN002	UNICARE EFFLORESCENCE REMOVER - 1 GAL.
RS-CLN007	UNICARE PAINT, TAR & RUBBER REMOVER - 1 QUART.
RS-CLN012	UNICARE RUST REMOVER PAVER CLEANER - 1 QUART.
RS-CLN043	BP PRO ECO-NEW CONCENTRATE CLEANER - 1 GAL. - Special Order
RS-CLN044	TECHNISEAL PROSERIES PAVER RESTORER - 1 GAL.

## WET LOOK SOLVENT BASED SEALERS

<b>WL4 TECHNISEAL WET LOOK - PAVER PROTECTOR GLOSS FINISHERS</b>	
1 GAL.: RS-SEAL001 (4/CASE)	— 5 GAL.: RS-SEAL073 (51 LBS/PAIL) — 55 GAL.: RS-SEAL003 (520 LBS/DRUM)
<b>BP PRO WETLOOK STABILIZING</b>	
1 GAL.: RS-SEAL078 (4/CASE)	— 5 GAL.: RS-SEAL079 (40LBS/PAIL) — 55 GAL.: RS-SEAL080 (418LBS/DRUM)
<b>BP PRO WETLOOK SOLVENT BASED</b>	
1 GAL.: RS-SEAL049-1	— 5 GAL.: RS-SEAL050 — 55 GAL.: SPECIAL ORDER
<b>SUREBOND SB-8700 WET-LOOK JOINT STABILIZING SEALER WITH ANTI-FUNGAL</b>	
1 GAL.: RS-SEAL151 (4/CASE)	— 5 GAL.: RS-SEAL152

## WATERBASED SEALERS AND ACCESSORIES

<b>BP PRO NATURAL JOINT STABILIZING SEALER</b>	
1 GAL.: RS-SEAL045	— 5 GAL.: RS-SEAL046
<b>BP PRO PAVER ENHANCER STABILIZING SEALER</b>	
1 GAL.: RS-SEAL042	— 5 GAL.: RS-SEAL043 — 55 GAL.: RS-SEAL044
<b>SUREBOND SB-1300 JOINT SAND STABILIZER SEALER</b>	
1 GAL.: RS-SEAL037	— 5 GAL.: RS-SEAL036 — 55 GAL.: RS-SEAL038

## ADHESIVE & CAULK

RS-ADH009-1	SB-10 ADHESIVE 10OZ. (12/CASE - 140C./SKID)
RS-ADH015-1	SB-10 ADHESIVE 28OZ. (12/CASE - 60C./SKID)
RS-ADH039	XP GATOR BLOCK ADHESIVE 10.3 OZ. (12/CASE - 90C./SKID) *SOLD BY CASES ONLY*
RS-ADH040	XP GATOR BLOCK ADHESIVE 28 OZ. (12/CASE - 60C./SKID) *SOLD BY CASES ONLY*
RS-TOOL201	SHERWIN WILLIAMS POWERHOUSE - TAN (12/CASE)
RS-TOOL202	WL ULTRA 3006 CAULK 10 PZ. - GREY (12/CASE)

## SANDS

<b>SEK JOINTING SAND 50# BAGS (56 BAGS/SKID)</b>	
RS SAND001 - 1	
<b>UNICARE RG+ - POLYMERIC SAND - 50# BAGS (56 BAGS/SKID)</b>	
PRAIRIE TAN: RS-SAND028 — PRAIRIE GREY: RS-SAND030	
<b>UNICARE HP NEXTGEL - POLYMERIC SAND - 50# BAGS (56 BAGS/SKID)</b>	
PRAIRIE GREY: RS-SAND130 — PRAIRIE TAN: RS-SAND131	
<b>SEK - POLYSWEEP SAND 50# BAGS (56 BAGS/SKID)</b>	
TAN: RS-SAND045 — GRAY: RS-SAND046	
<b>SEK - X-TREME WIDE JOINT SAND (56 BAGS/SKID)</b>	
<b>RUSSET BROWN: RS-SAND111 — GREY: RS-SAND117 - Special Order</b>	
<b>ALLIANCE - SUPERSAND HP 50# BAGS (56 BAGS/SKID)</b>	
IVORY: RS-SAND079 — BEIGE: RS-SAND078 — SLATE GREY: RS-SAND080 — BLACK DIAMOND: RS-SAND114	
<b>ALLIANCE - GATOR DUST BOND (56 BAGS/SKID)</b>	
SAHARA BEIGE: RS-SAND072 — STONE GREY: RS-SAND073	
<b>ALLIANCE - GATOR MAXX BOND 50# BAGS (56 BAGS/SKID)</b>	
IVORY: RS-SAND108 — BEIGE: RS-SAND074 — SLATE GREY: RS-SAND075 — BLACK DIAMOND: RS-SAND115	
<b>ALLIANCE - EUROSTONE BOND (56 BAGS/SKID)</b>	
IVORY: RS-SAND132 — BEIGE: RS-SAND097 — SLATE GREY: RS-SAND095 — BLACK DIAMOND: RS-SAND116	
<b>UNILOCK EASY PRO PREMIXED JOINT STABILIZING COMPOUND 50# CONTAINER (36 PAILS/SKID)</b>	
TAN: RS-SAND066-1 — BLACK: RS-SAND068-1 — GREY: RS-SAND069-1	

## PERMEABLE GRANITE CHIPS - ASTM NO. 9 (2-5mm)

<b>SEK PERM CHIPS - 50# BAGS</b>	
ECLIPSE BLACK: RS-AGG035 — <b>SUNSET RED: RS-AGG034</b> — <b>SATURN TAN: RS-AGG037</b> — <b>STORMY GREY: RS-AGG040 - Special Order</b>	
<b>SEK PERM CHIPS - 2500# SUPERSAK</b>	
ECLIPSE BLACK: RS-AGG036 — <b>SUNSET RED: RS-AGG038</b> — <b>SATURN TAN: RS-AGG039</b> — <b>STORMY GREY: RS-AGG041 - Special Order</b>	
<b>ALLIANCE GATOR AQUA ROCK - GRANITE GREY</b>	
50#: RS-AGG032 — 2200# BAG: FS-RS-AGG033	

## BASE & DRAINAGE SYSTEMS

RS-ACC086	WALL DRAIN PRO BLACK (12/CASE - 63C./SKID) - TAN - RS-ACC122, GREY - RS-ACC123
-----------	--

## EDGING & SPIKES

RS-EDGE001	SEK - SNAP EDGE - 8 FT PCS. (24PCS/Bnd 28Bnd/SKID)
RS-EDGE033	SEK - SNAP EDGE - PERMEABLE 8FT PCS.
RS-EDGE014	10" SPIKES (APPROX. 150/BOX)

## UNICARE DRIVEGRID™ SYSTEM

RS-FAB075	13.1' x 120' Roll - 1572 Sq. Ft.
-----------	----------------------------------

**NOTE: Red bold Italics are all Special Order.**

## CALCULATIONS

### AREA OF A CIRCLE

Radius (in.)	18	21	24	27	30	33	36	39	42	45	48	51	54	57
Radius (ft.)	1.50	1.75	2.00	2.25	2.50	2.75	3.00	3.25	3.50	3.75	4.00	4.235	4.50	4.75
Square Feet	7.07	9.62	12.56	15.90	19.63	23.75	28.26	33.17	38.47	44.16	50.24	56.72	63.59	70.85
Circumference (in.)	113.04	131.88	150.72	169.56	188.40	207.24	226.08	244.92	263.76	282.60	301.44	320.28	339.12	357.96
Circumference (Ft.)	9.42	10.99	12.56	14.13	15.70	17.27	18.84	20.41	21.98	23.55	25.12	26.69	28.26	29.83
Area of a circle = 3.14 x Radius x Radius														
Circumference = 6.28 x Radius														

### AREA CONVERSION CHART

Square Feet	1	2	3	4	5	6	7	8	9	10	11	12	13	14
Square Meter	0.09	0.19	0.28	0.39	0.46	0.56	0.65	0.74	0.84	0.93	1.02	1.11	1.21	1.30
Square Meter	1	2	3	4	5	6	7	8	9	10	11	12	13	14
Square Feet	10.76	21.53	32.29	43.06	53.82	64.58	75.35	86.11	96.88	107.64	118.40	129.17	139.93	150.69
Cubic Yard	1	2	3	4	5	6	7	8	9	10	11	12	13	14
Cubic Feet	27	54	81	108	135	162	189	216	243	270	297	324	351	378

Area Square = Length x Width

Area Triangle = 1/2 Base x Height

Calculation charts and formulas are provided as a service by Unilock for estimating material requirements. Unilock will not be held responsible in any way for resulting product overage or shortage.

## SEALER BEST PRACTICES

- The paver surface should be **clean** and free from oil, dirt, dust and any loose material. This ensures a uniform result and allows the sealer to better penetrate the surface.
- The pavers should be **free of any visible efflorescence**.
- If pavers have been sealed before, make sure to reseat with compatible product.
- **Surface must be dry** (48 hours without precipitation) and warm to the touch (morning).
- Joint sand must also be dry.
- Make sure lawn sprinklers are shut off.
- Best air temperature is between **50 degrees to 80 degrees** with no rain forecasted for the next 24 hours.
- It is best to apply product under constant weather conditions and use the **same application method from start to finish**.
- The paver joints should be completely filled with dry correctly-graded joint sand. The top level should not exceed the bottom of the chamfer or **1/8" below** the surface on the non-beveled or tumbled paver surface.
- **Always test the product** on a small hidden area to ensure the results will meet your expectations.
- Always show homeowners samples to ensure expectations.

**At this point read all sealer instructions and determine the best sealer for your desired goal. Do you want to retain the original look, enhance the color, or stabilize the sand joint?**

- **Read application information as each sealer can be applied differently.**
- **Make sure you have the correct equipment based on type of sealer. Solvent based sealers need solvent resistant sprayers, watering cans or paint trays.** Water base sealers can be generally applied using plastic equipment. Example: solvent based sealers come in metal containers and water based sealers come in plastic containers.
- Care should be taken that no excess sealer material is pooled on the surface during application always back roll. When using solvent based sealers make sure roller is solvent resistant or for all paints. Foam rollers work best and are less likely to pull sand from the joints.
- Stabilizing sealers are generally sprayed or flood coated with a watering can, then back rolled.
- Acrylic non-stabilizing sealers can be sprayed, then back rolled or rolled on using a metal paint tray.
- **Send your most experienced worker to do sealing projects.**

## Easy-Pro™ BEST PRACTICES

- Ensure installed pavers or stone slabs meet ¼" joint width requirement and 1¼" depth requirement
- Ensure that paver surface has **proper drainage runoff** (Min 1" over 8'). Finished paver height should always be higher than grade to allow proper surface runoff.
- **Do not set pavers in bedding course of Limestone screenings.** This product holds moisture, and does not meet the gradation, drainage qualities or strength of coarse concrete sand or permeable chips.
- **Easy-Pro should not be used on non-drainable bases. Example: pavers directly over concrete.** Paver installations consisting of bases made of local road mix (CA6) and coarse sand bedding are considered drainable bases and are OK.
- Easy-Pro however installs and **works best on permeable bases.** Permeable bases for residential pedestrian use generally consist of a base layer of 0.75" crushed, angular, open-graded base material (CA-7) with a bedding course of 0.25" crushed, angular, chip stone (CA-16), instead of sand.
- **Before using Easy-Pro for any residential driveway applications, consult your Unilock Territory Manager.**
- **Compact pavers** first into setting bed to create proper interlock.
- Read and review all Easy Pro manufacturer methods of application. **(Read Directions)**
- Make sure pavers are **clean of all construction dust.** Residual construction dust will haze pavers. A power washer or Unilock cleaners can be used to clean the surface. Make sure construction boots are clean of dirt and dust. Tracking dirt and dust over the installation will embed dirt and dust in the products resin residue during the install.
- Paver surface must be **pre wet before application** of Easy-Pro. Not pre wetting the surface could cause spotting or blotching and will slow down the speed of installation.
- Distribute pails of Easy-Pro over paver area. **Stage pails** in areas of coverage. Example: one pail for every 50 square feet.
- **1<sup>st</sup> coat application;** cut sealed bag, spread sand evenly in small amounts. Use rubber squeegee to distribute material. **Fill up only half of joint depth.**
- Rinse material into joint. Water should be used to compress the Easy-Pro in the joint.
- **2<sup>nd</sup> coat application;** spread sand evenly in small amounts. Use rubber squeegee and water to distribute and compress material into joints
- Joints must be filled up to the bottom of the paver chamfer, or approximately 1/8" below the top of the pavers.
- **Remove any excess sand** from the paver surface with a fine bristle push broom.
- **Excess sand can be saved and reused.** Just place sand in plastic bail and cover with water. The water level should be 1" over the surface of the sand so air can't get to the Easy Pro.
- Follow up using a fine bristle whisk broom **removing any small excess sand particles** from the paver surface.
- Rope off area and let cure for 24 hours.
- Do not seal Easy-Pro installs until all resin has worn off the surface naturally. It is important to remember the resin is a natural protector of the surface and waiting to seal should not be a concern. If sealing is a must it should be done prior to the Easy-Pro install and 100 % cured before applying the Easy-Pro sand.

## POLYSAND BEST PRACTICES

- Ensure that paver surface has **proper drainage runoff** (Min 1" over 8'). Finished paver height should always be higher than grade to allow proper surface drainage.
- **Do not set pavers in limestone screenings.** This product holds moisture and does not meet the gradation, drainage qualities or strength of coarse concrete sand.
- Make sure pavers are **clean of all construction dust.** Residual construction dust will haze pavers!
- **Compact pavers** into setting bed to create proper interlock.
- Read and review all polysand manufactures methods of application. **(Read Directions)**
- **Don't rush polysand installation.**
- **Paver area must be completely dry.**
- Lay bags of polysand over paver area. **Stage bags** in areas of coverage. Example: one bag for 60 square feet.
- **Do not over sweep sand.** Sweep sand back and forth within coverage area to fill paver joints.
- **Compact sand into joints.** This is a must in achieving proper density of the sand joint (repeat 3 times). Compaction is critical to assuring sand strength.
- Do not fill sand above the chamfer of paver. Sand should sit 1/8" below bottom of chamfer.
- Using a fine-bristle broom **remove any excess sand** from the paver surface.
- Using a **leaf blower** remove any sand or binder residue.
- **Stop**
- **Review all watering directions (Each manufacture has different watering instructions.) This is VERY IMPORTANT!**
- Always start watering at the **bottom of the slope.**
- Always start watering in **controlled areas** per manufacturers recommendations. Example: complete watering in 200 sq. ft. area then move on to the next 200 sq. ft. and repeat.
- During final watering of poly sand, **clean surface by removing excess water** with leaf blower or squeegee depending on paver surface texture. This will remove any leftover binder residue or sand.
- Final thoughts - Always be aware of the weather when installing poly sand. **(Temperature and setting time ratings differ between products.)**
- Refer to all manufactures websites for installation videos.

## TERMS AND CONDITIONS OF SALE

- All orders are accepted subject to prevailing state or other taxes, and subject to the cost of freight applying at the time of shipment.
- The acceptance by the seller of an order shall constitute a binding contract of purchase and sale, in accordance with the terms set out in this agreement.
- These terms and conditions together with the purchase order form the complete contract, and there are no representations, warranties, or conditions expressed or implied affecting this contract, other than as contained herein.
- All sales are made in accordance with the seller's samples, which the purchaser has seen and approved. No guarantee of exact color shades is made.
- Delays incurred on delivery in excess of one hour will be billed to the purchaser at \$80 per hour or fraction thereof. Similarly, delays incurred on partial delivery (1-7 bundles) in excess of one half hour, will be billed to the purchaser at the same rate.
- Use of any delivered materials by or on behalf of the purchaser shall be deemed to constitute acceptance of the materials by the purchaser.
- Excessive defective material picked up or delivered to the purchaser will be replaced free of charge if a claim is made within five days. Free replacement will be the extent of the seller's warranty. Any such claim will not constitute a reason for delaying payment. All other claims must be submitted within 30 days of purchase.
- Unsuitable or unsatisfactory materials must be available for inspection by the seller, to entitle the purchaser to any adjustment or credit.
- No materials may be returned for credit except with the written consent of the seller, whether such materials were ordered in excess of the purchaser's requirement, by mistake, or otherwise. ACCESSORIES, SECTIONS AND OPENED MATERIAL ARE NON-RETURNABLE FOR ANY REASON.
- Where the seller agrees to accept the return of goods, these goods are subject to freight charges and a restocking charge of 20% of their value plus delivery.
- \*\*\*\*Effective January 1st, 2016\*\*\*\* All custom produced product must be shipped within 30 days of the receipt of the order. After 30 days, all custom produced material will be subject to a storage fee of \$5.00 per pallet per month. Please contact your Territory Manager for more information.
- Seller does not accept responsibility for delays in deliveries due to fire, flood, strikes, or any other condition or contingencies beyond its control.
- The purchaser is responsible for installation of the materials on the job site, and the seller has no responsibilities in this regard.
- All C.O.D. orders must be paid by certified check, cash, or prior approved check.
- All approved credit accounts are payable within thirty days from the date of invoice. After 30 days, interest will be charged at 1.5% per month (A.P.R. 19.65%), calculated monthly on the balance owing at the beginning of the period. If purchaser defaults in the payment of any portion of amounts due on this account, the entire remaining unpaid balance shall, at the option of the seller, immediately become due and payable with collection costs incurred.
- Skid deposits are non-refundable with 2 or more broken top boards or one main stringer board. If you should have skids loaded onto your vehicle or receive a delivery with skids in this condition, you must have the Unilock representative (loader or truck driver) note the quantity on the shipping document paperwork.
- Title and ownership of the goods shall not pass to the purchaser until the entire amount owing; including interest is paid in full.

### ADDITIONAL INFORMATION

- All prices are F.O.B. Aurora, IL, Marengo, IL & Elkhorn, WI (see Freight rates below) - Contact Unilock for Kansas rates
- Phone shipping desk for schedules, rates, and conditions.
- Configurations may vary from time to time due to mold design changes.
- Sectioning charge is \$20.00 per bundle.
- There is a \$16.00 charge per standard and LTD shipping skids, \$15.00 of which is refundable when returned in good condition (\$1.00 usage fee).
- There is a \$24.00 charge for all Stonemark™ and Ledgestone™ product pallets, \$23.00 of which is refundable when returned in good condition (\$1.00 usage fee). Stonemark products include Arcana, Premier 24x24, Rivenstone™, Soreno & Yorkstone™.

CONFIRM PRICES, AS THEY ARE SUBJECT TO CHANGE.

## 2017 FREIGHT RATES

# of Bundles	Boom	Princeton
1 to 7	\$304.00	\$340.00
8	\$335.00	\$365.00
9	\$355.00	\$412.00
10	\$417.00	\$458.00
11 to 14	\$425.00	\$475.00

Rates are based on a 0-50 mile radius from Aurora, IL, Marengo, IL & Elkhorn, WI facilities. Please contact the shipping department for all other rates and any questions concerning delivery. Approximately 14 bundles or 43,000 pounds per truckload. Delays incurred on delivery in excess of one hour will be billed to the purchaser at \$80 per hour or a fraction thereof. Partial load deliveries in excess of one-half hour will be billed to the purchaser at the same rate.

Based on the US National Average for the Midwest Rates

Cost of Fuel	Flat Surcharge
\$2.30 to \$2.79	\$27.00
\$2.80 to \$3.29	\$42.00
\$3.30 to \$3.79	\$51.00
\$3.80 to \$4.29	\$64.00
\$4.30 to \$4.79	\$78.00
\$4.80 to \$5.29	\$93.00
\$5.30 to \$5.79	\$106.00

At Least	Less Than	Fuel Surcharge
\$2.30	\$2.79	5%
\$2.80	\$3.29	10%
\$3.30	\$3.79	15%
\$3.80	\$4.29	20%
\$4.30	\$4.79	25%
\$4.80	\$5.29	30%
\$5.30	\$5.79	35%

NOTE: Rates are based on current economic conditions and are subject to fuel surcharges, which will be based on the U.S. National Average Midwest rate of diesel fuel, calculated weekly. When the average price of fuel rises (or drops), the surcharge will take effect the following Monday. These rates can be located at [www.tonto.eia.doe.gov/oog/info/wohdp/diesel.asp](http://www.tonto.eia.doe.gov/oog/info/wohdp/diesel.asp).

Fuel Surcharge for 0-50 miles only

Fuel Surcharge for deliveries over 50 miles

## IMPORTANT NOTES

### UNILOCK PAVER PATTERNS

This Product Data Guide contains an extensive reference to patterns and designs. The purpose of these pattern swatches is to help the designer plan unique and exceptional designs. The percentages of products shown are based on the pattern and not on bundle configurations. In fact, there may be situations in which a pattern has been created with one particular size of stone, but that stone only comes packaged with two other sizes. This means that the designer will have to plan how the other components are used in the overall plan. This is usually accomplished by adding a border or an accent. As a result, overages or shortages may occur in certain patterns. The designer and/or installer of Unilock products accepts all responsibility for design and all associated costs incurred as a result of applying any of Unilock's suggested design patterns in a project. Please plan your project and review your order carefully prior to ordering.

### TRANSFERABLE LIFETIME GUARANTEE

Unilock provides a Transferable Lifetime Guarantee\* on the structural integrity of our paving stones, slabs and retaining wall units to the original purchaser of the product for residential use. Any materials installed and maintained to our guidelines, and subject to normal wear, that prove defective, will be replaced without cost. Color matching cannot be guaranteed and replacement labor is not included. Proof of purchase is required.

Excessive defective material (over the industry accepted normal of 2% for non-tumbled unit pavers) delivered to the purchaser will be replaced free of charge if a written claim is made within 5 days of delivery from the manufacturer. Such claims will not constitute reason for delaying payment. All goods shall be deemed accepted if completely installed. Inspect concrete products prior to opening bundle packaging to ensure that shape and color are as ordered. Unsatisfactory material must be available for inspection by Unilock to entitle the purchaser to any adjustment or credit. Inspect all concrete units during installation and set aside any which are chipped or cracked to use for any cut pieces required. The color of concrete products may vary significantly between production lots. Always install concrete units from several bundles simultaneously to ensure proper distribution of color. Prior to final compaction, inspect installed pavers for good color distribution. Relocate certain pavers, if necessary, to achieve desired color blend.

\*Transferable Lifetime Guarantee: Register your project within 60 days of your dated proof of purchase to ensure your Unilock Guarantee is fully transferable! Simply go online at [unilock.com](http://unilock.com) and follow instructions. Once processed, you will receive an original Transferable Warranty Certificate for your records.

### PRODUCT HANDLING WARNING

*Bundle Straps Under Tension - Use extreme caution when removing or handling straps. Always wear gloves, goggles, safety footwear, and protective clothing when removing or handling straps. Failure to do so may result in serious bodily injury or loss of sight. Cut all concrete products only in well ventilated areas. Inhalation of dust is a serious health risk. A "NIOSH" (US) or a "CSA" (CDN) approved respirator, safety goggles, hearing protectors, and gloves must be worn at all times. Always "wet-cut" or "wet grind" concrete products to minimize dust.*

Do not stack bundled concrete products higher than 2 bundles high. Contents of the bundle may be unstable and subject to topple when stacked. Always use extreme caution and appropriate equipment when transporting or storing bundled concrete products. Failure to do so may result in serious bodily injury or death. Always obey gross vehicle weight (GVW) loading limitations and regulations.

Hazard Rating: Fire 0, Health 1, Reactivity 0. See SDS Concrete Masonry (Pavers). Contact Unilock for complete sheet or view safety information at [www.unilock.com](http://www.unilock.com)

*Unilock assumes no liability or responsibility for loss or damage, resulting from the improper use or handling of our products, or from failure to follow instructions, warnings, and/or advisories on the product label, and on the SDS sheet.*

Umbriano® is a trademark of Metten Stein + Design GmbH & Co KG used under license by Unilock.

By permission of Ceramiche Caesar S.p.A., Via Canaletto 49, 41040 Spezzano di Fiorano (MO), Italy, which is the sole proprietor of the trademark and some images in this catalog. Fairstone™ is a trademark of Marshalls PLC.

Unilock Ltd. and Hengestone Holdings, Inc. are the owners or authorized users of all trademarks used in this publication unless otherwise specified.

Measurements throughout this portfolio are nominal.

\*Colors shown in this catalog should be used only as a guide. Colors should always be chosen from actual samples. Contact your local Unilock representative for color availability in your area.

Not all products shown are available at all Unilock locations. Log on to [www.unilock.com](http://www.unilock.com) for availability.

## IMPORTANT NOTICE

### IMPORTANT NOTICE

1. **DO NOT USE** Polymeric Jointing Sand on the following products:

Series 3000\*

Il Campo\*

Unigranite\*

*If joint stabilization is required, use ordinary jointing sand and apply a stabilizing sealer. Contact your local Unilock office for recommended sealants and application specifics.*

2. **EXTRA CARE** must be exercised when using Polymeric Sand on the following products:

Arcana

Courtstone\*

Cophorne\*

Richcliff\*

Senzo™

Soreno

Town Hall\*

Tribeca Cobble

Umbriano\*

Unilock's Polymeric Jointing Sand can be used on these products but the fine polymers and binders in Unilock Polymeric Jointing Sand have a natural tendency to adhere to the surface and therefore extra diligence must be taken to pre-clean the surface prior to "wetting the sand in" and squeegee off the surface post application. Failure to do so will result in a "whitish haze" on the surface that is difficult to remove.

3. **IMPORTANT COMPACTION NOTICE:** Always pre-compact the pavers WITHOUT SAND IN THE JOINTS. This will facilitate proper leveling. Polymeric sand can then be swept into the joints. *Always use a compactor with a protective membrane attached to the bottom of the plate.*

*Unilock Polymeric Jointing Sand, cleaners and sealers, must always be applied by a trained and experienced professional. Contact your local Unilock office for training and the most up-to-date best practices.*

NOTICE: Unilock does not accept any responsibility for damage to the surface caused by the improper application and use of Unilock polymeric sand, sealers or cleaners.

## COLOR BLEND DESCRIPTIONS

COLOR NAME	DESCRIPTION	COLOR NAME	DESCRIPTION
Almond Grove	Tan, Natural and Charcoal	Light Granite	Grey and Charcoal
Alpine Grey	Natural, Buff and Charcoal	Limestone	Light Grey, Charcoal and Natural
Autumn Red	Red, Buff and Charcoal	Lugano	Solid Beige/Tan
Autumn Sunset	Salmon with Brown Flake	Midnight Sky	Charcoal with Black Flake
Basalt	Blue-Black	Mineral Ice Grey	Fine Black and White Granite
Bavarian Blend	Brown, Cream and Charcoal	Mocha Brown	Brown and Red Granite
Belgian Blue	Blue-Grey	Modena	White concrete with Black flecks
Bluestone	Blue with Black and Brown Veining	Nevada	Chamois and Natural
Burgundy Red	Plum with Red	Nuvola	Dark Charcoal and Light Grey
Burnt Clay	Brown with Red	Oakwood	Dark Brown, Light Brown and Buff
Canyon	Plum, Gold & Grey	Old Oak	Rust with Red
Castano	Dark Brown and Burnt Brown Blend	Onyx Black	Dark Charcoal with Black Granite
Charleston	Plum, Charcoal and Sand	Pebble Taupe	Tan and Brown
Chrystalline Basalt	Black and White exposed aggregates	Peppered Granite	White aggregates with black flecks
Cocoa Brown	Solid Dark Brown	Prairie	Lt. Brown, Lt. Buff and Lt. Salmon
Cobalt Grey	White, Grey and Blue hues	Pueblo	Buff and Brown
Coastal Slate	Grey and Tan	River	Buff, Natural and Charcoal
Coffee Creek	Yellow, Rose and Charcoal	Rustic Red	Red and Charcoal
Copper Ridge	Copper and Buff	Sable Blend	Cream, Tan and Brown
Crema	Cream and Buff	Sahara	Cream and Light Buff
Dawn Mist	Grey and Tan	Sandalwood	Brown and Buff
Fieldstone	Dark Gold, Buff & Charcoal	Shadow Creek	Burgundy, Grey and Buff
Golden Tan	Dark Brown, Light Brown with White Granite	Sierra	Brown, Sandstone and Charcoal
Granite	Charcoal and Natural	Slate Grey	Dark Grey
Heritage Brown	Dark Brown and Salmon	Steel Mountain	Grey and Cream
Heritage Clay	Burnt Clay and Basalt	Summer Wheat	Cream White with Yellow and Light Grey Flake
Heritage Red	Burgundy Red and Basalt	Sycamore	Brown, Buff and Charcoal
Honey Gold	Gold with Brown Veining	Toscana Beige	Solid Beige/Tan
Iron River	White and Grey with Rust Veining	Vivanto	Dark Grey and Charcoal
		Winter Marvel	White with Black Flake

# PRODUCT DIRECTORY

## Unit Pavers

Product	Page	Finish	Pedestrian	Residential Vehicular	Commercial Vehicular	Environmental	For Borders & Accents
Ada Paver™	2	S	✓				
Anchorlock®	4	S			✓		
Arcana	2	S	✓				
Artline™	3	M	✓	✓			
Avante Ashlar™	5	F	✓	✓			
Beacon Hill Flagstone™	4	F	✓				
Bristol Valley®	5	F	✓				
Brussels Block®	6	W	✓	✓			✓
Brussels Premier™	6	W	✓	✓			✓
Camelot™	7	S	✓	✓			✓
Cophorne®	7	T	✓	✓			✓
Courtstone®	8	C	✓	✓			✓
Eco-Line®	9	S	✓	✓	✓	✓	✓
Eco-Optiloc™	9	S	✓	✓	✓	✓	
Eco-Priora™	10	M	✓	✓	✓	✓	
Eco-Promenade®	11	M	✓	✓	✓	✓	
Hollandstone™	11	S	✓	✓	✓		✓
Holland Premier™	12	S	✓	✓	✓		✓
Il Campo®	13	B	✓	✓	✓		✓
Mattoni	12	T	✓	✓	✓		✓
Natural Stone	14	SM	✓	✓	✓		✓
Olde Greenwich Cobble®	15	D	✓	✓	✓		✓
Optiloc®	15	S	✓	✓	✓		
Porcelain	16	SM	✓				
Premier 24" x 24"	17	S	✓				
Promenade® Paver	17	M	✓	✓	✓		✓
Richcliff®	18	F	✓	✓			✓
Rivenstone™	18	F	✓				
Senzo™	19	SZ	✓	✓	✓		✓
Series 3000®	20	WS	✓	✓	✓		✓
Soreno	19	DW	✓				
Thornbury™	21	F	✓	✓	✓	✓	
Town Hall®	21	C	✓	✓	✓	✓	✓
Tribeca Cobble	22	T	✓	✓	✓		✓
Turfstone™	22	S		✓		✓	
Umbriano® 6cm	23	SZ	✓				✓
Umbriano® 7cm	23	SZ	✓	✓	✓		✓
Unigranite®	24	SP	✓	✓			✓
Westport™	24	F	✓	✓			✓
Yorkstone™	25	F	✓				

## Retaining Walls

Product	Page	Finish	Gardens	Retaining Walls	Steps	Seat walls	Pillars
Brussels Dimensional Stone®	26	W	✓		✓	✓	✓
Cumberland™ Wall	28	CH	✓	✓	✓	✓	✓
DuraHold®	29	SM		✓			
Estate Wall®	30	SP/W	✓	✓	✓	✓	✓
Lineo™ Dimensional Stone	32	SM	✓		✓	✓	✓
Olde Quarry®	33	W	✓	✓	✓	✓	✓
Pisa2®	34	SP	✓	✓	✓	✓	✓
Rivercrest® Wall	35	F	✓		✓	✓	✓
SienaStone®	37	SP		✓	✓		

Finishes: B=Brushed; C=Cobblestone; CH=Chiseled Stone; D=Dimpled; DW=Dimpled and Weathered; F=Flagstone; S=Standard; SM=Smooth; SZ=Smooth Zero Bevel; SP=Split; SP/W=Split and Weathered; T=Timeworn; W=Weathered; WS=Washed; M=Multiple Finishes available  
This application chart should only be used as a guide. Site conditions, base materials, pattern, and frequency of use may vary the performance of various types and styles of products.





UNILOCK.COM | 1-800-UNILOCK

---

BOSTON  
(508) 278-4536

CLEVELAND  
(330) 927-4000

NEW YORK  
(845) 278-6700

BUFFALO  
(716) 822-6074

DETROIT  
(248) 437-7037

TORONTO  
(416) 646-9000

**CHICAGO**  
(630) 892-9191

**MILWAUKEE**  
(262) 742-3890

**KANSAS CITY**  
(913) 417-7985

**MARENGO**  
(815) 568-4700